

PL-TR-95-2168

**A GEOLOGICAL AND GEOPHYSICAL INFORMATION
SYSTEM FOR EURASIA, THE MIDDLE EAST
AND NORTH AFRICA**

**DIGITAL DATABASE DEVELOPMENT
FOR THE MIDDLE EAST AND NORTH AFRICA**

**Muawia Barazangi
Dogan Seber
Marisa Vallve
Bryan Isacks**

**Cornell University
Institute for the Study of the Continents (INSTOC)
Snee Hall
Ithaca, NY 14853**

30 November 1995

**Final Report
30 August 1993-30 November 1995**

APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED.



**PHILLIPS LABORATORY
Directorate of Geophysics
AIR FORCE MATERIEL COMMAND
HANSCOM AIR FORCE BASE, MA 01731-3010**

19960321 096


DTIC QUALITY INSPECTED 1


SPONSORED BY
Advanced Research Projects Agency (DoD)
Nuclear Monitoring Research Office
ARPA ORDER No. A-128

MONITORED BY
Phillips Laboratory
CONTRACT No. F19628-93-K-0030

The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either express or implied, of the Air Force or the U.S. Government.

This technical report has been reviewed and is approved for publication.


JAMES F. LEWKOWICZ
Contract Manager
Earth Sciences Division


JAMES F. LEWKOWICZ
Director
Earth Sciences Division

This report has been reviewed by the ESC Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify PL/IM, 29 Randolph Road, Hanscom AFB, MA 01731-3010. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 30 November 1995		3. REPORT TYPE AND DATES COVERED Final (30 Aug 1993-30 Nov 1995)
4. TITLE AND SUBTITLE A Geological and Geophysical Information System for Eurasia, the Middle East and North Africa. Digital Database Development for the Middle East and North Africa.			5. FUNDING NUMBERS PE 62301E PR NM93 TA GM WU AO Contract F19628-93-K-0030	
6. AUTHOR(S) Muawia Barazangi Dogan Seber Marisa Vallé Bryan Isacks				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Cornell University Institute for the Study of the Continents (INSTOC) Snee Hall Ithaca, NY 14853			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Phillips Laboratory 29 Randolph Road Hanscom AFB, MA 01731-3010 Contract Manager: James Lewkowicz/GPE			10. SPONSORING/MONITORING AGENCY REPORT NUMBER PL-TR-95-2168	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) As the target date (end of 1996) for the completion of multilateral comprehensive nuclear test ban treaty approaches, it is essential for the monitoring efforts that multidisciplinary information on any given region is readily available and accessible in a digital, on-line format via electronic networks for use by concerned researchers and decision makers. Our objective has been to collect and organize all available seismological, geophysical, and geological datasets for the Middle East and North Africa into a digital information system that is accessible via the Internet from Cornell and can be utilized by the International Data Center and by other ARPA/AFOSR/DOE/AFTAC researchers. We digitized many cross sections showing the depth to basement and Moho and crustal velocity and density structures. We also organized seismicity, focal mechanisms, and gravity data for most of the region. We digitized data from Egypt, Iran, Iraq, Israel, Jordan, Syria, Lebanon, Saudi Arabia, and Morocco. We have also digitized key geologic features for the Middle East. All data are being stored in our Arc/Info Geographic Information System. A new user interface has been developed in Arc Macro Language which allows easy display and analysis of the available data. We currently hold a comprehensive bibliography of all the relevant references in a computer database. We also developed WWW tools for easy access to some of our databases. The "Profile Maker" and the "Focal Mechanism Maker" are tools that allow any user to make crustal scale cross sections between two arbitrary points and focal mechanism maps using our Web page. Our Web address is "http://www.geo.cornell.edu/geology/me_na/main.html".				
14. SUBJECT TERMS Middle East North Africa Crustal Structure Moho 3-D models Seismology Geophysics Geology Geographic Information System Satellite imagery Bibliography			15. NUMBER OF PAGES 108	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified		18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified		19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified
			20. LIMITATION OF ABSTRACT SAR	

TABLE OF CONTENTS

1. Introduction	1
2. Digital Database Development for the Middle East and North Africa	1
2.1. Developing a digital database of crustal-scale cross sections	2
2.1.1. Digitizing Procedure	2
2.2. Geology	3
2.3. Satellite Imagery	4
2.4. Seismicity and Focal Mechanisms	4
2.5. Explosions	5
2.6. Bibliography.....	5
3. Status of Databases.....	5
3.1. Eurasia	5
3.2. Middle East	6
3.2.1. Egypt.....	6
3.2.2. Iran	6
3.2.3. Israel	7
3.2.4. Jordan.....	8
3.2.5. Saudi Arabia	9
3.2.6. Syria	10
3.2.7. Lebanon	11
3.2.8. Basement Map of the Middle East	11
3.3. North Africa	11
3.4. Chart of the World	12
3.5. Profile Maker and Focal Mechanism Map maker	12
4. Access to Databases	13
4.1. Anonymous FTP And World-Wide Web (WWW)	13
4.2. Customized ArcInfo Menu	14
5. References	15
6. Figures	18
Appendix I: File formats	46
Figures.....	46
Data Files	46
Line files	46
Point files.....	47
AAT files	47
Appendix II: Bibliography of the Middle East and North Africa	49
Middle East: Geology.....	49
Middle East: Geophysics	65
North Africa: Geology	79
North Africa: Geophysics	87

LIST OF FIGURES

Figure 1: Map of the Middle East showing locations of crustal profiles. Both refraction and gravity profiles are shown as *thick lines*.....PAGE 18

Figure 2(a): Map of the Middle East and North Africa showing earthquake locations extracted from the USGS/NEIC data base. The difference in the magnitudes is represented by the size of the circles. Seismicity shown covers the period of 1960-1990. A more comprehensive earthquake catalog will be developed in the future as part of our database.....PAGE 19

Figure 2(b): Map of the Middle East and North Africa showing focal mechanism solutions for the period 1977-1992 as reported by Harvard. A more complete catalog for different size earthquakes will be developed as part of our database.....PAGE 20

Figure 3: Map of the Middle East and North Africa showing only explosion locations (black triangles), extracted from the USGS database (1960-1990). We plan to considerably expand and update this important database.....PAGE 21

Figure 4: Contour map of Moho depth in Egypt derived from gravity and refraction data after Makris and others (1987). *Medium and thick solid lines* are contours on Moho. Contour depths are labeled in km. *Thick gray lines* mark locations of refraction profiles used to constrain Moho.....PAGE 22

Figure 5: Location map of gravity interpretation profiles in Iran from Snyder and Barazangi (1986). The three profiles are *thick gray lines*. The Main Zagros Thrust (MZT) is the suture zone between the Arabian plate and the Eurasian plate and is shown as a *thick black line*, and the Zagros deformation front is shown as a *thick black dashed line*. Numbers 1-3 show profile numbers of Figure 6.....PAGE 23

Figure 6: Three crustal density profiles interpreted from gravity data by Snyder and Barazangi (1986). Densities are shown in g-cm^{-3} with the crustal interfaces (*thick solid lines*). The profiles have been vertically exaggerated by a factor of two for better readability. See Figure 5 for location of these profiles.....PAGE 24

Figure 7: Location map for Israel, occupied areas, and nearby countries. Refraction profiles are shown by *thick black lines*, with Roman numbering, from Ginzburg and Folkman (1980) and Ginzburg and others (1981). Shot point locations are marked with *stars* and numbered with Arabic numerals. The approximate location of the Dead Sea Fault is shown with a *thick gray line* and transform motion marked with *arrows*. The two basins of the Dead Sea and the Sea of Galilee are *filled light gray*.....PAGE 25

Figure 8: Two-dimensional velocity structure interpretations of two Israeli refraction lines IIIa and IV running through northern and central Israel, respectively, from the Dead Sea to the Mediterranean, after Ginzburg and Folkman (1980) (see Figure 7 for locations). Refraction interfaces are shown by *thick lines*, with the associated velocities in km/s indicated. Profiles are shown without vertical exaggeration.....PAGE 26

Figure 9: Two-dimensional velocity structure interpretation of Israeli refraction line VI running through southern Israel and northern Sinai, after Ginzburg and others (1981). Refraction interfaces are shown by *thick lines*, with the associated velocities in km/s indicated. Profile is shown without vertical exaggeration at 1:2,000,000 scale. See Figure 7 for location.....PAGE 27

Figure 10: One-dimensional velocity structure beneath southern Israel and northern Sinai, derived from a Dead Sea shot and arrivals at receivers along line VI (Ginzburg and others, 1981). See Figure 7 for location and Figure 8 for structure of line VI.....PAGE 28

Figure 11: Composite interpretation of two-dimensional velocity structure along Dead Sea "rift" system after Ginzburg and others (1981). Refraction lines I, II and IIIb were shot along the western margin of the "leaky transform" running along the Gulf of Aqaba through the Dead Sea and Sea of Galilee. Note ~5 km thick transition zone above Moho. Refraction interfaces are shown by *thick lines*, with the associated velocities in km/s indicated. Deep interface within mantle was observed by wide-angle reflections. Profile is shown with vertical exaggeration, to enhance readability, at 1:4,000,000 horizontal scale. See Figure 7 for location of these profiles.....PAGE 29

Figure 12: One-dimensional velocity structure along the Jordan-Dead Sea Rift derived from shotpoint 4 and arrivals at receivers along line I and II, see Figure 7 for location of this shot point and the lines (Ginzburg and Makris, 1979) and Figure 11 for structure along these lines. The velocity transition zone above the Moho is shown by curved portion.....PAGE 30

Figure 13: Bouguer gravity map of Syria, Lebanon and Israel. Contour maps of Bouguer gravity anomalies were digitized and gridded using a 1 km grid cell size.....PAGE 31

Figure 14: Location map for Jordan. Refraction profiles and interpreted section A-B are shown by *thick black and gray lines* with Roman numbering for the refraction lines from El-Isa and others (1987). Shot point locations are marked with *stars* and numbered with Arabic numerals. The approximate location of the Dead Sea Fault is shown with a *thick gray line* and transform motion marked with *arrows*.....PAGE 32

Figure 15: One-dimensional velocity function beneath central Jordan derived from quarry explosion at shot point 3 and recorded along line II (El-Isa and others, 1987). Model 1 (*solid line*) corresponds to the two-dimensional model of Figure 16 and Model 2 (*dashed line*) corresponds to a reflectivity synthetic seismogram interpretation of the same data. See Figure 14 for location of line II.....PAGE 33

Figure 16: Two-dimensional velocity structure interpretation of Jordan refraction line II running through central and southeast Jordan, after El-Isa and others (1987). Refraction interfaces are shown by *thick lines*, with the associated velocities in km/s indicated. Profile is shown without vertical exaggeration at 1:1,000,000 scale.....PAGE 34

Figure 17: Two-dimensional velocity structure interpretation of Jordan refraction line I running from central to northwest Jordan, after El-Isa and others (1987). Refraction interfaces are shown by *thick lines*, with the associated velocities in km/s indicated. Profile is shown without vertical exaggeration at 1:1,000,000 scale. Note that there is a transition zone above the Moho in this interpretation of the line running east of the Dead Sea rift zone.....PAGE 35

Figure 18: Two-dimensional velocity structure composite section across southern Israel and Jordan, along line A-B of Figure 14, after El-Isa and others (1987). Interpretations of Israeli refraction lines V and II (which are nearly normal to the section) are combined with an interpretation of Jordan lines III and IV in southwestern Jordan. Refraction interfaces are shown by *thick lines*, with the associated velocities in km/s indicated. Profile is shown without vertical exaggeration at 1:1,000,000 scale. Note that there is a transition zone above the Moho in this interpretation east of the Dead Sea rift zone.....PAGE 36

Figure 19: Location map for the 1978 profile in Saudi Arabia after Healy and others (1982). Refraction profile receiver locations are shown by *thick gray lines*. Shot point locations are marked with *stars* and numbered with large Arabic numerals. The strike-line for the interpreted section is a *thick straight line*, with *small filled squares* marking projected Moho points with their depths indicated in km. The boundaries of the exposed Precambrian basement of the Arabian shield are shown as *thin solid lines*, with the Arabian platform sedimentary rocks to the east and the coastal plain sediments along the Red Sea rift to the west. The extensive Neogene-to-Recent mafic volcanics are *filled dark gray*. Map projection is Lambert conformal conic with standard parallels at 17°N and 33°N.....PAGE 37

Figure 20: Two-dimensional velocity structure interpretation of the 1978 Saudi Arabian refraction line running from the Red Sea to central Saudi Arabia, after Healy and others (1982) (see Figure 19 for location). Refraction and reflection interfaces and inferred iso-velocity lines are shown by *thick lines*, with the associated velocities in km/s indicated. Shot point locations are marked with *stars* at the top of the section. Distance is measured northeast from shot point 6. Note rapid structure change in transition zone from Arabian shield to Red Sea rift beneath shot point 5. Profile is shown with larger vertical exaggeration, to enhance readability, at 1:5,000,000 horizontal scale.....PAGE 38

Figure 21: Grid of thickness of sedimentary cover in most of the Middle East after Beydoun (1989). The white areas in the grid represent Precambrian basement outcrops.....PAGE 39

Figure 22: A cross section across the Arabian plate showing surface topography and seismic basement. See Figure 21 for location of this profile. The very thick sedimentary cover in the Mesopotamian foredeep could significantly affect the propagation characteristics of high-frequency crustal seismic phases, such as Pg and Lg.....PAGE 40

Figure 23: Main menu for access to the database. Land and oceans shades as well as coast lines, country borders and a latitude-longitude grid are the selected choices to be displayed.....PAGE 41

Figure 24: Map of the Middle East and North Africa obtained by the selection showed in Figure 23.....PAGE 42

Figure 25: Submenu obtained by clicking on the "display crustal cross sections..." button on the main menu. It allows the user to display a location map with the seismic refraction and gravity lines. By selecting one line with the mouse from the screen, the cross section is displayed next to the location map.....PAGE 43

Figure 26: An example showing the type of display obtained by using the menu from Figure 25.....PAGE 44

Figure 27(a): Submenu obtained by clicking on the "seismicity menu...". It allows the user to select by magnitude, depth and time interval.....PAGE 45

Figure 27(b): Submenu obtained from the "selecting by the type of phenomena..." (see Figure 27(a)). It allows to select by the type of phenomena. In the figure, as an example, all the explosions have been selected from the database.....PAGE 46

1. INTRODUCTION

Crustal and lithospheric structure variations as well as major topographic relief along seismic wave propagation paths and at the source and receiver sites are crucial information to understand the excitation and propagation of high-frequency regional seismic phases, and other aspects of the problems of verification and estimation of the yield of nuclear and chemical explosions. Our objective is to collect and organize all available seismological, geophysical, topographical, and geological datasets for the Middle East and North Africa into a digital information system that is accessible via the Internet from Cornell and can be utilized by display programs running at the Center for Monitoring Research (CMR) and by other ARPA/AFOSR/DOE/AFTAC researchers.

We began a comprehensive effort to compile and digitize information on the crustal structure of the Middle East and North Africa to expand our existing database for Eurasia developed under previous contracts. Our first work was in the Middle East where we located and digitized published data on the depth to Moho and basement and crustal velocity and density structures, primarily as interpreted from seismic refraction, gravity, and drill hole datasets. We also maintain a comprehensive bibliography of all the relevant references in a computer database. All data are stored in our Arc/Info Geographic Information System (GIS). The format of the files being released is detailed in Appendix I.

2. DIGITAL DATABASE DEVELOPMENT FOR THE MIDDLE EAST AND NORTH AFRICA

We have continued to add more information into our database for our goal of a complete crustal structure database as well as other types of geophysical and geological databases for the Middle East and North Africa. In this data release, we present some of the data interpretations country by country, including Egypt, Iran, Israel, Jordan, and Saudi Arabia. Soon, we will be integrating these individual observations and our own analyses into a regional gridded database of the best available information on crustal structure and velocities. This database

can then be used to derive crustal structure profiles along any path through the region to compare with observations or simulate the propagation of regional seismic phases as described in the final report of our previous contract (Fielding and others, 1993).

2.1. Developing a digital database of crustal scale cross sections

A number of interpretations of seismic refraction and gravity lines from many of the countries of the region have been published. We collected and digitized these cross sections and their locations. A map showing the Middle East refraction and gravity profiles included in our database and several others that will be added in the future is shown in Figure 1. With this digital cross section data, it is possible to obtain gridded surfaces of depth to Moho and depth to basement.

2.1.1. Digitizing Procedure

From gravity interpretation publications, we first digitized the locations and the interfaces of the gravity profiles. Then, we converted the lines to distance-depth coordinates in km. Distance along the profile is always measured from the left edge of the cross section and depth is always negative below sea level. Each "arc" or interface is then assigned "attributes" that indicate the density above and below the interface (stored in the Arc Attribute Table or AAT in Arc/Info). At this stage, the cross section is still a separate coverage not geographically registered. Therefore, we can describe this as a two dimensional dataset where the horizontal distances are represented on the x axis and the depth on the y axis. Then, we re-sampled the digitized cross section at 1 km intervals. These simple x-y cross sections are converted into x-z cross sections when depth "z" is computed at one kilometer intervals along the x axis. At the same time, the points are added to the location map, and the attributes (depth and density) are attached to each point. Thus, the third dimension, depth, is stored in info files which can simply be displayed as graphs in ArcInfo or can be used to generate grids.

We digitized seismic refraction results from published literature in a similar way. The profile locations and shot points were digitized and converted to latitude-longitude geographic coordinates. The interfaces of interpreted refraction profiles were digitized and converted into distance-depth coordinates in km then attributes were assigned to each interface to store the velocities above and below the interface in the AAT. Finally, the depth of each interface was re-sampled at one kilometer intervals and the velocities above and below each interface were entered as attributes to the points along the cross section. We do not keep the distance origin used by the authors, which is usually taken to be the location of a shot used for ray-tracing the 2-D velocity model, instead we always take the origin as on the left border of the cross section. A 1-D velocity (or density) versus depth sections at a specific point on the profiles can also be plotted by just selecting the point location along any profile.

Contour maps of depth of the Moho or other crustal structures are digitized in Arc/Info by recording the depth value of each contour as an attribute of the "arc" or contour line. As for all maps, the locations are converted to geographic coordinates by taking known points and estimating the proper map projection parameters to invert the projection used in making the map.

These contour datasets are then converted into grids by using the topogrid command of Arc/Info software. Topogrid uses an iterative finite difference interpolation technique. Based upon the ANUDEM program developed by Hutchinson (1989), this procedure is specifically designed for creating hydrologically correct digital topography. However, it can be used for other purposes like gravity, moho depth, or basement depth grids without drainage restrictions.

2.2. *Geology*

Our efforts under this project concentrated on geophysical data on crustal structure, but we plan to add more geological data in the future. Many geologic maps and information on stratigraphy and structure from sources such as drill holes are available throughout the Middle East and North Africa. These data are useful to better understand the tectonic structure and development of the region,

and especially useful for mapping the distribution of special geologic units such as salt beds that have a large effect on the generation or propagation of seismic signals. A few of the major tectonic features in the Middle East were digitized at a relatively crude scale suitable for regional maps and are shown on some of the figures in this report.

2.3. Satellite Imagery

Under other projects at Cornell, we have acquired some digital satellite imagery for areas of the Middle East, North Africa, and Eurasia. The most extensive coverage are complete sets of Landsat Multispectral Scanner (MSS) images for Syria and Morocco and several Thematic Mapper (TM) images from North Africa and Syria. A big advantage of Landsat MSS scenes is that they are not copyrighted and are freely shareable with other researchers.

2.4. Seismicity and Focal Mechanisms

The hypocenters located between 50°N 10°S and 70°E 20°W, were extracted from two different sources: the International Seismological Center (ISC) and the United States Geological Survey (USGS). The catalog from the ISC includes events from January 1964 through August 1987, while the one from the USGS includes events from 2000 B.C. through December 1990. Each event in the data base is described according to date, time, latitude, longitude, magnitude, depth, intensity and associated phenomena. An Arc/Info coverage has been generated from the USGS data base (Figure 2a) and the characteristics of each event have been included as separate items in the Point Attribute Table (PAT) of this coverage. Figure 2b shows the Harvard database of focal mechanism solutions in the region of interest. This database includes all earthquakes of magnitudes ≥ 5.5 .

2.5. Explosions

The USGS/NEIC data base includes identified explosions. All the explosions in the Middle East and North Africa region are extracted from the Arc/Info coverage and shown in Figure 3. There are other explosion sites in the region. We are currently working on digitizing newly available database to provide a map of large industrial explosion sites in the Middle East and North Africa.

2.6. Bibliography

We are building our bibliographic database (see Appendix II) in the Macintosh program called EndNote. References to books, journal articles, reports and other published literature are stored with the usual information on title, date, authors, journal, page numbers, etc. and with searchable keywords on the content. Automatically (by keyword search) or manually selected subsets of the EndNote dataset can be extracted and formatted in a variety of formats. This is becoming a comprehensive database of crustal structure, geology, and geophysics literature for the Middle East and North Africa, and we have copies of nearly all the references, including many hard-to-find reports, in our files. We continue to add to this bibliographic database, but we are releasing this version now to aid other researchers.

3. STATUS OF DATABASES

3.1. Eurasia

All of the crustal structure databases produced for Europe and Asia under our previous contracts continue to be available via "anonymous ftp" and our raster server. We continue to fill requests for these databases from seismic researchers around the world under ARPA/AFOSR/DOE/AFTAC contracts.

3.2. Middle East

3.2.1. Egypt

Both gravity and deep seismic refraction data have been collected in Egypt. A dissertation by Marzouk (1988) describes much of the data.

We digitized a contour map of the depth to the Moho that is based on gravity and refraction data (Figure 4). We also digitized a contour map of Bouguer gravity anomalies of this area. Grids have been built by using the topogrid command of Arc/Info.

Most of Egypt has crust 30-33 km thick, but it thins dramatically in the Red Sea rift zone to 20 km or less. Only the beginning of the crustal thinning of the Red Sea rift is shown in Figure 4. Southern and western Egypt has thicker crust reaching more than 35 km, while the northernmost part of Egypt includes part of the transition into the Mediterranean oceanic crust with crust down to 27 km thick at the coastline. The sediment thicknesses increase gradually to the north in Egypt where the large delta of the Nile extends into the Mediterranean.

3.2.2. Iran

We have begun our database for Iran with the digitization of the crustal structure profiles interpreted from gravity data by Snyder and Barazangi (1986). The locations of the three profiles of crustal density structure, interpreted primarily from gravity, were digitized from the location map and are shown in Figure 5, along with two of the major tectonic features of the area digitized from the same location map, the Main Zagros Thrust (MZT) and the Zagros deformation front.

The profiles are shown together on Figure 6, with a vertical exaggeration. Note that the major change in Moho depth is the crustal root of the high elevation part of the Zagros, in the region of the MZT, which reaches down past 60 km depth. Much of the rest of Iran, the Arabian/Persian Gulf, and northeast margin of the Arabian plate has Moho depths close to 40 km depth.

A Bouguer gravity grid has been built for the Zagros Mountains in Iran, Iraq and nearby regions, from a point data set. In addition, a contour map was generated from this grid. Free air gravity values are also available for the area and the same procedure is in process to obtain both the grid and the contours.

3.2.3. Israel

Deep seismic refraction data were collected along six profiles in Israel and occupied territories in 1977 and first described by Ginzburg and others (1979a, b). Large shots in the Dead Sea, Mediterranean, and Gulf of Aqaba provided strong sources. The detailed interpretation of the refraction profiles are described by Ginzburg and Folkman (1980) and Ginzburg and others (1981). In addition, four shorter refraction profiles were shot across central and northern Israel by the Israel National Oil Co., only one of which was long enough to provide data on the deep crust (Ginzburg and Folkman, 1980). The locations of the profiles were digitized and are shown on Figure 7. Also shown on Figure 7 are the locations of the shot points 1–8 used in the 1977 survey. Their naming scheme for refraction receiver lines used line 3 for the longest of the oil exploration profiles and lines I–VI for the 1977 profiles, but to avoid confusion on our figures between shot point numbers and line numbers, we have renamed the line 3 as line IIIa and the 1977 line III as line IIIb. The location of the major tectonic feature in the Israel/Jordan area, the Dead Sea fault system, which forms the margins of the Dead Sea “rift” and marks the “leaky transform” plate boundary between the Arabian Plate to the east and the Mediterranean plate to the west has been digitized and plotted on Figure 7 for reference.

All of the interpreted 1D and 2D velocity structure figures of Ginzburg and Folkman (1980) and Ginzburg and others (1981) have been digitized. The crustal structure of northern and central Israel is shown on Figure 8 by interpretations of the two refraction lines (IIIa and IV) running from the Dead Sea to the Mediterranean (Ginzburg and Folkman, 1980). The structure of the northern Sinai and southern Israel from line VI is shown in Figure 9 (Ginzburg and others, 1981). The depth of the Moho between the Dead Sea and the Mediterranean decreases northward from more than 40 km in the Sinai to less than 25 km in northern Israel. The crustal thickness also decreases and sediment thickness

increases towards the Dead Sea and Mediterranean. The one-dimensional velocity-depth function for line VI is shown in Figure 10.

The crustal structure of the Dead Sea "rift" from the Sea of Galilee to the Gulf of Aqaba is shown by the composite section of Figure 11 (from lines I, II, and IIIb) and the profiles of individual ray tracing models (Ginzburg and others, 1981). The large shots at shot point 4 in the Dead Sea provided good records out to long distances. The amplitude variations of secondary arrivals indicate the presence of a 5 km thick transition zone at the base of the crust with a gradation in P velocity from 6.72 to 7.9 km/s, and this zone is interpreted to extend along the entire composite section of the "rift". The depth to the Moho varies slowly from a maximum of about 35 km near Elat to about 27 km on the western margin of the southern Gulf of Aqaba and about 30 km in the north. A one-dimensional velocity-depth function is shown in Figure 12 for the Dead Sea shot point 4 along the "rift".

A contour map of Bouguer gravity of Israel has been digitized (Ginzburg and others, 1993) and a grid has been built from it. This grid has been merged with the grids for Lebanon and Syria (Khair and others, 1993; Best and others, 1990) (Figure 13). To be able to append these adjacent grids, the contours have been smoothed and joined through the country borders.

3.2.4. Jordan

A set of four refraction lines were collected in Jordan in May 1984 by the University of Jordan, Amman with the Institutes of Geophysics of Hamburg and Karlsruhe Universities (El Isa and others, 1987). We have digitized the line and shot-point locations, shown as Figure 14. Also shown on Figure 14 is the location of the Dead Sea fault system. The best long-range refraction results were obtained using large shots at shot-points 1 to 5, with recordings out to 200 km distances at a station spacing of 5 km along lines I to IV. A more detailed short-range dataset was collected along line II with smaller shots at shot-points 6 to 10 with stations out to 30 km distance and a station spacing of 1 to 2 km.

One-, two-, and three-dimensional velocity structures were interpreted and published by El Isa and others (1987), and we have digitized the one- and two-dimensional figures (due to perspective distortion it is not possible to digitize the

three-dimensional figure). The one-dimensional velocity-depth functions beneath central Jordan are shown in Figure 15, derived from quarry explosion at shot point 3 and recorded along line II. Model 1 corresponds to the two-dimensional model of Figure 16 and Model 2 corresponds to a reflectivity synthetic seismogram interpretation of the same data. The two-dimensional velocity-depth-distance profiles are shown in Figures 16-18. The depth to Moho is between 30 and 40 km for all of Jordan, shallower to the west (closer to the Dead Sea rift) and deeper to the east. Depth to crystalline basement increases towards the northeast from zero at the Precambrian (Proterozoic) surface outcrops in the southwest corner of Jordan to about 5 km in central Jordan.

3.2.5. Saudi Arabia

Two deep refraction surveys have been shot in Saudi Arabia, one very long profile was collected across southern Saudi Arabia, and several shorter profiles were collected in NW Saudi Arabia in collaboration with German researchers. The ~1200 km long refraction line from the Farasan Islands in the Red Sea across to the other side of the Arabian Shield in central Saudi Arabia was conducted mostly by the USGS in 1978 (Blank and others, 1979; Healy and others, 1982; Mooney and others, 1985). The locations of the receiver arrays were digitized from the 1:2,000,000 scale map of Plate 7 of Healy and others (1982) and are shown on Figure 19, along with the digitized locations of the seven shot points (two shot points were located close together and are both adjacent to the label 6 on the figure).

An IASPEI workshop was held in 1980 to compare a wide variety of different interpretations of the 1978 refraction profile data and the results were published in a proceedings volume (Mooney and Prodehl, 1984). The interpretations were quite similar in the relatively simple Arabian shield area, but varied widely in the transition into the Red Sea rift where the velocity structure changes rapidly. We chose to start with the interpretation of the USGS group for our database. The large 1:2,000,000-scale interpreted section in Plate 9 of Healy and others (1982), which is similar to that of Mooney and others (1985), was digitized, converted to distance-depth coordinates in km, and plotted in Figure 20.

The next step was to convert the distance-depth coordinates of the interpreted section (Figure 20; Healy and others, 1982) to geographic coordinates that can be plotted on a map. We selected the interpreted Moho interface from the database, converted the vertices along the Moho to points, and then projected the points onto a strike-line running along the length of the refraction survey to obtain latitude-longitude-depth triplets for points of the Moho. The strike-line and Moho points are shown on Figure 19, with the depth of the points in km below sea level marked next to the point locations. In this interpretation from Healy and others (1982), the steepest slope of the Moho from about 38 km to 18 km depth occurs beneath shot point 5, some 50 km inland of the present Red Sea coastline, near the position of the topographic scarp, the Hijaz-Asir escarpment, that marks the edge of the rift zone and the beginning of the sediments of the coastal plain. On the Arabian shield, where Precambrian basement is exposed, the Moho is close to 40 km deep and the P velocities start over 6 km/s at the surface. At the NNE end of the profile, a thin layer of Phanerozoic sediments cover the basement surface that gently slopes eastward under the Arabian platform.

3.2.6. Syria

No deep refraction data have been collected in Syria, but several DSS lines with detailed information on the upper and middle crust were shot. These profiles have been reinterpreted at Cornell (using the original analog seismic recordings) and provide excellent information on the thickness of the sedimentary basins and depth to basement in Syria (Seber and others, 1993). An ongoing Cornell collaboration with the Syrian Petroleum Company has brought to Cornell many other datasets for Syria, including seismic reflection lines, drill hole, and gravity data.

The gravity data have already been digitized and gridded with 1000 meters cell size (Figure 13). We have digitized crustal profiles based on gravity interpretation (Best et al., 1990). Figure 1 shows the location of these profiles.

3.2.7. Lebanon

The contours from a Bouguer gravity map of Lebanon (Khair and others, 1993) have been digitized. From this Arc/Info coverage a grid has been built with 1000 meters cell size. The contours were appropriately joined to that from Syria and Israel so the appended Syria-Lebanon-Israel grid does not show abrupt changes in the country borders due to differences in resolution in adjacent maps (see Figure 13). We have also digitized three crustal profiles based on gravity interpretation (Figure 1). No refraction profiles are available in Lebanon.

3.2.8. Basement Map of the Middle East

We have digitized a preliminary map of the thickness of sedimentary cover for most of the Middle East (Figure 21). This map was prepared by Beydoun (1989) and shows the major variations in sedimentary thickness for the area. The western part of the Arabian plate, the Arabian shield, has Precambrian basement exposed at the surface, and the basement slopes eastward under sediments up to 45,000 ft (~14 km) thick in the Zagros. To the west of the Arabian shield, a steep scarp forms the edge of the Red Sea rift zone with up to 15,000 ft (~4.5 km) of sediments. This map should only be used to get an overall view of the sediment thicknesses. We converted the depths to metric units and generated a grid from these contours (Figure 21). A better gridded surface will be generated from the refraction and gravity cross sections, and available wells. Two grids, the basement and the topography, are subtracted one from the other in order to obtain the thickness of the sedimentary layer. Figure 22 shows an example of a cross section across the Arabian plate showing surface topography and seismic basement. The very thick sedimentary cover in the Mesopotamian foredeep could significantly affect the propagation characteristics of high- frequency crustal seismic phases, such as Pg and Lg.

3.3. North Africa

An extensive point dataset of Bouguer and free air gravity values from the Bureau Gravimetrique International (BGI), allowed the generation of a gravity

grid of North Africa. The density of the spatial distribution of the data varies considerably for different areas. The best represented countries are Morocco and Egypt. These grids have been generated with 1000 meters cell size for small areas and then merged together by using the ArcInfo Grid function, mosaic. It uses a weighted average method on the overlapping areas giving smooth transition. Moreover, we expect to include considerably more geophysical and geological databases for North Africa in our database, including refraction profiles in Morocco, and detailed seismicity catalog for northwest Africa and southern Iberia.

3.4. Chart of the World

The Digital Chart of the world is a 1:1,000,000 scale basemap of the world published by the USGS. This database is originally divided in 5° by 5° tiles. The tiles have been appended together as well as their arc, point, and polygon attribute tables in a region covering the Middle East and North Africa. These descriptive attributes are codes in the individual tiles (i.e., popytpe = 1 indicates land, and popytpe = 2 indicates oceans). However, after appending the tiles, new character-type items were added, describing the code numbers for each attribute table. The following layers are available: "Drainage", "Physiography", "Political and Oceans", "Populated place", "Roads, Railroads and Transport Structure" and "Utility". The coverage with the country borders ("political and oceans") will be updated soon for countries like the former Yugoslavia and Soviet Union by digitizing the new country borders and replacing them only where changes have occurred.

3.5. Profile Maker and Focal Mechanism Map Maker

Under our World Wide Web (WWW) server, a profile maker and a focal mechanism map maker have been developed. These tools can be accessed through a client software such as Mosaic or Netscape. In order to obtain a cross section including topography, basement, and moho, the user enters the coordinates of two or more arbitrary points and the program computes the cross section by "slicing"

the available grids along great circle paths and presents the results both in hardcopy and ASCII text files.

We are using the Harvard CMT data for the focal mechanism map maker. It includes events from 1977 to 1994 globally. If a rectangular region is defined, the available focal mechanisms are selected and displayed. It is also possible to download the selected events with all their attributes.

4. ACCESS TO DATABASES

4.1. Anonymous FTP and World-Wide Web (WWW)

We are releasing our developed databases in several different forms, all accessible over the Internet. We are now using the well-established anonymous FTP protocol, however our main focus now is the World-Wide Web (WWW) protocol that is rapidly increasing in popularity on the Internet due to its more sophisticated functions. Our Web address is

`"http://www.geo.cornell.edu/geology/me_na/main.html"`.

Our anonymous FTP server is `hugo.geo.cornell.edu` and the data are stored in the `pub/arpa` directory and subdirectories. There is a new subdirectory `pub/arpa/mideast` with further subdirectories below that for each country described above. We are releasing the data in several different forms on our Web server, the finished figures of this report in PostScript and Adobe Illustrator form, and the raw data in flat ASCII files as extracted from Arc/Info are also available. The PostScript files (with the ".ps" suffix) can be printed on PostScript printers. The Adobe Illustrator files (with the ".ai" suffix) can be read by drawing and page layout programs that can handle Illustrator v. 5 format files. The raw data files have several different formats for different types of information, and the file formats are explained in Appendix I (below) and in "README" files for each type available on the FTP server. Please address all questions, comments, and

suggestions on the format and content of our network database to "seber@geology.cornell.edu".

4.2. Customized ArcInfo menu

We have been building a new menu system for display and query of our database. This new user interface is designed to permit an easy and efficient access to our databases with no need of knowing ArcInfo. This menu allows the user to select specific geographic features for display like country borders, rivers, etc., As well as search and query our databases. The main menu is shown in Figure 23. Some features have been selected in this menu for display by simply clicking on them. Thus, the land and the oceans are shaded and the coast lines, country borders and a latitude-longitude grid displayed (see Figure 24). The little, square boxes are called "check boxes". By simply checking the boxes the user have access to the coverages and there is no need to type any commands. The small scrolling windows contain point, line and shade symbols which can be selected to switch the default ones if they do not satisfy the user. The other kind of buttons launch other menus if they end with three points "...", Or simply perform an action like the quit button which quits the entire menu. As an example, the "display crustal cross section button" (see Figure 25), is another menu which allows the user to select a cross section location by clicking on "select profile1", and then selecting the profile of interest interactively on the screen. The menu then displays the profile next to the location map. It is also possible to obtain numerical values in ASCII files or print the profiles. The cross sections are displayed with density or velocity information for each interface (see Figure 26). Another important feature in the main menu is the "xsection info" button which permits the user to obtain the references about a particular profile, these include author name, year of publication and journal name, etc.

The "seismicity menu ..." actually launches a submenu which can also launches another submenu. The first menu launched is shown in Figure 27a. Selections using Mb or Ms magnitude ranges, depth ranges, or time intervals can be easily performed with this menu. The button "selecting by the type of phenomena..." launches the second submenu (see Figure 27b), which allows the user to make a selection according to the type of event. Many events in the database have not been identified, but any event that was identified as an

explosion, for example, will be displayed if that selection is done (see Figure 3). In the main menu (see Figure 23), there is a button, "earthquake info" which gives the user all the information about an event selected with the mouse from the screen once the seismicity of an area is displayed.

There are other menus and submenus which allow to display grids, Landsat TM imagery, change the projection of maps, shade some countries with a different color, or display the bibliography. It will be possible soon to obtain cross sections between any two arbitrary points where grids like moho depth, basement depth, and topography are available. This feature is already available through our "profile maker" on our Web server described in section 3.5. This user interface not only makes things easier for the user but also it is very simple to update when new data are available. In addition, new features like an ArcInfo profile maker, can be easily implemented without major modifications to the existing menu.

5. REFERENCES


- Best, J. A., M. Barazangi, D. Al-Saad, T. Sawaf, and A. Gebran, Bouguer gravity trends and crustal structure of the Palmyride mountain belt and surrounding northern Arabian platform beneath Syria, *Geology*, 18, 1235-1239, 1990.
- Beydoun, Z.R., Hydrocarbon potential of the deep (pre-Mesozoic) formations in the Middle East Arab countries, in *Technical Papers Presented at the Seminar on Deep Formations in the Arab Countries: Hydrocarbon Potential and Exploration Techniques*, Abu Dhabi National Oil Company, Abu Dhabi, UAE, 1989.
- Blank, H.R., J.H. Healy, J.C. Roller, R. Lamson, F. Fischer, R. McClearn, and S. Allen, Seismic refraction profile, Kingdom of Saudi Arabia, field operations, instrumentation, and initial results, *U.S. Geological Survey Saudi Arabian Mission Project Report 259*, 49 p., 1979.
- El-Isa, Z., J. Mechie, C. Prodehl, J. Makris, and R. Rihm, A crustal structure study of Jordan derived from seismic refraction data., *Tectonophysics*, 138, 235-253, 1987.
- Fielding, E.J., Barazangi, M., and Isacks, B.L., A geological and geophysical database for Eurasia, *Final Technical Report, ARPA NMRO #F29601-91-K-DB08*, Cornell University, Ithaca, NY, 38 p., 1993.

- Ginzburg, A., and Y. Folkman, The crustal structure between the Dead Sea Rift and the Mediterranean Sea, *Earth Planet. Sci. Lett.*, 51 (1), 181-188, 1980.
- Ginzburg, A., Y. Folkman, M. Rybacov, Y. Rotstein, R. Assael, and Z. Yuval. Israel, Bouguer Gravity map. The Institute for Petroleum Research and Geophysics, 1993.
- Ginzburg, A., J. Makris, K. Fuchs, and C. Prodehl, The structure of the crust and upper mantle in the Dead Sea Rift., *Tectonophysics*, 80, 109-119, 1981.
- Ginzburg, A., J. Makris, K. Fuchs, C. Prodehl, W. Kaminski, and U. Amitai, A seismic study of the crust and upper mantle of the Jordan-Dead Sea rift and their transition toward the Mediterranean Sea, *J. Geophys. Res.*, 84 (B4), 1569-1582, 1979a.
- Ginzburg, A., J. Makris, K. Fuchs, B. Perathoner, and C. Prodehl, Detailed structure of the crust and upper mantle along the Jordan-Dead Sea rift, *J. Geophys. Res.*, 84 (B10), 5605-5612, 1979b.
- Healy, J.H., W.D. Mooney, H.R. Blank, M.E. Gettings, W.M. Kohler, R.J. Lamson, and L.E. Leone, Saudi Arabian seismic deep-refraction profile: Final project report, *U. S. Geological Survey Open-File Report USGS-OF-02-37*, 370 p., 9 plates, 1982.
- Hutchinson, M.F., A new procedure for gridding elevation and stream line data with automatic removal of spurious pits. *Journal of Hydrology*, 106, 211-232, 1989.
- Khair, K., M. Khawlie, F. Haddad, M. Barazangi, D. Seber, and T. Chaimov, Bouguer gravity and crustal structure of the Dead Sea transform fault and adjacent mountain belts in Lebanon, *Geology*, 21, 739-742, 1993.
- Makris, J., R. Rihm, and A. Allam, Some geophysical aspects of the evolution and structure of the crust in Egypt, in El-Gaby, S., and R.O. Greiling (Eds.), *The Pan-African Belt of Northeast Africa and Adjacent Areas*, Friedr. Vieweg & Sohn, Braunschweig, p. 345-369, 1987.
- Marzouk, I. A., Study of crustal structure of Egypt deduced from deep seismic and gravity data, *Ph.D. dissertation, University of Hamburg*, 118 p., 1988.
- Mooney, W. D., and Prodehl, C. (eds.), Proceedings of the 1980 workshop of the International Association of Seismology and Physics of the Earth's Interior on the seismic modeling of laterally varying structures: Contributions based on data from the 1978 Saudi Arabian refraction profile, *U.S. Geological Survey Circular 937*, 158 p., 1984.
- Mooney, W. D., M. E. Gettings, H. R. Blank, and J. H. Healy, Saudi Arabian seismic-refraction profile; a travelttime interpretation of crustal and upper mantle structure, *Tectonophysics*, 111 (3-4), 173-246, 1985.

Seber, D., M. Barazangi, T. Chaimov, D. Al_saad, T. Sawaf and M. Khaddour, Upper crustal velocity structure and basement morphology beneath intracontinental Palmyride fold-thrust belt and north Arabian platform in Syria, *Geophys. J. Int.*, 113, 752-766, 1993.

Snyder, D. B., and M. Barazangi, Deep crustal structure and flexure of the Arabian Plate beneath the Zagros collisional mountain belt as inferred from gravity observations, *Tectonics*, 5 (3), 361-373, 1986.

Middle East crustal profiles



Transverse Mercator projection

scale 1:25,000,000

Figure 1

Seismicity of the Middle East and North Africa (1960-1990)




Figure 2a

Focal Mechanism Solutions of the Middle East and North Africa (1977-1992)




Figure 2b

Explosions in the Middle East and North Africa (1960-1990)





Figure 3

Egypt Moho depth



Transverse Mercator projection

Figure 4

Iran profiles




Figure 5





Figure 6



scale 1:3,000,000

Figure 7




Figure 8




Figure 9




Figure 10





Figure 11



vertical scale 1:500,000

Figure 12

Bouguer Gravity Map of Syria, Lebanon and Israel




Figure 13






Figure 14




vertical scale 1:250,000

Figure 15



1:1,000,000 scale

Figure 16



scale 1:1,000,000

Figure 17




Figure 18




Figure 19





Figure 20

Middle East thickness of sedimentary cover



Transverse Mercator projection

Figure 21

Topography and Basement profiles across th Arabian Plate




Figure 22




Figure 24




Figure 25





Figure 26
44

thread\$seismicity

Selecting a magnitude range ...

Mag min: Mag max:

Selecting a depth range (km) ...

Depth min: Depth max:

Selecting a time interval ...

START day: month: year:

END day: month: year:

Selecting by the type of phenomena...

(a)

thread\$phenomena

DIASTROPHISM

TSUNAMI

SEICHE

VOLCANISM

NON-TECTONIC

GUIDED WAVES IN ATMOSPHERE AND/OR OCEAN

GROUND, SOILD, WATER TABLE RESPONSE AND ATMOSPHERIC PHENOMENA

DRAW EACH SELECTION

DONE

Explosion

Colapse

Coal bump or Rockburst

Rockburst

Meteorite

known or likely non-tectonic ori
earthquake, but could be non-tec

Reservoir induced earthquake

(b)

Figure 27

APPENDIX I: FILE FORMATS

This is a description of the formats of the files from release #2 on our anonymous FTP server. Please address all questions, comments, and suggestions on the format and content of our network database to "seber@geology.cornell.edu".

Figures

The PostScript files (with the ".ps" suffix) are for the figures contained in this report and can be printed on PostScript printers. These files were created by Adobe Illustrator v. 3.5 and conform to Adobe PostScript standard v. 3.

The Adobe Illustrator files (with the ".ai" suffix) are for the same figures and can be read by drawing and page layout programs that can handle Illustrator v. 3 format files, including Adobe Illustrator v. 3.5 available for Sun workstations.

Data Files

The raw data files, extracted from Arc/Info, have several different flat ASCII formats for different types of information, and the file formats are explained below and in "README" files for each type available on the FTP server.

Line files

The files with the ".line" suffix contain "arcs" or line data such as refraction line locations or crustal interfaces. These files were extracted from Arc/Info with the UNGENERATE LINE command, and can be reloaded into Arc/Info with the GENERATE and LINE commands. The lines are stored with an arc ID number for each line and a list of coordinates for the vertices along the line. The coordinates are either in "geographic" latitude-longitude coordinates in decimal degrees

(denoted “.dd.line”) or in distance-depth coordinates in km (denoted “.km.line”), with depth positive upward and negative below sea level. The line files look like this (*italics indicates comments*):

```
arcID (integer)
x1 (longitude or distance), y1 (latitude or elevation) (floats)
x2, y2
.
.
.
xn, yn
END (end of this line)
arcID
x1, y1
...
xn, yn
END
END (end of file)
```

Point files

The files with the “.point” suffix contain point data such as shot-point locations or Moho depth points. These files were extracted from Arc/Info with the UNGENERATE POINT command, and can be reloaded into Arc/Info with the GENERATE and POINT commands. The points are stored with a point ID number and coordinates for each point. The coordinates are either in “geographic” latitude-longitude coordinates in decimal degrees (denoted “.dd.point”) or in distance-depth coordinates in km (denoted “.km.point”), with depth positive upward and negative below sea level. The point files look like this (*italics indicates comments*):

```
pointID (integer), x1 (longitude or distance), y1 (latitude or elevation) (floats)
pointID, x2, y2
...
pointID, xn, yn
END (end of file)
```

AAT files

The files with the “.aat” suffix contain arc attribute data such as velocities above and below crustal interfaces. These files are a simple ASCII listing of the AAT (Arc Attribute Table) in Arc/Info. They were created with the PRINT

command in INFO, and can be loaded with the ADD FROM command of INFO. The AAT files for the 2-D crustal sections (.km.aat suffix) contain the P velocities in km/s (for refraction profiles) or densities in g/cm³ (for gravity profiles) for each interface (referenced according to the arclD) in the following format:

arclD (*integer*) vel_above vel_below (*floats*) *for refraction profiles*

arclD (*integer*) dens_above dens_below (*floats*) *for gravity profiles*

...

The AAT files for the contour line maps (.dd.aat suffix) contain the depths or thicknesses for the interface or layer in km. The arclD is again used for reference, but in this case the arclD may not be unique because it is usually set to an integer version of the depth (multiplied times 10 if the contours do not have integer intervals). Depths are negative below sea level. The file has the following format:

arclD (*integer*) depth (*or thickness*) (*float*)

...

APPENDIX II
BIBLIOGRAPHY OF THE MIDDLE EAST
AND NORTH AFRICA

NOVEMBER 30, 1995

The references have been separated into four categories below: Middle East Geology, Middle East Geophysics, North Africa Geology, and North Africa Geophysics.

MIDDLE EAST: GEOLOGY

- Abed, A. M., 1985, on the supposed Precambrian palaeosuture along the Dead Sea Rift, Jordan: *Journal of the Geological Society of London*, v. 142, p. 527-531.
- Abu-Jaber, N. S., Kimberley, M. M., and Cavaroc, V. V., 1989, Mesozoic-Palaeogene Basin Development within the Eastern Mediterranean Borderland: *Journal of Petroleum Geology*, v. 12, p. 419-436.
- Agar, R. A., 1987, The Najd fault system revisited; a two-way strike-slip orogen in the Saudi Arabian Shield: *Journal of Structural Geology*, v. 9, no. 1, p. 41-48.
- Aktas, G., and Robertson, A. H. F., 1984, The Maden Complex, SE Turkey: evolution of a Neotethyan active margin, in Dixon, J. E., and Robertson, A. H. F., eds., *The Geological Evolution of the Eastern Mediterranean*: Oxford, Geological Society of London, Blackwell Scientific Publications, p. 375-402.
- Al-Laboun, A., 1988, The distribution of Carboniferous-Permian siliciclastic rocks in the greater Arabian basin: *Geological Society of America Bulletin*, v. 100, p. 362-373.
- Al-Saad, D., Sawaf, T., Gebran, A., Barazangi, M., Best, J., and Chaimov, T., 1992, Crustal structure of central Syria: The intracontinental Palmyride mountain belt: *Tectonophysics*, v. 207, p. 345-358.
- Al-Saad, D., Sawaf, T., Gebran, A., Barazangi, M., Best, J., and T. Chaimov, 1991, Northern Arabian platform transect across the Palmyride mountain belt, Syrian Arab Republic, *Global Geoscience Transect: Trans. Amer. Geophys. Union*, v. 1.
- Al-Shanti, A. M., and Gass, I. G., 1983, The Upper Proterozoic ophiolite mélange zones of the easternmost Arabian shield: *Journal of the Geological Society of London*, v. 140, p. 867-876.
- Al-Sulaimi, J., and El-Rabaa, S. M., 1994, Morphological and morphostructural features of Kuwait: *Geomorphology*, v. 11, p. 151-167.
- Al-Swaidan, H. M., 1992, Determination of lead and nickel in Saudi Arabian crude oils by ICP/MS using MIBK for sample pretreatment: *Analytical Letters*, v. 25, no. 11, p. 2157-2163.

- Ala, M. A., and Moss, B. J., 1979, Comparative petroleum geology of southeast Turkey and northeast Syria: *Journal of Petroleum Geology*, v. 1, p. 3-27.
- Alavi, M., 1992, Thrust Tectonics of the Binalood Region, NE Iran: *Tectonics*, v. 11, No. 2, p. 360-370.
- Alavi, M., 1991, Sedimentary and Structural Characteristics of the Paleo-Tethys Remnants in Northeastern Iran: *Geological Society of America Bulletin*, v. 103, No. 8, p. 983-.
- Alavi, M., and Mahdavi, M. A., 1994, Stratigraphy and Structures of the Nahavand Region in Western Iran, and Their Implications for the Zagros Tectonics: *Geological Magazine*, v. 131, No. 1, p. 43-47.
- Alhafdh, N. M., and Qasim, S. A., 1992, Petrochemistry and Geotectonic Setting of the Shalair Granite, NE Iraq: *Journal of African Earth Sciences and the Middle East*, v. 14, No. 3, p. 429-441.
- Ali, A. J., and Aziz, Z. R., 1993, The Zubair Formation, East Baghdad Oilfield, Central Iraq: *Journal of Petroleum Geology*, v. 16, No. 3, p. 353-364.
- Almond, D. C., 1986, The relation of Mesozoic-Cainozoic Volcanism to Tectonics in the Afro-Arabian Dome: *Journal of Volcanology and Geothermal Research*, v. 28, p. 225-246.
- Alsharhan, A. B., and Kendall, C. G. S. C., 1986, Precambrian to Jurassic Rocks of Arabian Gulf and Adjacent Areas: Their Facies, Depositional Setting, and Hydrocarbon Habitat: *American Association of Petroleum Geologists Bulletin*, v. 70, p. 977-1002.
- Alshdidi, S., Thomas, G., and Delfaud, J., 1995, Sedimentology, Diagenesis, and Oil Habitat of Lower Cretaceous Qamchuqa Group, Northern Iraq: *American Association of Petroleum Geologists Bulletin*, v. 79, No. 5, p. 763-779.
- Alsinawi, S. A., and Al-Banna, A. S., 1990, an E-W transect section through central Iraq, in Australia and Other Regions, in Rickard, M. J., Harrington, H. J., and Williams, p. R., eds., *Basement Tectonics: Canberra, Australia*, Kluwer Academic Publishers, p. 191-196.
- Altiner, D., 1989, an Example for the Tectonic Evolution of the Arabian Platform Margin (SE Anatolia) During the Mesozoic and Some Criticisms of the Previously Suggested Models, in Sengör, C., ed., *Tectonic Evolution of the Tethyan Region: Canberra*, Kluwer Academic Publishers, p. 117-129.
- Ameen, M. S., 1991, Possible Forced Folding in the Taurus-Zagros Belt of Northern Iraq: *Geological Magazine*, v. 128, No. 6, p. 561-584.
- Arapat, E., and Sarogulu, F., 1972, The East Anatolian Fault system; thoughts on its development: *Bulletin of Mineral Research & Exploration Instit. of Turkey*, v. 78, p. 33-39.
- Bach Imam, I., and Sigal, J., 1985, Precisions Nouvelles sur L'age Triasique, et non Jurassique, de la Majeure Partie des Formations Evaporitiques et Dolomitiques des Forages de L'est Syrien: *Revue de Paleobiologie*, v. 4, p. 35-42.
- Bahat, D., and Rabinovitch, A., 1983, The Initiation of the Dead Sea Rift: *Journal of Geology*, v. 91, p. 317-332.
- Barjous, M., and Mikbel, S., 1990, Tectonic evolution of the Gulf of Aqaba-Dead Sea transform fault system: *Tectonophysics*, v. 180, p. 49-59.
- Barton, P. J., Owen, T. R. E., and White, R. S., 1990, The Deep Structure of the East Oman Continental Margin - Preliminary Results and Interpretation: *Tectonophysics*, v. 173, No. 1-4, p. 319-331.

- Basha, S. H., 1980, Stratigraphy of the Risha Area in Northeast Jordan: *Journal of the Geological Society of Iraq*, v. 13, no. 1, p. 287-291.
- Beauchamp, W., 1992, The exploration potential of Lebanon, (unpublished report).
- Bebeshev, I. I., Dzhalilov, Y. M., Portnyagina, L. A., Yudin, G. T., Mualla, A., Zaza, T., and Jusef, A., 1988, Triassic stratigraphy of Syria: *International Geology Review*, p. 1292-1301.
- Becker, A., and Paladini, S., 1992, Intra-plate stresses in Europe and plate-driving mechanisms: *Annales Tectonicae*, v. 6, no. 2, p. 173-192.
- Bein, A., and Binstock, R., 1985, Depositional environments and source rock potential of the Jurassic Kidod shales, Israel.: *Journal of Petroleum Geology*, v. 8, p. 187-198.
- Ben-Avraham, Z., 1978, The structure and tectonic setting of the Levant continental margin, eastern Mediterranean: *Tectonophysics*, v. 46, p. 313-331.
- Ben-Avraham, Z., Almagor, G., and Garfunkel, Z., 1979, Sediments and structure of the Gulf of Elat (Aqaba) - Northern Red Sea: *Sedimentary Geology*, v. 23, p. 239-267.
- Ben-Avraham, Z., Brink, U. t., and Charrach, J., 1990, Transverse faults at the northern end of the southern basin of the Dead Sea graben: *Tectonophysics*, v. 180, p. 37-47.
- Ben-Avraham, Z., and Ginzburg, A., 1990, Displaced terranes and crustal evolution of the Levant and the Eastern Mediterranean: *Tectonics*, v. 9, p. 613-622.
- Ben-Avraham, Z., and Grasso, M., 1991, Crustal structure variations and transcurrent faulting at the eastern and western margins of the eastern Mediterranean: *Tectonophysics*, v. 196, p. 269-277.
- Ben-Avraham, Z., and Lyakhovsky, V., 1992, Faulting processes along the northern Dead Sea transform and the Levant margin: *Geology*, v. 20, p. 1139-1142.
- Ben-Avraham, Z., and Nur, A., 1986, Collisional processes in the eastern Mediterranean: *Geologische Rundschau*, v. 75, p. 209-217.
- Ben-Menahem, A., and Aboodi, E., 1971, Tectonic patterns in the northern Red Sea region: *Journal of Geophysical Research*, v. 76, p. 2674-2689.
- Bender, D. F., 1968, *Geologie von Jordanien, Beiträge zur regionalen Geologie der Erde*: Berlin, Gebrüder Borntraeger, p. 187-190.
- Bender, F., 1975, *Geology of the Arabian Peninsula (Jordan)*: US Geological Survey, 560.
- Bender, V. F., 1968, on the age and evolution of the Jordan Graben: an example from the southern section (Wadi Arabia): *Geol. Jb. (GERMAN)*, v. 3, p. 177-196.
- Bentor, Y., 1961, Some geochemical aspects of the Dead Sea and the question of its age: *Geochimica et Cosmochimica Acta*, v. 25, p. 239-260.
- Berberian, F., and Berberian, M., 1981, Tectono-plutonic episodes in Iran, in Zagros, Hindu Kush, Himalaya, geodynamic evolution, in Gupta, H., and Delany, F., eds., *Zagros-Hindu Kush-Himalaya Geodynamic Evolution*: Washington, D.C., American Geophysical Union, p. 5-32.
- Berberian, F., Muir, I. D., Pankhurst, R. J., and Berberian, M., 1982, Late Cretaceous and early Miocene Andean-type plutonic activity in northern

- Makran and Central Iran: *Journal of the Geological Society of London*, v. 139, no. 5, p. 605-614.
- Berberian, M., 1981, Active faulting and tectonics of Iran, in Gupta, H., and Delany, F., eds., *Zagros-Hindu Kush-Himalaya Geodynamic Evolution*: Washington, D.C., American Geophysical Union, p. 33-69.
- Berberian, M., and King, G. C. P., 1981, Towards a paleogeography and tectonic evolution of Iran: *Canadian Journal of Earth Science*, v. 18, p. 210-265.
- Best, J. A., Barazangi, M., Al-Saad, D., Sawaf, T., and Gebran, A., 1993, Continental margin evolution of the northern Arabian platform in Syria: *American Association of Petroleum Geologists Bulletin*, v. 77, no. 2, p. 173-193.
- Beydoun, Z., 1977, The Levantine countries: the geology of Syria and Lebanon (maritime regions), in Nairn, A. E. M., Kanes, W. H., and Stehli, F. G., eds., *The Ocean Basins and Margins, The Eastern Mediterranean*: New York, London, Plenum Press, p. 319-353.
- Beydoun, Z., 1981, Some open questions relating to the petroleum prospects of Lebanon: *Journal of Petroleum Geology*, v. 3, p. 303-314.
- Beydoun, Z. R., 1992, Petroleum in the Zagros Basin: a Late Tertiary Foreland Basin Overprinted onto the Outer Edge of a Vast Hydrocarbon-Rich Paleozoic-Mesozoic Passive-Margin Shelf, in Leckie, R. M. a. D., ed., *Foreland Basins and Foldbelts*, American Association of Petroleum Geologists Memoir 55.
- Beydoun, Z. R., 1993, Evolution of the northeastern Arabian plate margin and shelf: Hydrocarbon habitat and conceptual future potential: *Revue de l'Institut Francais du Petrole*, v. 48, no. 4, p. 311-345.
- Beydoun, Z. R., 1977, Petroleum prospects of Lebanon: reevaluation: *American Association of Petroleum Geologists Bulletin*, v. 19, p. 43-64.
- Beydoun, Z. R., Futyan, A., and Jawzi, A. H., 1994, Jordan Revisited - Hydrocarbons Habitat and Potential: *Journal of Petroleum Geology*, v. 17, No. 2, p. 177-194.
- Bird, P., 1978, Finite element modeling of lithosphere deformation: the Zagros collisional orogeny: *Tectonophysics*, v. 50, p. 307-336.
- Bonatti, E., Ottonello, G., and Hamlyn, P. R., 1986, Peridotites from the island of Zabargad (St. John), Red Sea: Petrology and Geochemistry: *Journal of Geophysical Research*, v. 91, p. 599-631.
- Bonnin, J., and Olivet, J.-L., 1988, Geodynamics of the Mediterranean regions, in al., J. B. e., ed., *Seismic Hazard in Mediterranean Regions*: Brussels, ECSE, EEC, EAEC, p. 257-281.
- Bozkurt, E., and Park, R. G., 1994, Southern Menderes Massif - an Incipient Metamorphic Core Complex in Western Anatolia, Turkey: *Journal of the Geological Society of London*, v. 151, p. 213-216.
- Brueckner, H. K., Zindler, A., Seyler, M., and Bonatti, E., 1987, Zabargad and the Pan-African and Miocene isotopic evolution of the sub-Red Sea mantle and crust: Abstracts with Programs - Geological Society of America, v. 19, no. 7, p. 603.
- Buyukasikoglu, S., 1980, Euroasian-African plate boundary in southern Turkey and Eastern Mediterranean, in *Proceedings of the 7th World Conference on Earthquake Engineering*, Istanbul, p. 209-212.
- Camp, V. E., 1984, Island arcs and their role in the evolution of the western Arabian Shield: *Geological Society of America Bulletin*, v. 95, p. 913-921.

- Camp, V. E., Hooper, P. R., Roobol, M. J., and White, D. L., 1987, the Madinah eruptin, Saudi Arabia: Magma mixing and simultaneous extrusion of three basaltic chemical types: *Bulletin of Vocanology*, v. 49, p. 489-508.
- Camp, V. E., and Roobol, M. J., 1992, Upwelling asthenosphere beneath western Arabia and its regional implications: *Journal of Geophysical Research*, v. 97, p. 15,255-15,271.
- Camp, V. E., Roobol, M. J., and Hooper, P. R., 1991, The Arabian Continental Alkali Basalt Province .2. Evolution of Harrats Khaybar, Ithnayn, and Kura, Kingdom of Saudi-Arabia: *Geological Society of America Bulletin*, v. 103, No. 3, p. 363-391.
- Camp, V. E., Roobol, M. J., and Hooper, P. R., 1989, Intraplate alkalic volcanism and magmatic processes along the 600-km-long Makkah-Madinah-Nafud volcanic line, western Saudi Arabia: *Bulletin - New Mexico Bureau of Mines & Mineral Resources*, v. 131, p. 39.
- Capaldi, G., Manetti, P., and Piccardo, G. B., 1983, Preliminary Investigations on Volcanism of the Sadah Region (Yemen Arabic Republic): *Bulletin of Volcanology*, v. 46, no. 4, p. 413-427.
- Cater, J. M. L., and Tunbridge, I. P., 1992, Paleozoic tectonic history of SE Turkey: *Journal of Petroleum Geology*, v. 15, p. 35-50.
- Chorowicz, J., Luxey, P., Lyberis, N., Carvalho, J., and Others, 1994, The Maras Triple Junction (Southern Turkey) Based on Digital Elevation Model and Satellite Imagery Interpretation: *Journal of Geophysical Research-Solid Earth*, v. 99, No. B10, p. 20225-20242.
- Christian, L., Projection of Triassic, Permian, and Carboniferous isopach trends from Arabia across the gulf into Iran, and proposed sinistral displacement of Permian isopachs along the main Zagros fault: (submitted)
- Cochran, J. R., 1983, Model for the development of the Red Sea: *American Association of Petroleum Geologists Bulletin*, v. 67, p. 41-69.
- Cohen, Z., Flexer, A., and Kaptsan, V., 1988, The Pleshet Basin: a newly-discovered link in the peripheral chain of basins of the Arabian craton: *Journal of Petroleum Geology*, v. 11, p. 403-414.
- Coskun, B., 1994, Oil Possibilities of Duplex Structures in the Amik-Reyhanli Basin, SE Turkey: *Journal of Petroleum Geology*, v. 17, No. 4, p. 461-472.
- Darkal, A. N., Krauss, M., and Ruske, R., 1990, The Levant Fault Zone: *Zeitschrift von Geologische Wissenschaft*, v. 18, p. 549-562.
- Davison, I., Alkadasi, M., Alkhirbash, S., Alsubbary, A. K., and others, 1994, Geological Evolution of the Southeastern Red Sea Rift Margin, Republic of Yemen: *Geological Society of America Bulletin*, v. 106, No. 11, p. 1474-1493.
- De Sitter, L., 1962, Structural development of the Arabian Shield in Palestine: *Geologie en Mijnbouw*, v. 41, p. 116-124.
- Dercourt, J., Zonenshain, L. P., Ricou, L.-E., Kazmin, V. G., LePichon, X., Knipper, A. L., Grandjacquet, C., Sbertshikov, I. M., Geyssant, J., Lepvrier, C., Pechersky, D. H., Boulin, J., Sibuet, J.-C., Savostin, L. A., Sorokhtin, O., Westphal, M., Bazhenov, M. L., Lauer, J. P., and Biju-Duval, B., 1986, Geological evolution of the Tethys belt from the Atlantic to the Pamirs since the Lias: *Tectonophysics*, v. 123, p. 241-315.
- Dewey, J. F., and A.M. Sengör, 1979, Aegean and surrounding regions: Complex multiplate and continuum tectonics in a convergent zone: *Geological Society of American Bulletin*, v. 90, p. 84-92.

- Dilek, Y., and Delaloye, M., 1992, Structure of the Kizildag ophiolite, a slow-spread Cretaceous ridge segment north of the Arabian promontory: *Geology*, v. 20, p. 19-22.
- Dilek, Y., and Moores, E. M., 1990, Regional tectonics of the eastern Mediterranean ophiolites, *Proceedings of the Symposium on Ophiolites and Oceanic lithosphere, Troodos 87: Nicosia, Geol. Surv. Depart.*, p. 295-309.
- Dilek, Y., and Rowland, J. C., 1993, Evolution of a Conjugate Passive Margin Pair in Mesozoic Southern Turkey: *Tectonics*, v. 12, No. 4, p. 954-970.
- Dilek, Y., and Thy, P., 1990, Tectonic evolution of the troodos ophiolite within the Tethyan framework: *Tectonics*, v. 9, p. 811-823.
- Dubertret, L., 1970, Review of the structural geology of the Red Sea and surrounding areas: *Royal Society of London Philosophical Transactions, Series A*, v. 267.
- Dubertret, L., 1932, Les formes structurales de la Syrie et de la Palestine: *C. R. Acad. Sci. Colon.*, v. 195, p. 66.
- Dubertret, L., 1955, Carte Geologique du Liban: *Ministere des Travaux Publics*.
- Dubray, E. A., Stoesser, D. B., and Mckee, E. H., 1991, Age and Petrology of the Tertiary As-Sarat Volcanic Field, Southwestern Saudi-Arabia: *Tectonophysics*, v. 198, No. 2-4, p. 155-180.
- Duncan, I. J., Rivard, B., Arvidson, R. E., and Sultan, M., 1990, Structural Interpretation and Tectonic Evolution of a Part of the Najd Shear Zone (Saudi-Arabia) Using Landsat Thematic-Mapper Data: *Tectonophysics*, v. 178, No. 2-4, p. 309-335.
- Dunne, L. A., and Hempton, M. R., 1984, Strike-slip basin sedimentation at Lake Hazar (Eastern Taurus Mountains), in Tekeli, O., and Goncuoglu, M. C., eds.: *Ankara, Turkey, MTA*, p. 229-235.
- Dunnington, H. V., 1958, Generation, Migration, Accumulation, and Dissipation of Oil in Northern Iraq, *Habitat of Oil, American Association of Petroleum Geologists*, p. 1194-1250.
- Dunnington, H. V., 1967, Stratigraphical Distribution of Oilfields in the Iraq-Iran-Arabia Basin: *Journal of the Institute of Petroleum*, v. 53, no. 520, p. 129-161.
- Elanbaawy, M. I. H., Alawah, M. A. H., Althour, K. A., and Tucker, M. E., 1992, Miocene Evaporites of the Red Sea Rift, Yemen-Republic - Sedimentology of the Salif Halite: *Sedimentary Geology*, v. 81, No. 1-2, p. 61-71.
- Elramly, M. F., Greiling, R. O., and Rashwan, A. A., 1990, Extension of the Najd Shear System from Saudi-Arabia To the Central Eastern Desert of Egypt Based on Integrated Field and Landsat Observations - Comment: *Tectonics*, v. 9, No. 3, p. 535-538.
- Erendil, M., 1984, Petrology and structure of the upper crustal units of the Kizildag ophiolite, in Tekeli, O., and Goncuoglu, M. C., eds., *Geology of the Taurus Belt: Ankara, Turkey, MTA*, p. 269-284.
- Everett, J. R., 1991, Tectonic context of the Palmyrides of Syria (abstract): *American Association of Petroleum Geologists*.
- Eyal, M., Eyal, Y., Bartov, Y., and Steinitz, G., 1981, The tectonic development of the western margin of the Gulf of Elat (Aqaba) Rift: *Tectonophysics*, v. 80, p. 39-66.
- Eyal, Y., 1983, Tectonic analysis of the Dead Sea Rift region since the Late-Cretaceous based on mesostructures: *Tectonics*, v. 2, p. 167-185.

- Fairhead, J. D., 1988, Late Mesozoic Rifting in Africa, in Manspeizer, W., ed., Triassic-Jurassic Rifting; Continental Breakup and the Origin of the Atlantic Ocean and Passive Margins: Amsterdam, Elsevier.
- Falcon, N. L., 1974, Southern Iran: Zagros Mountains, in Spencer, A. M., ed., Mesozoic-Cenozoic Orogenic Belts, Data for Orogenic Studies: London, Geological Society of London, p. 199-211.
- Falcon, N. L., 1961, Major earth-flexing in the Zagros Mountains of southwest Iran: Quarterly Journal of the Geological Society of London, v. 117, no. 4, p. 367-376.
- Fontaine, J. M., Monod, O., Braud, J., and Perincek, D., 1989, The Hezan units: a fragment of the south neo-Tethyan passive continental margin in southeastern Turkey: Journal of Petroleum Geology, v. 12, p. 29-50.
- Freund, R., 1965, a model of the structural development of Israel and adjacent areas since Upper Cretaceous times: Geological Magazine, v. 102, p. 189-205.
- Freund, R., Garfunkel, Z., Zak, I., Goldberg, M., Weissbrod, T., and Derin, B., 1970, The shear along the Dead Sea rift: Phil. Trans. Roy. Soc. Lond., v. 267, p. 107-130.
- Freund, R., Zak, I., and Garfunkel, Z., 1968, Age and rate of the Sinistral movement along the Dead Sea Rift: Nature, v. 220, p. 253-255.
- Gardosh, M., Reches, Z., and Garfunkel, Z., 1990, Holocene tectonic deformation along the western margins of the Dead Sea: Tectonophysics, v. 180, p. 123-137.
- Garfunkel, Z., 1989, Tectonic setting of Phanerozoic magmatism in Israel: Israel Journal of Earth Science, v. 38, p. 51-74.
- Garfunkel, Z., 1981, Internal structure of the Dead Sea leaky transform (rift) in relation to plate kinematics: Tectonophysics, v. 80, p. 81-108.
- Garfunkel, Z., 1974, The tectonics of the western margins of the south Arava [Ph.D. thesis]: Hebrew University of Jerusalem.
- Garfunkel, Z., and Almador, G., 1985, Geology and the Structure of the Continental Margin off Northern Israel and the Adjacent part of the Levantine Basin: Marine Geology, v. 62, p. 105-131.
- Garfunkel, Z., Arad, A., and Almador, G., 1979, The Palmahim disturbance and its regional setting: Israel Geol. Surv. Bulletin, v. 72, p. 56 pp.
- Garfunkel, Z., and Bartov, Y., 1977, The tectonics of the Suez Rift: Israel Geol. Surv. Bulletin, v. 71, p. 44 pp.
- Garfunkel, Z., and Derin, B., 1988, Reevaluation of Latest Jurassic-Early Cretaceous History of the Negev and the Role of Magmatic Activity: Israel Journal of Earth Science, v. 37, p. 43-52.
- Garfunkel, Z., and Derin, B., 1984, Permian-early Mesozoic tectonism and continental margin formation in Israel and its implications for the history of the Eastern Mediterranean, in Dixon, J. E., and Robertson, A. H. F., eds., The Geological Evolution of the Eastern Mediterranean: Edinburgh, Scotland, Blackwell Scientific Publications, p. 187-201.
- Garfunkel, Z., and Horowitz, A., 1966, The Upper Tertiary and Quaternary morphology of the Negev, Israel: Israel Journal of Earth Sciences, v. 15, p. 101-117.
- Garfunkel, Z., Zak, I., and Freund, R., 1981, Active faulting in the Dead Sea Rift: Tectonophysics, v. 80, p. 1-26.
- Gealey, W. K., 1988, Plate tectonic evolution of the Mediterranean-Middle East region: Tectonophysics, v. 155, p. 285-306.

- Geiss, E., and Drewes, H., 1985, Research on kinematics and structure of the Mediterranean Sea: Jahrestagung der Deutschen Geophysikalischen Gesellschaft e.V., v. 45, p. 169.
- Ginzburg, A., Fuchs, K., and Makris, J., 1979, a transition zone in the crust along the Dead Sea - Gulf of Elat Rift, 25 anniversary of the Israel Geological Society; annual meeting; abstracts of submitted papers: Jerusalem, Israel, Israel Geological Society, p. 24.
- Girdler, R. W., 1982, The importance of the Jordanian Rift to studies of the Red Sea and Gulf of Aden: Proceedings of the First Jordanian Geological Conference, v. 1, p. 503-522.
- Girdler, R. W., 1985, Problems concerning the evolution of oceanic lithosphere in the northern Red Sea: Tectonophysics, v. 116, p. 109-122.
- Girdler, R. W., 1991, The Afro-Arabian rift system - an overview: Tectonophysics, v. 197, p. 139-153.
- Girdler, R. W., 1990, The Dead Sea transform fault system: Tectonophysics, v. 180, p. 1-13.
- Girdler, R. W., and Southren, T. C., 1987, Structure and evolution of the northern Red Sea: Nature, v. 330, p. 716-721.
- Gorin, G. E., Racz, L. G., and Walter, M. R., 1982, Late Precambrian-Cambrian sediments of Huqf Group, Sultanate of Oman: American Association of Petroleum Geologists Bulletin, v. 66, p. 2609-2627.
- Gregor, C. B., Mertzman, S., A.E.M., and Negendank Nairn, J., 1974, The Paleomagnetism of some Mesozoic and Cenozoic volcanic rocks from the Lebanon: Tectonophysics, v. 21, p. 375-395.
- Greifswald, K., 1986, Zum Mechanismus und Charakter erste plattentektonischer Prozesse im Oberen Proterozoikum, dargestellt am Beispiel der Hijaz-Tektogenese im NE-afrikanisch-arabischen Raum (Arabisch-Nubischer Schild) Teil I: Zeitschrift für angewandte Geologie, v. 32, p. 267-272.
- Guennoc, P., Pouit, Georges, Nawab, Zohair, The Red Sea: history and associated mineralization, in Manspeizer, W., ed., Triassic-Jurassic Rifting; Continental Breakup and the Origin of the Atlantic Ocean and Passive Margins: Amsterdam, Elsevier.
- Gvirtzman, G., and Weissbrod, T., 1984, The Hercynian Geanticline of Helez and the Late Palaeozoic history of the Levant, in Dixon, J. E., and Robertson, A. H. F., eds., The Geological Evolution of the Eastern Mediterranean, Blackwell Scientific Publications, p. 177-186.
- Hall, J. K., Schwartz, E., and Cleave, R. L. W., 1990, The Israeli DTM (Digital Terrain Map) project, in Hanley, J. T., and Merriam, D. F., eds., Microcomputer Applications in Geology, II, Pergamon Press, p. 111-118.
- Hall, R., 1976, Ophiolite emplacement and the evolution of the Taurus suture zone, southeastern Turkey: Geological Society of America Bulletin, v. 87, p. 1078-1088.
- Halpern, M., and Tristan, N., 1981, Geochronology of the Arabian-Nubian shield in southern Israel and eastern Sinai: Journal of Geology, v. 89, p. 639-648.
- Hamdi, B., Brasier, M. D., and Zhiwen, J., 1989, Earliest Skeletal Fossils from Precambrian-Cambrian Boundary Strata, Elburz Mountains, Iran: Geological Magazine, v. 126, No. 3, p. 283-289.
- Hatzor, Y., and Reches, Z., 1990, Structure and paleostresses in the Gilboa region, western margins of the central Dead Sea rift: Tectonophysics, v. 180, p. 87-100.

- Heimman, A., Eyal, M., and Eyal, Y., 1990, The evolution of Barahta rhomb-shaped graben, Mount Hermon, Dead Sea Transform: *Tectonophysics*, v. 180, p. 101-110.
- Hempton, M., 1985, Structure and deformation of the Bitlis suture near Lake Hazar, southeastern Turkey: *Geological Society of America Bulletin*, v. 96, p. 233-243.
- Hempton, M., 1987, Constraints on Arabian Plate Motion and Extensional History of the Red Sea: *Tectonics*, v. 6, p. 687-705.
- Hirsch, F., and Picard, L., 1988, The Jurassic facies in the Levant: *Journal of Petroleum Geology*, v. 11, p. 277-308.
- Horowitz, A., 1979, Structure and tectonic development of Israel (and) Pre-Quaternary geology of Israel, *The Quaternary of Israel*: New York, Academic Press, p. 11-364.
- Hubbard, R. J., 1988, Age and Significance of Sequence Boundaries on Jurassic and Early Cretaceous Rifted Continental Margins: *American Association of Petroleum Geologists Bulletin*, v. 72, p. 49-72.
- Husseini, M., 1988, The Arabian Infracambrian extensional system: *Tectonophysics*, v. 148, p. 93-103.
- Husseini, M., and Husseini, S., 1988, Origin of the infracambrian salt basins of the Middle East: submitted to: the Geological Society of London.
- Husseini, M. I., 1989, Tectonic and deposition model of late Precambrian-Cambrian Arabian and adjoining plates: *American Association of Petroleum Geologist Bulletin*, v. 73, p. 1117-1131.
- Husseini, M. I., 1992, Upper Palaeozoic tectono-sedimentary evolution of the Arabian and adjoining plates: *Journal of the Geological Society of London*, v. 149, p. 419-429.
- Husseini, M. I., 1991, Tectonic and depositional model of the Arabian and adjoining plates during the Silurian-Devonian: *American Association of Petroleum Geologists Bulletin*, v. 75, p. 108-120.
- Ibrahim, M. W., 1979, Shifting Depositional Axes of Iraq: an outline of geosynclinal history: *Journal of Petroleum Geology*, v. 2, no. 2, p. 181-197.
- Ibrahim, M. W. I., 1978, Petroleum geology of south Iraq [Ph.D. thesis]: University of London, Imperial College.
- Jackson, J., 1992, Partitioning of Strike-Slip and Convergent Motion Between Eurasia and Arabia in Eastern Turkey and the Caucasus: *Journal of Geophysical Research-Solid Earth*, v. 97, No. B9, p. 12471-12479.
- Jackson, J., and McKenzie, D., 1984, Active tectonics of the Alpine-Himalayan Belt between western Turkey and Pakistan: *Geophys. J. R. Astr. Soc.*, v. 77, p. 185-264.
- Jackson, J. A., Fitch, T., and McKenzie, D. P., 1981, Active thrusting and the evolution of the Zagros fold belt thrust and nappe tectonics, in McClay, K., and Price, N., eds., *Geological Society of London*, p. 371-379.
- Jackson, J. A., White, N. J., Garfunkel, Z., and Anderson, H., 1988, Relations between normal-fault geometry, tilting and vertical motions in the extensional terrains: an example from the southern Gulf of Suez: *J. Struct. Geol.*, v. 10, p. 155-170.
- Jackson, N. J., 1981, a note on the geochemistry of the Khumrah metabasalts, Southern Arabian Shield, Saudi Arabia: *Bulletin of King Abdulaziz Univ. Fac. Earth Science*, v. 4, p. 1599-166.

- Jestin, F., Huchon, P., Gaulier, J. M., 1994, The Somalia plate and the East African Rift system: present-day kinematics: *Geophys. J. Int.*, v. 116, p. 637-654.
- Johnson, P. R., Scheibner, E., and Smith, E. A., 1987, Basement fragments, accreted tectonostratigraphic terranes and overlap sequences: Elements in the tectonic evolution of the Arabian shield, in Kroner, A., ed., *Geodynamics Series, Proterozoic Lithospheric Evolution*, American Geophysical Union, p. 323-343.
- Karig, D. E., and Kozl , H., 1990, Late Paleogene-Neogene evolution of the triple junction region near Maras, South Central Turkey: *Geological Society of London Journal*, v. 147, p. 1023-1034.
- Kasapoglu, K. E., 1984, Stress-strain and displacement distributions in the Taurus belt, in Tekeli, O., and Goncuoglu, M. C., eds., *Geology of the Taurus Belt: Ankara, Turkey, MTA*, p. 295-301.
- Kashai, E. L., a review of the relations between the tectonics, sedimentation and petroleum occurrences of the Dead Sea - Jordan Rift system, in Manspeizer, W., ed., *Triassic-Jurassic Rifting; Continental Breakup and the Origin of the Atlantic Ocean and Passive Margins: Amsterdam, Elsevier*.
- Kashai, E. L., and Croker, P. F., 1987, Structural geometry and evolution of the Dead Sea-Jordan rift system as deduced from new subsurface data: *Tectonophysics*, v. 141, p. 33-60.
- Kelling, G., Gokcen, S., Floyd, P., and Gokcen, N., 1987, Neogene tectonics and plate convergence in the eastern Mediterranean: New data from southern Turkey: *Geology*, v. 15, p. 425-429.
- Kempler, D., and Ben-Avraham, Z., 1987, The tectonic evolution of the Cyprean Arc: *Annales Tectonicae*, v. 1, p. 58-71.
- Kempler, D., and Garfunkel, Z., 1994, Structures and kinematics in the northeastern Mediterranean: a study of an irregular plate boundary: *Tectonophysics*, v. 234, p. 19-32.
- Kempler, D., and Garfunkel, Z., 1991, The northeast Mediterranean triple junction from a plate kinematic point of view: *Bulletin Tech. Univ. Istanbul*, v. 44, p. 425-454.
- Khair, K., Aker, N., Haddad, F., and Hachach, A., 1994, The environmental impacts of humans on groundwater in Lebanon: *Water, Air and Soil Pollution*, v. 77, p. 1-13.
- Khair, K., Aker, N., and Zahrudinne, K., 1992, Hydrogeologic Units of Lebanon: *Applied Hydrogeology*, v. 1, p. 34-.
- Khattab, M. M., 1994, Tectonics of the North-Western Gulf of Oman and the Arabian Continental Margin As Indicated by Magnetic Data: *Marine and Petroleum Geology*, v. 11, No. 1, p. 116-123.
- Knipper, A., Savel'Yev, A., and Ruklye, M., 1988, Ophiolitic association of northwestern Syria: *Geotectonics*, v. 22, no. 1, p. 73-82.
- Ko yigit, A., 1991, an example of an accretionary forearc basin from northern Central Anatolia and its implications for the history of subduction of Neo-Tethys in Turkey: *Geological Society of America Bulletin*, v. 103, p. 22-36.
- Kolars, J. F., and Mitchell, W. A., *The Euphrates River and the Southeast Anatolia Development Project: Carbondale, Southern Illinois University Press*, 324 p.
- Koop, W. J., and Stoneley, R., 1982, Subsidence history of the Middle East Zagros basin, Permian to recent: *Phil. Trans. R. Society of London*, v. 305, p. 149-168.

- Lartet, L., 1879, La geologie de la Palestine: *Ann. Sci. Geol.*, v. 1.
- Le Pichon, X., and Francheteau, J., 1978, a plate-tectonic analysis of the Red Sea-Gulf of Aden area: *Tectonophysics*, v. 46, p. 369-406.
- Le Pichon, X., and Gaulier, J. M., 1987, Plate tectonics of the Red Sea-Levant area, in Hilde, T., and Carlson, R., eds., *Silver Anniv. Celebration of Plate Tectonics: Texas a & M University, Geodynamics Research Institute TAMU*, p. 42-44.
- Leonov, Y. G., Sigachev, S. P., Otri, M., Yusef, A., Zaza, T., and Sawaf, T., 1989, New data on the Paleozoic complex of the platform cover of Syria: *Geotectonics*, v. 23, p. 538-542.
- Lippard, S., Shelton, A., and Gass, I., 1986, The ophiolite of Northern Oman, *Memoirs, the Geological Society*, 1-16 p.
- Livermore, R. A., and Smith, A. G., 1984, Relative motions of Africa and Europe in vicinity of Turkey, in Tekeli, O., and Goncuoglu, M. C., eds.: *Ankara, Turkey, MTA*, p. 1-10.
- Lovelock, P. E. R., 1984, a review of the tectonics of the northern Middle East region: *Geological Magazine*, v. 121, p. 577-587.
- Lyberis, N., Kasapoglu, E., Yurur, T., and Gundogdu, N., 1992, The East Anatolian Fault: an Oblique Collisional Belt: *Tectonophysics*, v. 204, p. 1-15.
- Mahfoud, R. F., Beck, James N., 1993, Petrographic study of, and trace element distribution in, high-MgO, transistional and high-Al₂O₃ basalts from the coastal region and SW-central Syria: a comparative study with similar basalts from the Aleutian Island arc: *J. Geodynamics*, v. 17, no. 1-2, p. 57-76.
- Mahfoud, R. F., and Beck, J. N., 1991, Inorganic origin in upper mantle seen likely for solid hydrocarbon in Syria plateau basalt: *Oil & Gas Journal*, p. 88-92.
- Makris, J., Rihm, R., 1991, Shear-controlled evolution of the Red Sea: pull apart model: *Tectonophysics*, v. 198, p. 441-466.
- Makris, J., and Henke, C. H., 1992, Pull-apart evolution of the Red Sea: *Journal of Petroleum Geology*, v. 15, no. 2, p. 127-134.
- Manetti, P., Capaldi, G., Chiesa, S., Civetta, L., and others, 1991, Magmatism of the Eastern Red Sea Margin in the Northern Part of Yemen from Oligocene To Present: *Tectonophysics*, v. 198, No. 2-4, p. 181-202.
- Marcoux, J., Brun, J.-P., Burg, J.-P., and Ricou, L., 1987, Shear structures in anhydrite at the base of thrust sheets (Antalya, Southern Turkey): *Journal of Structural Geology*, v. 9, p. 555-561.
- Marcoux, J., Ricou, L. E., Burg, J. P., and Brun, J. P., 1989, Shear-sense criteria in the Antalya and Alanya thrust system (southwestern Turkey): evidence for a southward emplacement: *Tectonophysics*, v. 161, p. 81-91.
- Marquer, D., Peters, T., and Gnos, E., 1995, a New Structural Interpretation for the Emplacement of the Masirah Ophiolites (Oman) - a Main Paleocene Intra-Oceanic Thrust: *Geodinamica Acta*, v. 8, No. 1, p. 13-19.
- Mart, Y., 1990, The Dead Sea Rift: from Continental Rift to Incipient Ocean: *Tectonophysics*, v. 197, p. 155-179.
- Mart, Y., 1994, Ptolemais basin: the tectonic origin of a Senonian marine basin underneath the southeastern Mediterranean Sea: *Tectonophysics*, v. 234, p. 5-17.

- May, P. R., 1991, The eastern Mediterranean Mesozoic basin: evolution and oil habitat: American Association of Petroleum Geologists Bulletin, v. 75, p. 1215-1232.
- McKenzie, D., Davies, D., and Molnar, P., 1970, Plate tectonics of the Red Sea and East Africa: Nature, v. 226, p. 243-248.
- McKenzie, D. P., 1970, Plate Tectonics of the Mediterranean Region: Nature, v. 226, p. 239-243.
- Metwalli, M., Philip, G., and Moussly, M., 1974, Petroleum-bearing formations in northeastern Syria and northern Iraq: American Association of Petroleum Geologists Bulletin, v. 58, p. 1781-1796.
- Meyerhoff, A. A., 1991, Energy resources: oil and gas: Geotimes.
- Michard, A., Goffe, B., Saddiqi, O., Oberhansli, R., and Others, 1994, Late Cretaceous Exhumation of the Oman Blueschists and Eclogites - a 2-Stage Extensional Mechanism: Terra Nova, v. 6, No. 4, p. 404-413.
- Mikbel, S., and Zacher, W., 1986, Fold structures in northern Jordan: Schweizerbart'sche Verlagsbuchhandlung, p. 248-256.
- Minshull, T. A., White, R. S., Barton, P. J., and Collier, J. S., 1992, Deformation at Plate Boundaries Around the Gulf-Of-Oman: Marine Geology, v. 104, No. 1-4, p. 265-277.
- Moore, E. M., Robinson, P. T., Malpas, J., and Xenophonotos, C., 1984, Model for the origin of the Troodos massif, Cyprus, and other mideast ophiolites: Geology, v. 12, p. 500-503.
- Moskalenko, V. N., 1991, Migration of the subduction zone in the eastern Mediterranean: Geotectonics, v. 24, no. 5, p. 451-459.
- Moskalenko, V. N., Neprochnov, Y. P., and Sollogub, v. B., 1989, Structure of the consolidated crust and upper mantle: structure of the Mohorovicic surface, in Belousov, V. V., and Vol'vovskiy, B. S., eds., Structure and evolution of the crust and upper mantle of the Black Sea, Rezul'taty issledovaniy po mezhdunarodnym geofizicheskim proyektam: Moscow, SUN, Izd. Nauka, p. 135-136.
- Moussaviharami, R., and Brenner, R. L., 1992, Geohistory Analysis and Petroleum Reservoir Characteristics of Lower Cretaceous (Neocomian) Sandstones, Eastern Kopet-Dagh Basin, Northeastern Iran: American Association of Petroleum Geologists Bulletin, v. 76, No. 8, p. 1200-1208.
- Mouty, M., Delaloye, M., Fontignie, D., Piskin, O., and Wagner, J.-J., 1992, The volcanic activity in Syria and Lebanon between Jurassic and Actual: Schweiz. Mineral. Petrogr. Mitt., v. 72, p. 91-105.
- Muehlberger, W., and Gordon, M., 1987, Observations on the complexity of the East Anatolian Fault, Turkey: Journal of Structural Geology, v. 9, p. 899-903.
- Muehlberger, W. R., 1981, The splintering of the Dead Sea fault zone in Turkey: Yerbilimleri, v. 8, p. 125-130.
- Murris, R. J., 1980, Middle East: Stratigraphic Evolution and Oil Habitat: American Association of Petroleum Geologists Bulletin, v. 64, p. 597-618.
- Nasir, S., 1990, K-Ar age determinations and volcanological evolution of the northwestern part of the Arabian Plate, Jordan: European Journal of Mineralogy, v. 2, p. 188.
- Neev, D., and Ben-Avraham, Z., 1977, The Levantine countries: the Israeli coastal region, in Nairn, A. E. M., Kanes, W. H., and Stehli, F. G., eds., The Ocean

- Basins and Margins, The Eastern Mediterranean: New York, London, Plenum Press, p. 319-353.
- Neev, D. N., 1975, Tectonic evolution of the Middle East and the Levantine basin (easternmost Mediterranean): , p. 683-686.
- Neugebauer, J., 1995, Structures and Kinematics of the North Anatolian Fault Zone, Adapazan-Bolu Region, Northwest Turkey: *Tectonophysics*, v. 243, No. 1-2, p. 119-134.
- Nowroozi, A. A., and Mohajer-Ashjai, A., 1985, Fault movements and tectonics of eastern Iran: boundaries of the Lut plate: *Geophys. J. Roy. Astr. Soc.*, v. 83, p. 215-237.
- Nur, A., and Ben-Avraham, Z., 1978, The eastern Mediterranean and the Levant: tectonics of continental collision: *Tectonophysics*, v. 46, p. 297-311.
- Okay, A. I., and Kelley, S. P., 1994, Tectonic Setting, Petrology and Geochronology of Jadeite Plus Glaucophane and Chloritoid Plus Glaucophane Schists from North-West Turkey: *Journal of Metamorphic Geology*, v. 12, No. 4, p. 455-466.
- Onalan, M., 1988, Geological evolution of the Kahramanmaraş Tertiary peripheral basin: *Geological Bulletin of Turkey*, v. 31, p. 1-10.
- Pallister, J. S., Stacey, J. S., Fischer, L. B., and Premo, W. R., 1987, Arabian shield ophiolites and late Proterozoic microplate accretion: *Geology*, v. 15, p. 320-323.
- Patton, T., and O'Connor, S., 1988, Cretaceous flexural history of Northern Oman Mountain Foredeep, United Arab Emirates: *American Association of Petroleum Geologists Bulletin*, v. 72, p. 797-809.
- Pauken, R. J., and Hemer, D. O., 1991, Tectonics, stratigraphy, and hydrocarbon exploration in the Strait of Hormuz: *Society of Petroleum Engineers*, v. 21380, p. 369-380.
- Perincek, D., and Cemen, I., 1990, The structural relationship between the East Anatolian and Dead Sea fault zones in southeastern Turkey: *Tectonophysics*, v. 172, p. 331-340.
- Perry, S. K., and Schamel, S., 1990, The Role of Low-Angle Normal Faulting and Isostatic Response in the Evolution of the Suez Rift, Egypt: *Tectonophysics*, v. 174, No. 1-2, p. 159-173.
- Ponikarov, V. P., 1964, Tectonic map of Syria: scale 1:1,000,000: Ministry of Industry.
- Ponikarov, V. P., 1967, The geology of Syria: explanatory notes on the geological map of Syria, scale 1:500,000 part I: stratigraphy, igneous rocks and tectonics: Ministry of Industry.
- Ponikarov, V. P., 1966, The Geological map of Syria: scale 1:1,000,000: Ministry of Industry.
- Powell, J. H., and Mohamed, B. K., 1993, Structure and sedimentation of Permian-Triassic and Triassic rocks exposed in small-scale horsts and grabens of pre-Cretaceous age: Dead Sea margin, Jordan: *Journal of African Earth Sciences*, v. 17, no. 2, p. 131-143.
- Pratt, B. R., and Smewing, J. D., 1993, Early Cretaceous Platform-Margin Configuration and Evolution in the Central Oman Mountains, Arabian Peninsula: *American Association of Petroleum Geologists Bulletin*, v. 77, No. 2, p. 225-244.

- Price, S. P., and Scott, B., 1994, Fault-Block Rotations at the Edge of a Zone of Continental Extension - Southwest Turkey: *Journal of Structural Geology*, v. 16, No. 3, p. 381-392.
- Quennell, A. M., 1956, Tectonics of the Dead Sea Rift: *Proceedings of the 20th IGC in Mexico*, p. 385-403.
- Quennell, A. M., 1984, The Western Arabia rift system, in Dixon, J. E., and Robertson, A. H. F., eds., *The Geological Evolution of the Eastern Mediterranean*: Oxford, Blackwell Scientific Publications, p. 775-788.
- Quennell, A. M., 1958, The structural and geomorphic evolution of the Dead Sea Rift: *Quarterly Journal of the Geological Society of London*, v. 114, p. 1-24.
- Ricateau, R., and Riche, p. H., 1980, Geology of the Musandam Peninsula (Sultanate of Oman) and its surroundings: *Journal of Petroleum Geology*, v. 3, p. 139-152.
- Rigo de Righi, M., and Cortesini, A., 1964, Gravity tectonics in foothills structure belt of southeast Turkey: *American Association of Petroleum Geologists Bulletin*, v. 48, p. 1911-1937.
- Robertson, A., 1987, The transition from a passive margin to an Upper Cretaceous foreland basin related to ophiolite emplacement in the Oman Mountains: *Geological Society of America Bulletin*, v. 99, p. 633-653.
- Ron, H., 1987, Deformation along the Yammuneh, The restraining bend of the Dead Sea transform: Paleomagnetic data and kinematic implications: *Tectonics*, v. 6, p. 653-666.
- Ross, D. A., Uchupi, E., and White, R. S., 1986, The geology of the Iran-Gulf of Oman region: a synthesis: *Reviews of Geophysics*, v. 24, no. 3, p. 537-556.
- Rotstein, Y., 1984, Counterclockwise rotation of the Anatolian block: *Tectonophysics*, v. 108, p. 71-91.
- Rotstein, Y., and Ben-Avraham, Z., 1985, Accretionary Processes at Subduction Zones in the Eastern Mediterranean: *Tectonophysics*, v. 112, p. 551-561.
- Sadooni, F. N., 1993, Stratigraphic Sequence, Microfacies, and Petroleum Prospects of the Yamama Formation, Lower Cretaceous, Southern Iraq: *American Association of Petroleum Geologists Bulletin*, v. 77, No. 11, p. 1971-1988.
- Sage, L., and Letouzey, J., 1990, Convergence of the African and Eurasian plate in the Eastern Mediterranean, in Letouzey, J., ed., *Petroleum and Tectonics in Mobile Belts*; proceedings of the IFP exploration and production research conference: Paris, Editions Technip, p. 49-68.
- Saif, S. I., 1986, a new dual regime plate tectonic interpretation to explain the origin of the megatectonic elements and magmatism in the Afro-Arabian region: *Tectonics* (submitted to).
- Saint-Marc, P., 1981, Lebanon, Aspects of Mid-Cretaceous Regional Geology, p. 103-131.
- Salel, J. F., and Seguret, M., 1994, Late Cretaceous to Paleogene thin-skinned tectonics of the Palmyrides belt (Syria): *Tectonophysics*, v. 234, no. 4, p. 265-290.
- Sawaf, T., Al-Saad, D., Gebran, A., Barazangi, M., Best, J. A., and Chaimov, T., 1993, Stratigraphy and structure of eastern Syria across the Euphrates depression: *Tectonophysics*, v. 220, p. 267-281.

- Sawaf, T., Zaza, T., and Sarriyah, O., 1988, The distribution and litho-stratigraphic base for the sedimentary formations in the Syrian Arab Republic: Syrian Petroleum Company.
- Schamel, S., and Resselar, R., 1986, Intraplate shear: the cause of the Syrian Arc fold belt [abs.], Geological Society of America Abstracts with Programs, Geological Society of America, p. 740.
- Scott, B., 1981, The Eurasian-Arabian and African continental margin from Iran to Greece: *Journal of the Geological Society of London*, v. 138, p. 719-733.
- Sengor, A. M. C., Gorur, N., and Saroglu, F., 1985, Strike-slip faulting and related basin formation in zones of tectonic escape: Turkey as a case study, in Biddle, K. T., and Christie-Blick, N., eds., *Strike-Slip Deformation, Basin Deformation, and Sedimentation*, Society of Economic Paleontologists and Mineralogists, p. 227-265.
- Seyitoglu, G., and Scott, B., 1991, Late Cenozoic Crustal Extension and Basin Formation in West Turkey: *Geological Magazine*, v. 128, No. 2, p. 155-166.
- Seyitoglu, G., and Scott, B. C., 1994, Late Cenozoic Basin Development in West Turkey - Gordes Basin Tectonics and Sedimentation: *Geological Magazine*, v. 131, No. 5, p. 631-637.
- Seyitoglu, G., Scott, B. C., and Rundle, C. C., 1992, Timing of Cenozoic Extensional Tectonics in West Turkey: *Journal of the Geological Society of London*, v. 149, p. 533-538.
- Sharief, F. A., 1982, Lithofacies distribution of the Permian-Triassic rocks in the Middle East: *Journal of Petroleum Geology*, v. 4, p. 299-310.
- Sharp, I. R., Ustaomer, T., Degnan, P., Robertson, A. H. F., and Dixon, J. E., 1991, a two day informal workshop on the evolution of the Tethyan Belt, Tethyan Workshop: Edinburgh, The Grant Institute Department of Geology and Geophysics.
- Stocklin, J., 1981, a brief report on geodynamics in Iran, in Gupta, H., and Delany, F., eds., *Zagros-Hindu Kush-Himalaya Geodynamic Evolution*: Washington, D.C., American Geophysical Union, p. 70-74.
- Stocklin, J., 1968, Structural history and tectonics of Iran: a review: *American Association of Petroleum Geologists Bulletin*, v. 52, p. 1229-1258.
- Stoesser, D. B., and Camp, v. E., 1985, Pan-African microplate accretion of the Arabian shield: *Geological Society of America Bulletin*, v. 96, p. 817-826.
- Sultan, M., Duncan, I. J., Arvidson, R. E., Stern, R. J., and Others, A., 1990, Extension of the Najd Shear System from Saudi-Arabia To the Central Eastern Desert of Egypt Based on Integrated Field and Landsat Observations - Reply: *Tectonics*, v. 9, No. 3, p. 539-543.
- Suzanne, P., Lyberis, N., Chorowicz, J., Nurlu, M., Yurur, T., and Kasapoglu, E., Geometry of the North Anatolian Fault from Landsat-MSS Images: *Bulletin of Soc. Geol. F.* (in press), p. 1-24.
- Takin, M., 1972, Iranian geology and continental drift in the Middle East: *Nature*, v. 235, p. 147-150.
- Taviani, M., Bonatti, E., Colantoni, P., and Piermaria, L. R., 1984, Tectonically Uplifted Crustal Blocks in the Northern Red Sea: Data from the Brothers Islets: *Memorial Society of Italian Geology*, v. 27, p. 47-50.
- ten Brink, U. S., Schoenberg, N., Kovach, R. L., and Ben-Avraham, Z., 1990, Uplift and a possible Moho offset across the Dead Sea transform: *Tectonophysics*, v. 180, no. 1, p. 71-85.

- Tinkler, C., Wagner, J. J., Delaloye, M., and Selcuk, H., 1981, Tectonic history of the Hatay ophiolites (south Turkey) and their relation with the Dead Sea Rift: *Tectonophysics*, v. 72, p. 23-41.
- Toprak, V., and Goncuoglu, M. C., 1993, Tectonic Control on the Development of the Neogene Quaternary Central Anatolian Volcanic Province, Turkey: *Geological Journal*, v. 28, No. 3-4, p. 357-369.
- Trifonov, V., Youssef, A., Al-Khair, Y., and Zaza, T., 1983, Using satellite imagery to infer the tectonics and the petroleum geology of Syria: Syrian Petroleum Company.
- Tromp, S. W., 1949, Blockfolding phenomena in the Middle East: *Geologie en Mijnbouw*, v. 9, p. 273-278.
- Tuysuz, O., 1990, Tectonic Evolution of a Part of the Tethyside Orogenic Collage - the Kargi Massif, Northern Turkey: *Tectonics*, v. 9, No. 1, p. 141-160.
- Tuysuz, O., Dellaloglu, A. A., and Terzioğlu, N., 1995, a Magmatic Belt Within the Neo-Tethyan Suture Zone and Its Role in the Tectonic Evolution of Northern Turkey: *Tectonophysics*, v. 243, No. 1-2, p. 173-191.
- Ustaomer, T., and Robertson, A. H. F., 1993, a Late Palaeozoic Early Mesozoic Marginal Basin Along the Active Southern Continental Margin of Eurasia - Evidence from the Central Pontides (Turkey) and Adjacent Regions: *Geological Journal*, v. 28, No. 3-4, p. 219-238.
- Ustaomer, T., and Robertson, A. H. F., 1994, Late Palaeozoic Marginal Basin and Subduction-Accretion - the Palaeotethyan Kure Complex, Central Pontides, Northern Turkey: *Journal of the Geological Society of London*, v. 151, p. 291-305.
- Visser, W., 1991, Burial and Thermal History of Proterozoic Source Rocks in Oman: *Precambrian Research*, v. 54, No. 1, p. 15-36.
- Vita-Finzi, C., 1978, 14C deformation chronologies in Coastal Iran: *Journal Geological Society London*, v. 144, p. 553-560.
- Vita-Finzi, C., 1979, Rates of Holocene folding in the coastal Zagros near Bandar Abbas, Iran: *Nature*, v. 278, p. 632-634.
- Vroman, A., 1973, Is a compromise between the theories of tension and of shear for the origin of the Jordan-Dead Sea Trench possible?: *Israel Journal of Earth-Sciences*, v. 22, p. 141-156.
- Walley, C., 1988, a braided strike-slip model for the northern continuation of the Dead Sea Fault and its implications for Levantine tectonics: *Tectonophysics*, v. 145, p. 63-72.
- Weissbrod, T., 1976, The Permian in the Near East, in Falke, H., ed., *The Continental Permian in Central, West, and South Europe*: Dordrecht, Holland, D. Reidel Publishing Co., p. 200-214.
- Westaway, R., 1993, Neogene Evolution of the Denizli Region of Western Turkey: *Journal of Structural Geology*, v. 15, No. 1, p. 37-53.
- Westaway, R., 1990, Block Rotation in Western Turkey .1. Observational Evidence: *Journal of Geophysical Research-Solid Earth and Planets*, v. 95, No. B12, p. 19857-19884.
- Westaway, R., 1994, Evidence for Dynamic Coupling of Surface Processes with Isostatic Compensation in the Lower Crust During Active Extension of Western Turkey: *Journal of Geophysical Research-Solid Earth*, v. 99, No. B10, p. 20203-20223.
- Winter, T., Avouac, J.-P., and Lavenu, A., 1993, Late Quaternary kinematics of the Pallatanga strike-slip fault (Central Ecuador) from topographic

- measurements of displaced morphological features: *Geophysical Journal International*, v. 115, p. 905-920.
- Yilmaz, P. O., and Maxwell, J. C., 1982, K-Ar investigations from the Antalya complex ophiolites, SW Turkey: *Ophioliti*, v. 2-3, p. 527-530.
- Yilmaz, S., Boztug, D., and Ozturk, A., 1993, Geological Setting, Petrographic and Geochemical Characteristics of the Cretaceous and Tertiary Igneous Rocks in the Hekimhan Hasancelebi Area, North-West Malatya, Turkey: *Geological Journal*, v. 28, No. 3-4, p. 383-398.
- Zak, I., and Bentor, Y. K., 1972, Some new data on the salt deposits of the Dead Sea area, Israel, *Geology of saline deposits, Proceedings of the Hanover Symposium*, 1968, p. 137-146.

MIDDLE EAST: GEOPHYSICS

- Abdelhady, Y. E., Tealeb, A., and Ghaib, F. A., 1983, Tectonic Trends inferred from Gravity Field Analysis in the Sinjar Area, Northwest Iraq: *International Basement Tectonics Association*, v. 4, p. 237-244.
- Adams, R. D., and Barazangi, M., 1984, Seismotectonics and seismology in the Arab region; a brief summary and future plans: *Bulletin of the Seismological Society of America*, v. 74, no. 3, p. 1011-1030.
- Aki, K., 1991, Summary of discussions on coda waves at the Istanbul IASPEI meeting: *Physics of the Earth and Planetary Interiors*, v. 67, p. 3-Jan.
- Akinci, A., Delpezzo, E., and Ibanez, J. M., 1995, Separation of Scattering and Intrinsic Attenuation in Southern Spain and Western Anatolia (Turkey): *Geophysical Journal International*, v. 121, No. 2, p. 337-353.
- Akinci, A., Taktak, A. G., and Ergintav, S., 1994, Attenuation of coda waves in Western Anatolia: *Physics of the Earth and Planetary Interiors*, v. 87, p. 155-165.
- Al-Rahim, A. M. H., 1993, Geophysical Transect Project: North west- south east Iraq [M.S. thesis]: College of Science-University of Baghdad.
- Al-Saigh, N. H., Toffeq, A. N., and Abdul-Hameed, I., 1990, Crustal structure along geotranssect Baghdad-Dohuk, northern Iraq: *Pacific Rim Congress*, v. 3, p. 777.
- Alamri, A. M., Scholt, F. R., and Bufe, C. G., 1991, Seismicity and aeromagnetic features of the Gulf of Aqaba (Elat) region: *Journal of Geophysical Research*, v. 96, p. 20179-20185.
- Alavi, M., 1994, Tectonics of the Zagros orogenic belt of Iran: new data and interpretations: *Tectonophysics*, v. 229, p. 211-238.
- Altarazi, E., 1994, Seismic Hazard Assessment in Jordan and Its Vicinity: *Natural Hazards*, v. 10, No. 1-2, p. 79-96.
- Ambraseys, N., and Barazangi, M., 1989, The 1759 large earthquake in the Bekaa Valley: implications for earthquake hazard assessment in Lebanon and Syria: *Journal of Geophysical Research*, v. 94, no. B4, p. 4007-4013.
- Ambraseys, N. N., 1978, The relocation of epicenters in Iran: *Geophysical Journal of the Royal Astronomical Society*, v. 53, p. 117-121.
- Ambraseys, N. N., and Adams, R. D., 1993, Seismicity of the Cyprus region: *Terra Nova*, v. 5, p. 85-94.

- Ambraseys, N. N., and Melville, C. P., 1989, Evidence for intraplate earthquakes in northwest Arabia: *Bulletin of the Seismological Society of America*, v. 79, p. 1279-1281.
- Ambraseys, N. N., Melville, C. P., and Adams, R. D., 1994, *The seismicity of Egypt, Arabia, and the Red Sea*, Cambridge University Press, 181 p.
- Ameen, M. S., 1992, Effect of basement tectonics on hydrocarbon generation, migration, and accumulation in northern Iraq: *American Association of Petroleum Geologists Bulletin*, v. 76, p. 356-370.
- Amiran, D. H., 1951, a revised earthquake-catalogue of Palestine: *Isr. Explor. J.*, v. 1, p. 223-246.
- Arieh, E., 1967, Seismicity of Israel and adjacent areas: *Geologic Survey of Israel Bulletin*, v. 43, p. 1-14.
- Arieh, E., Artzi, D., Benedik, N., Eckstein (Shapira), A., Issakow, R., Reich, B., and Shapira, A., 1985, Revised and Updated catalog of earthquakes in Israel and adjacent areas, 1900-1980, The Institute for Petroleum Research and Geophysics.
- Arieh, E., and Rabinowitz, N., 1989, Probabilistic Assessment of Earthquake Hazard in Israel: *Tectonophysics*, v. 167, No. 2-4, p. 223-233.
- Arieh, E., and Rotstein, Y., 1985, a note on the seismicity of Israel (1900-1982): *Bulletin of the Seismological Society of America*, v. 75, p. 881-887.
- Arieh, E., Rotstein, Y., and Peled, U., 1982, The Dead Sea earthquake of 23 April 1979: *Bulletin of the Seismological Society of America*, v. 72, p. 1627-1634.
- Arieh, E., Rotwain, I., Steinberg, J., Vorobieva, I., and others, 1992, Diagnosis of Time of Increased Probability of Strong Earthquakes in the Jordan-Dead Sea Rift Zone: *Tectonophysics*, v. 202, No. 2-4, p. 351-359.
- Arkhangel'skaya, V. M., Gergau, A., and Shechkov, B. I., 1974, on the structure of the Earth's crust in the regions of the Arabian Peninsula and the Iranian Highland according to surface-wave dispersion: *Phys. Solid Earth (Engl. Ed.)*, v. 9, p. 60-66.
- Arkin, Y., 1989, Large-Scale Tensional Features Along the Dead Sea Jordan Rift Valley: *Tectonophysics*, v. 165, No. 1-4, p. 143-154.
- Asudeh, I., 1983, I.S.C. mislocation of earthquakes in Iran and geometrical residuals: *Tectonophysics*, v. 95, p. 61-74.
- Asudeh, I., 1982, Seismic structure of Iran from surface and body wave data: *Geophysical Journal Royal Astronomical Society*, v. 71, p. 715-730.
- Asudeh, I., 1982, Pn velocities beneath Iran: *Earth and Planetary Science Letters*, v. 61, p. 136-142.
- Atallah, M., 1992, Tectonic Evolution of Northern Wadi-Araba, Jordan: *Tectonophysics*, v. 204, No. 1-2, p. 17-26.
- Avedik, F., Geli, L., Gaulier, J. M., and Formal, J. P. L., 1988, Results from three refraction profiles in the northern Red Sea (above 25 degrees N) recorded with an ocean bottom vertical seismic array: *Tectonophysics*, v. 153, no. 1-4, p. 89-101.
- Badri, M., 1991, Crustal structure of central Saudi Arabia determined from seismic refraction profiling: *Tectonophysics*, v. 185, p. 357-374.
- Badri, M., and Y., S., 1991, Qp Crustal Structure in Central Saudi-Arabia: *Journal of African Earth Sciences and the Middle East*, v. 12, No. 4, p. 561-568.

- Baker, C., Jackson, J., and Priestly, K., 1993, Earthquakes on the Kazerun line in the Zagros mountains of Iran: strike-slip faulting within a fold-and-thrust belt: *Geophysical Journal International*, v. 115, p. 41-61.
- Barazangi, M., 1989, Continental collision zones: seismotectonics and crustal structure, in James, D. E., ed., *The Encyclopedia of Solid Earth Geophysics*: New York, Van Nostrand Reinhold Company, p. 58-74.
- Barazangi, M., 1983, a summary of the seismotectonics of the Arab region, in Cidlinsky, K., and Rouhban, B., eds., *Assessment and mitigation of earthquake risk in the Arab region*: Paris, France, UNESCO, p. 43-58.
- Barazangi, M., Seber, D., Al-Saad, D., and Sawaf, T., 1992, Structure of the intracontinental Palmyride mountain belt in Syria and its relationship to nearby Arabian plate boundaries: *Bulletin of Earth Sciences*, Cukurova University, Adana, Turkey, v. 20, p. 111-118.
- Barazangi, M., Seber, D., Chaimov, T., Best, J., Litak, R., Al-Saad, D., and Sawaf, T., 1993, Tectonic evolution of the northern Arabian plate in western Syria, in Boschi, E., and al, e., eds., *Recent evolution and Seismicity of the Mediterranean Region*: Netherlands, Kluwer Academic Publishers, p. 117-140.
- Barka, A. A., and Kadinsky-Cade, K., 1988, Strike-slip fault geometry in Turkey and its influence on earthquake activity: *Tectonics*, v. 7, p. 663-684.
- Ben-Menahem, A., A. N., and Vered, M., 1976, Tectonics, seismicity, and structure of the Afro-Eurasian junction - the breaking of an incoherent plate: *Physics of the Earth and Planetary Interiors*, v. 12, p. 1-50.
- Ben-Menahem, A., 1979, Earthquake catalogue for the Middle East (92 B.C. - 1980 A.D.): *Boll. Geofis. Teor. Appl.*, v. 21, no. 84, p. 245-310.
- Ben-Menahem, A., 1991, Four Thousand years of seismicity along the Dead Sea Rift: *Journal of Geophysical Research*, v. 96, p. 20195-20216.
- Ben-Menahem, A., and Aboodi, E., 1981, Micro- and macro- seismicity of the Dead Sea rift and off-coast eastern Mediterranean: *Tectonophysics*, v. 80, p. 199-233.
- Ben-Menahem, A., Aboodi, E., Vered, M., and Kovach, R. L., 1977, Rate of seismicity of the Red Sea region over the past 4000 years: *Physics of the Earth and Planetary Interiors*, v. 14, p. p17-p27.
- Berberian, M., 1979, Evaluation of the instrumental and relocated epicenters of Iranian earthquakes: *Geophysical Journal of the Royal Astronomical Society*, v. 58, p. 625-630.
- Berberian, M., 1983, The southern Caspian: a compressional depression floored by a trapped, modified oceanic crust: *Canadian Journal of Earth Science*, v. 20, p. 163-183.
- Berberian, M., 1979, Discussion of the paper A.A. Nowroozi, 1976, "Seismotectonic provinces of Iran": *Bulletin of the Seismological Society of America*, v. 69, p. 293-297.
- Berberian, M., 1995, Master "blind" thrust faults hidden under the Zagros folds: active basement tectonics and surface morphotectonics: *Tectonophysics*, v. 241, p. 193-224.
- Berberian, M., and Qorashi, M., 1994, Coseismic Fault Related Folding During the South Golbaf Earthquake of November 20, 1989, in Southeast Iran: *Geology*, v. 22, No. 6, p. 531-534.
- Berberian, M., Qorashi, M., Jackson, J. A., Priestly, K., and Wallace, T., 1992, The Rudbar-Tarom earthquake of June 20, 1990 in NW Iran: preliminary field and

- seismotectonic observations, and its tectonic significance: *Bulletin of the Seismological Society of America*, v. 82, no. 4, p. 1726-1755.
- Best, J. A., Barazangi, M., Al-Saad, D., Sawaf, T., and Gebran, A., 1990, Bouguer gravity trends and crustal structure of the Palmyride Mountain belt and surrounding northern Arabian platform in Syria: *Geology*, v. 18, no. 12, p. 1235-1239.
- Bijwaard, H., Spakman, W., and van Eck, T., 1994, Tomographic investigation of crustal structure in Israel [Masters thesis]: Institute for Earth Sciences, Utrecht University.
- Blank, H. R., Healy, J. H., Roller, J. C., Lamson, R., Fischer, F., McClearn, R., and Allen, S., 1979, Seismic refraction profile, Kingdom of Saudi Arabia, field operations, instrumentation, and initial results: U.S. Geological Survey, Saudi Arabian Mission Project Report 259.
- Bobsien, M., Egloff, R., Izzeldin, A. Y., Makris, J., and Rihm, R., 1989, Seismic measurements on a profile across the western flank of the Red Sea, offshore Sudan: Technical Programme and Abstracts of Papers - European Association of Exploration Geophysicists, v. 51, p. 185.
- Bosworth, W., Strecker, M. R., Blisniuk, p. M., 1992, Integration of East African Paleostress and Present-Day Stress Data: Implications for Continental Stress Field Dynamics: *Journal of Geophysical Research*, v. 97, no. B8, p. 11,851-11,865.
- Bou-Rabee, F., 1994, Earthquake Hazard in Kuwait: *Journal of the University of Kuwait*, v. 21, p. 253-264.
- Bou-Rabee, F., 1994, Earthquake recurrence in Kuwait induced by oil and gas extaction: *Journal of Petroleum Geology*, v. 17, p. 473-480.
- Bruner, I., and Landa, E., 1991, Fault Interpretation from High-Resolution Seismic Data in the Northern Negev, Israel: *Geophysics*, v. 56, No. 7, p. 1064-1070.
- Burton, P. W., McGonigle, R., Makropulos, K. C., and Ucer, S. B., 1984, Seismic risk in Turkey, The Aegean and the eastern Mediterranean: *Geophysical Journal of the Royal Astronomical Society*, v. 78, p. 475-506.
- Byrne, D., Sykes, L. R., and Davis, D. M., 1992, Great thrust earthquakes and aseismic slip along the plate boundary of the Makran subduction zone: *Journal of Geophysical Research*, v. 97, p. 449-478.
- Campos, J., Madariaga, R., Nabelek, J., Bukchin, B., and others., 1994, Faulting Process of the 1990 June 20 Iran Earthquake from Broad-Band Records: *Geophysical Journal International*, v. 118, No. 1, p. 31-46.
- Chaimov, T., Barazangi, M., Al-Saad, D., and Sawaf, T., 1993, Seismic fabric and 3-D upper crustal structure of the southwestern intracontinental Palmyride fold belt, Syria: *American Association of Petroleum Geologists Bulletin*, v. 77, p. 2032-2047.
- Chaimov, T., Barazangi, M., Al-Saad, D., Sawaf, T., and Gebran, A., 1992, Mesozoic and Cenozoic deformation inferred from seismic stratigraphy in the southwestern intracontinental Palmyride fold-thrust belt, Syria: *Geological Society of America Bulletin*, v. 104, no. 6, p. 704-715.
- Chaimov, T., Barazangi, M., Al-Saad, D., Sawaf, T., and Gebran, A., 1990, Crustal shortening in the Palmyride fold belt, Syria, and implications for movement along the Dead Sea fault system: *Tectonics*, v. 9, no. 6, p. 1369-1386.

- Chamot-Rooke, N., Truffert, C., de Voogd, B., Huchon, P., Lallemand, S., and Pichon, X. L., 1990, Crustal structure of the eastern Mediterranean Sea; results of the PASIPHAE cruise: *Eos, Transactions, American Geophysical Union*, v. 71, no. 43, p. 1634.
- Chandra, U., McWhorter, J. C., and Nowroozi, A. A., 1979, Attenuation of intensities in Iran: *Bulletin of the Seismological Society of America*, v. 67, p. 237-250.
- Chen, C. Y., Chen, W. P., and Molnar, P., 1980, The Uppermost mantle P wave velocities beneath Turkey and Iran: *Geophys. Research Letters*, v. 7, no. 1, p. 77-80.
- Çoruh, C., 1990, Crustal Seismic Images from Part of the Active Escape of the Anatolia Block: Preliminary Results from the First Turkish Geotraverse: *Seismological Research Letters*, v. 61, p. 147-8.
- Courtillot, V., Armijo, R., and Tapponnier, P., 1987, Kinematics of the Sinai triple junction and a two-phase model of Arabia-Africa rifting, in *Continental Extensional Tectonics*, in Coward, M. P., Dewey, J., and Hancock, P., eds., p. 559-573.
- Craglietto, A., Panza, G. F., Mitchell, B. J., and Costa, G., 1989, Anelastic properties of the crust in the Mediterranean area: *Geophysical Monograph*, v. 51, p. 179-196.
- de Voogd, B., Truffert, C., Chamot-Rook, N., Huchon, P., Lallemand, S., and Pichon, X. L., 1992, Two-ship deep seismic soundings in the basins of the eastern Mediterranean Sea (Pasiphae cruise): *Geophysical Journal International*, v. 109, no. 3, p. 536-552.
- Dehghani, G., 1981, Schwerefeld und Krustenaufbau im Iran (Gravimetric field and crustal structure in Iran): *Hamburger Geophysikalische Einzelschriften*, v. 54, p. 74.
- Dehghani, G. A., and Makris, J., 1984, The gravity field and crustal structure of Iran: *Neues Jahrbuch fuer Geologie und Palaeontologie, Abhandlungen*, v. 168, no. 2-3, p. 215-229.
- Deniz, R., Aksoy, A., Yalin, D., Seeger, H., Franke, P., Hirsch, O., and Bartsch, P., 1993, Determination of crustal movements in Turkey by terrestrial geodetic methods: *J. Geodynamics*, v. 18, no. 1-4, p. 13-22.
- Dorbath, L., and Montagner, J. P., 1983, Upper mantle heterogeneities in Africa deduced from Rayleigh wave dispersion: *Physics of the Earth and Planetary Interiors*, v. 32, p. 218-225.
- Drake, C. L., Girdler, R. W., 1964, a Geophysical Study of the Red Sea: the *Geophysical Journal of the Royal Astronomical Society*, v. 8, no. 5, p. 473-495.
- Egloff, F., Rihm, R., Makris, J., Izzeldin, Y. A., Bobsien, M., Meier, K., Junge, P., Noman, T., and Warsi, W., 1991, Contrasting structural styles of the eastern and western margins of the southern Red Sea: the 1988 SONNE experiment: *Tectonophysics*, v. 198, p. 329-353.
- El-Isa, Z., Makris, J., Prodehl, C., 1986, a deep seismic sounding experiment in Jordan: *Dirasat*, v. 13, no. 7, p. 271-281.
- El-Isa, Z., 1992, Seismicity of Wadi Araba-Dead Sea Region: *Geology of the Arab World*, v. 1, no. , p. 245-?
- El-Isa, Z., Mechie, J., and Prodehl, C., 1987, Shear velocity structure of Jordan from explosion seismic data: *Geophysical Journal of the Royal Astronomical Society*, v. 90, p. 265-281.

- El-Isa, Z., Mechie, J., Prodehl, C., Makris, J., and Rihm, R., 1987, a crustal structure study of Jordan derived from seismic refraction data: *Tectonophysics*, v. 138, p. 235-253.
- El-Isa, Z. H., 1990, Lithospheric structure of the Jordan-Dead Sea transform from earthquake data: *Tectonophysics*, v. 180, p. 29-36.
- El-Isa, Z. H., and AlShanti, A., 1989, Seismicity and tectonics of the Red Sea and western Arabia: *Geophysical J.*, v. 97, p. 449-457.
- El-Isa, Z. H., Marghelani, H. M., and Bazzari, M. A., 1984, The tectonic development of the western margin of the Gulf of Eilat (Akaba) rift: *Tectonophysics*, v. 80, p. 39-66.
- Emery, K. O., Heezen, Bruce C., Allan, T. D., 1966, Bathymetry of the eastern Mediterranean Sea: *Deep-Sea Research*, v. 13, p. 173-192.
- Ezen, U., 1991, Surface wave dispersion and upper crustal structure along N-S direction in western Turkey from Burdur earthquake of 12 May 1971: *Bulletin of the International Institute of Seismology and Earthquake Engineering*, v. 25, p. 39-59.
- Fahmi, K. J., Al Salim, M. A., and Ayar, B. S., 1986, Recent earthquake activity in the lesser Zab region of northeastern Iraq: *Tectonophysics*, v. 131, p. 89-111.
- o
Falcon, N. L., 1969, Problems of the relationship between surface structure and deep displacements illustrated by the Zagros Range, in Kent, p. E., Satterthwaite, G. E., and Spencer, A. M., eds., *Time and Place in Orogeny*: London, Geological Society of London, p. 9-22.
- o
Ferrucci, F., Gaudiosi, G., Hirn, A., and Nicolich, R., 1991, Ionian Basin and Calabria Arc; some new elements from DSS data: *Tectonophysics*, v. 195, no. 2-4, p. 411-419.
- Gaulier, J.-M., Pichon, X. L., Lyberis, N., Avedik, F., Gely, L., and Moretti, I., 1986, New refraction data on the northern Red Sea-Gulf of Suez area: *Eos, Transactions, American Geophysical Union*, v. 67, no. 44, p. 1208-1209.
- Geiss, E., 1987, The lithosphere in the Mediterranean region; a contribution on structure, gravity field and deformation [Doctoral thesis]: University of Munich.
- Gheitanchi, M. R., Kikuchi, M., and Mizoue, M., 1993, Teleseismic Interpretation of the 1968 Dasht-E Bayaz, NE Iran, Earthquake: *Geophysical Research Letters*, v. 20, No. 3, p. 245-248.
- Giese, P., Makris, J., Akashe, B., Rower, P., Letz, H., and Mostaanpour, M., 1983, Seismic crustal studies in Southern Iran between the central Iran and Zagros belt, in Madelat, V., ed., *Geological Survey of Iran 51*, Geological Survey of Iran, p. 71-89.
- Giese, P., Makris, J., Akasheh, B., Roewer, P., Letz, H., and Mostaanpour, M., 1984, The crustal structure in southern Iran derived from seismic explosion data: *Neuer Jahrbuch fuer Geologie und Palaeontologie*, v. 168, no. 2-3, p. 230-243.
- Ginzburg, A., and Ben-Avraham, Z., 1987, The deep structure of the central and southern Levant continental margin: *Annales Tectonics*, v. 1, p. 105-115.
- Ginzburg, A., Benavraham, Z., Makris, J., Hubral, P., and Others, A., 1994, Crustal Structure of Northern Israel: *Marine and Petroleum Geology*, v. 11, No. 4, p. 501-506.

- Ginzburg, A., and Folkman, Y., 1980, The crustal structure between the Dead Sea Rift and the Mediterranean Sea: *Earth Planet. Sci. Lett.*, v. 51, no. 1, p. 181-188.
- Ginzburg, A., Makris, J., Fuchs, K., Perathoner, B., and Prodehl, C., 1979, Detailed structure of the crust and upper mantle along the Jordan-Dead Sea rift: *Journal of Geophysical Research*, v. 84, no. B10, p. 5605-5612.
- Ginzburg, A., Makris, J., Fuchs, K., and Prodehl, C., 1981, The structure of the crust and upper mantle in the Dead Sea Rift: *Tectonophysics*, v. 80, p. 109-119.
- Ginzburg, A., Makris, J., Fuchs, K., Prodehl, C., Kaminski, W., and Amitai, U., 1979, a seismic study of the crust and upper mantle of the Jordan-Dead Sea rift and their transition toward the Mediterranean Sea: *Journal of Geophysical Research*, v. 84, no. B4, p. 1569-1582.
- Girdler, R. W., McConnell, D. A., 1994, The 1990 to 1991 Sudan Earthquake Sequence and the Extent of the East African Rift System: *Science*, v. 264, p. 67-70.
- Gitterman, Y., and Shapira, A., 1993, Spectral discrimination of underwater explosions: *Israel Journal of Earth Science*, v. 42, p. 37-44.
- Gitterman, Y., and Shapira, A., 1994, Spectral characteristics of seismic events off the coast of the Levant: *Geophysical Journal International*, v. 116, p. 485-497.
- Gitterman, Y., and van Eck, T., 1993, Low frequency spectra of quarry blasts and microearthquakes recorded at local distances in Israel: *Bulletin of the Seismological Society of America*, v. 83, p. 1799-1812.
- Gitterman, Y., and van Eck, T., 1993, Spectra of quarry blasts and microearthquakes recorded at local distances in Israel: *Bulletin of the Seismological Society of America*, v. 83, p. 1799-1812.
- Gurbuz, C., and Evans, J. R., 1991, a Seismic Refraction Study of the Western Tuz Golu Basin, Central Turkey: *Geophysical Journal International*, v. 106, No. 1, p. 239-251.
- Hadiouche, O., 1990, First evidence for high anelastic attenuation beneath the Red Sea from Love wave analysis: *Geophys. Res. Letters*, v. 17, p. 1973-1976.
- Hadiouche, O., and Jobert, N., 1988, Geographical distribution of surface-wave velocities and 3-D upper mantle structure in Africa: *Geophys. J.*, v. 95, p. 87-110.
- Hadiouche, O., and Jobert, N., 1988, Evidence for anisotropy in north east Africa, from geographical and azimuthal distribution of Rayleigh wave velocities and average upper mantle structure: *Geophysical Research Letters*, v. 15, p. 365-368.
- Hadiouche, O., and Walter Zuern, , (), , 1992, on the structure of the crust and upper mantle beneath the Afro-Arabian region from surface wave dispersion: *Tectonophysics*, v. 209, no. 1-4, p. 179-196.
- Hadiouche, O., and Zurn, W., 1992, on the structure of the crust and upper mantle beneath the Afro-Arabian region from surface wave dispersion: *Tectonophysics*, v. 209, p. 179-196.
- Hancock, p. L., and Atiya, M. S., 1979, Tectonic significance of mesofracture systems associated with the Lebanese segment of the Dead Sea transform fault: *J. Struct. Geol.*, v. 1, p. 143-153.
- Hartzell, S., and Mendoza, C., 1991, Application of an Iterative Least-Squares Waveform Inversion of Strong-Motion and Teleseismic Records To the 1978

- Tabas, Iran, Earthquake: Bulletin of the Seismological Society of America, v. 81, No. 2, p. 305-331.
- Hatcher, R. D., Zietz, I., Regan, R. D., and Abu-Ajamieh, M., 1981, Sinistral strike-slip motion on the Dead Sea Rift: confirmation from new magnetic data: *Geology*, v. 9, p. 458-462.
- Healy, J. H., Mooney, W. D., Blank, H. R., Gettings, M. E., Kohler, W. M., Lamson, R. J., and L.E. Leone, 1982, Saudi Arabian seismic deep-refraction profile: Final project report: U. S. Geological Survey, 02-37.
- Hearn, T. M., and Ni, J. F., 1994, Pn velocities beneath continental collision zones: the Turkish-Iranian Plateau: *Geophysical Journal International*, v. 117, p. 273-283.
- Hofstetter, A., Feldman, L., and Rotstein, Y., 1991, Crustal structure of Israel: constraints from teleseismic and gravity data: *Geophysics Journal International*, v. 104, no. 2, p. 371-379.
- Hofstetter, A., Ron, H., and van Eck, T., 1989, Mt. Carmel Earthquake Sequence: Seismological Division, Institute for Petroleum Research and Geophysics, Holon, Israel.
- Hofstetter, A., van Eck, T., and Shapira, A., 1995, Seismic activity along fault branches of the Jordan - Dead Sea Transform : the Carmel-Tirza fault system: *Tectonophysics*.
- Ibrahim, E. M., 1985, Seismic activity in the different tectonic provinces of Egypt: Bulletin of the International Institute of Seismology and Earthquake Engineering, v. 21, p. 139-176.
- Ibrahim, K. E., Alakhras, M. N., and Bazuhair, A. S., 1993, Combined Gravity and Aeromagnetic Surveys of the Khulais Basin of Western Saudi-Arabia: *Journal of African Earth Sciences and the Middle East*, v. 17, No. 3, p. 373-381.
- IPRG Seismological Bulletins, 1982-1993, Earthquakes in and around Israel: Bulletin of the International Seismological Centre, Edinburgh, v. 1-11.
- Islami, A. A., 1972, a study of the depth of Mohorovicic discontinuity in Western Iran and the velocity of P n wave: *J. Earth Space Phys.*, v. 1, no. 2, p. 1-12.
- Izzeldin, A. Y., 1987, Seismic, gravity and magnetic surveys in the central part of the Red Sea: their interpretation and implications for the structure and evolution of the Red Sea: *Tectonophysics*, v. 143, p. 269-306.
- Jackson, J., and McKenzie, D., 1988, The relationship between plate motions and seismic moment tensors, and the rates of active deformation in the Mediterranean and Middle East: *Geophysical Journal International*, v. 93, p. 45-73.
- Jackson, J. A., and Fitch, T., 1981, Basement faulting and the focal depths of the larger earthquakes in the Zagros mountains (Iran): *Geophysical Journal Royal Astronomical Society*, v. 64, p. 561-586.
- Jih, R. S., and Lynnes, C. S., 1993, Regional Lg Q variation in Iranian plateau and its implication for mb(Lg) determination: Phillips Lab report PL-TR-93-2003 (TGAL-93-01).
- Joffe, S., and Garfunkel, Z., 1987, Plate kinematics of the Circum Red Sea - a re-evaluation: *Tectonophysics*, v. 141, p. 5-22.
- Johnson, P., Stewart, I., 1995, Magnetically Inferred basement structure in central Saudi Arabia: *Tectonophysics*, v. 245, no. 37-52.
- Kadinsky-Cade, K., and Barazangi, M., 1982, Seismotectonics of Southern Iran: the Oman line: *Tectonics*, v. 1, no. 5, p. 389-412.

- Kadinsky-Cade, K., Barazangi, M., Oliver, J., and Isacks, B., 1981, Lateral variations of high-frequency seismic wave-propagation at regional distances across the Turkish and Iranian Plateaus: *Journal of Geophysical Research*, v. 86, p. 9377-9396.
- Kafri, U., and Shapira, A., 1990, a Correlation Between Earthquake Occurrence, Rainfall and Water Level in Lake Kinnereth, Israel: *Physics of the Earth and Planetary Interiors*, v. 62, No. 3-4, p. 277-283.
- Karakaisis, G. F., 1994, Long-term earthquake prediction in Iran based on the time- and magnitude-predictable model: *Physics of the Earth and Planetary Interiors*, v. 83, p. 129-145.
- Kebeasy, R. M., 1990, Seismicity, in Said, R., ed., *The Geology of Egypt: Rotterdam, A. A. Balkema*, p. 51-59.
- Kebeasy, R. M., Maamoun, M., Albert, R. N. H., and Megahed, M., 1981, Earthquake activity and earthquake risk around Alexandria, Egypt: *Bulletin of International Institute of Seismology and Earthquake Engineering*, v. 19, p. 93-113.
- Khair, K., 1992, a review of Geophysical data in Lebanon and their significance to the Levantine Plate structure: *Geology of the Arab World*, v. 1, no. , p. 231-?
- Khair, K., Khawlie, M., Haddad, F., Barazangi, M., Seber, D., and Chaimov, T., 1993, Bouguer gravity and crustal structure of the Dead Sea transform fault and adjacent mountain belts in Lebanon: *Geology*, v. 21, p. 739-742.
- Khattab, M. M., 1993, Interpretation of Recent Gravity Profiles Over the Ophiolite Belt, Northern Oman Mountains, United-Arab-Emirates: *Journal of African Earth Sciences and the Middle East*, v. 16, No. 3, p. 319-327.
- Khattab, M. M., 1995, Interpretation of Magnetic and Gravity Surveys in the Southern Arabian Gulf, The Strait of Hormuz, and the Northwesternmost Gulf of Oman - Implications of Pre-Permian Basement Tectonics: *Marine Geology*, v. 123, No. 1-2, p. 105-116.
- Khawlie, M. R., 1992, Shaping the eastern Mediterranean coast by earthquakes: Lebanon: *Geology Today*, p. 58-61.
- Kim, S. G., and Nuttli, O. W., 1977, Spectral characteristics of anomalous Eurasian earthquakes: *Bulletin Seismological Society of America*, v. 67, no. 2, p. 463-478.
- Kissel, C., Averbuch, O., de Lamotte, D., Monod, O., and Allerton, S., 1993, First paleomagnetic evidence for a post-Eocene clockwise rotation of the Western Taurides thrust belt east of the Isparta reentrant (Southwestern Turkey): *Earth and Planetary Science Letters*, v. 117, p. 1-14.
- Kovach, R. L., Andreasen, G. E., Gettings, M. E., and El-Kaysi, K., 1990, Geophysical investigations in Jordan: *Tectonophysics*, v. 180, p. 61-69.
- Lamson, R. J., Blank, H. R., Mooney, W., and Healy, J. H., 1979, Seismic refraction observations across the oceanic-continental rift zone, Southwest Saudi Arabia: *Eos (Am. Geophys. Union, Trans.)*, v. 60, no. 46, p. 954.
- Le Pichon, X., and Gaulier, J. M., 1988, The rotation of Arabia and the LEvant fault system: *Tectonophysics*, v. 153, p. 271-294.
- Lepine, J.-C., and Hirn, A., 1992, Seismotectonics in the Republic of Djibouti, linking the Afar Depression and the Gulf of Aden: *Tectonophysics*, v. 209, p. 65-86.
- Litak, R. K., Barazangi, M., Beauchamp, W., and Seber, D., 1994, Mesozoic-Cenozoic Evolution of the Euphrates Fault System, Syria: Implications for

- Regional Kinematics : (submitted to Journal of the Geological Society of London).
- Livieratos, E., and Zadro, M., 1985, Multiple-input linear systems in geoprocesses; an analysis of geophysical data across the eastern continental Hellenic margin: *Acta Geophysica Polonica*, v. 33, no. 2, p. 135-146.
- Lowell, J. D., Genik, G. J., Nelson, T. H., and Tucker, P. M., 1975, Petroleum and plate tectonics of the southern Red Sea, in Fischer, A. G., and Judson, S., eds., *Petroleum and global tectonics*: Princeton, N. J., USA, Princeton Univ. Press, p. 129-153.
- Lyberis, N., 1988, Tectonic evolution of the Gulf of Suez and the Gulf of Aqaba: *Tectonophysics*, v. 153, p. 209-220.
- Makris, J., Allam, A., Mokhtar, T., Basahel, A., Dehghani, G. A., and Bazari, M., 1983, Crustal structure in the northwestern region of the Arabian shield and its transition to the Red Sea: *Bulletin Fac. Earth Sci.*, v. 6, p. 435-447.
- Makris, J., Ben Abraham, Z., Behle, A., Ginzburg, A., Giese, P., Steinmetz, L., Whitmarsh, R. B., and Eleftheriou, S., 1983, Seismic refraction profiles between Cyprus and Israel and their interpretation: *Geophys. J. R. Astr. Soc.*, v. 75, p. 575-591.
- Makris, J., and Ginzburg, A., 1987, The Afar Depression: transition between continental rifting and sea-floor spreading: *Tectonophysics*, v. 141, p. 199-214.
- Makris, J., Henke, C. H., Egloff, F., and Akamaluk, T., 1991, The gravity field of the Red Sea and East Africa: *Tectonophysics*, v. 198, p. 369-381.
- Makris, J., Nicolich, R., and Weigel, W., 1985, Crustal structures in the Ionian Sea: *Rapports et Proces Verbaux des Reunions - Commission Internationale pour l'Exploration Scientifique de la Mer Mediterranee*, v. 29, no. 2, p. 73-75.
- Makris, J., Rihm, R., and Gotz, L. G., 1989, Heat Flow in the central Red Sea: *European Association of Exploration Geophysicists: 51st meeting and technical exhibition; technical programme and abstracts of papers*, v. 51, no. , p. 194-195.
- Marzouk, I. A., 1988, Study of crustal structure of Egypt deduced from deep seismic and gravity data [Ph.D. dissertation thesis]: University of, 118 p.
- McBride, J. H., Barazangi, M., Best, J., Al-Saad, D., Sawaf, T., Al-Otri, M., and Gebran, A., 1990, Seismic reflection structure of intracratonic Palmyride fold-thrust belt and surrounding Arabian platform, Syria: *American Association of Petroleum Geologists Bulletin*, v. 74, no. 3, p. 238-259.
- Mechie, J., Prodehl, C., and El-Isa, Z., 1986, P- and S-wave crustal structure beneath a seismic-refraction line in Jordan: *Jahrestagung der Deutschen Geophysikalischen Gesellschaft e.V.*, v. 46, p. 169.
- Mechie, J., Prodehl, C., and Koptschalitsch, G., 1986, Ray path interpretation of the crustal structure beneath Saudi Arabia: *Tectonophysics*, v. 131, no. 3-4, p. 333-352.
- Mechie, J., Prodehl, C., and Koptschalitsch, G., 1985, a ray-tracing and ray theoretical seismograms interpretation of the U. S. G. S. Saudi Arabian seismic line: *Jahrestagung der Deutschen Geophysikalischen Gesellschaft e.V.*, v. 45, p. 75.
- Milkereit, B., and Flueh, E. R., 1985, Saudi Arabian refraction profile; crustal structure of the Red Sea-Arabian Shield transition: *Tectonophysics*, v. 111, no. 3-4, p. 283-298.

- Miller, J. J., Agena, W. F., and Lee, M. W., 1992, Reprocessing of Reflection Seismic Lines R111 and R102, Risha Gas Field, Hashemite Kingdom of Jordan: U.S. Department of the Interior, U.S. Geological Survey; Open-File Report 92-680, p. 29.
- Mindevalli, O. Y., and Mitchell, B. J., 1989, Crustal structure and possible anisotropy in Turkey from seismic wave dispersion: *Geophysical Journal International*, v. 98, p. 93-106.
- Mohajer-Ashjai, A., and Nowroozi, A. A., 1978, Observed and probable intensity zoning of Iran: *Tectonophysics*, v. 29, p. 149-160.
- Mooney, W. D., and Gettings, M. E., 1983, Interpretation of seismic deep-refraction line: U. S. Geological Survey, P 1375.
- Mooney, W. D., Gettings, M. E., Blank, H. R., and Healy, J. H., 1985, Saudi Arabian seismic-refraction profile: a travelttime interpretation of crustal and upper mantle structure: *Tectonophysics*, v. 111, no. 3-4, p. 173-246.
- Mooney, W. D., and Prodehl, C., 1984, Proceedings of the 1980 workshop of the International Association of Seismology and Physics of the Earth's Interior on the seismic modeling of laterally varying structures: Contributions based on data from the 1978 Saudi Arabian refraction profile: U.S. Geological Survey, 937.
- Nasir, S., 1992, The lithosphere beneath the northwestern part of the Arabian Plate (Jordan): evidence from xenoliths and geophysics: *Tectonophysics*, v. 201, no. 3-4, p. 357-370.
- Ni, J., and Barazangi, M., 1986, Seismotectonics of the Zagros continental collision zone and a comparison with the Himalayas: *Journal of Geophysical Research*, v. 91, p. 8205-8218.
- Niazi, M., 1968, Crustal thickness in central Saudi Arabian peninsula: *Geophysical Journal of the Royal Astronomical Society*, v. 15, p. 545-547.
- Niazi, M., Asudeh, I., Ballard, G., Jackson, J., King, G., and McKenzie, D., 1978, The depth of seismicity in the Kermanshah region of the Zagros mountains (Iran): *Earth and Planetary Science Letters*, v. 40, p. 270-274.
- Niazi, M., Shimamura, H., and Matsuura, M., 1980, Microearthquakes and crustal structure of the Makran coast of Iran: *Geophysical Research Letters*, v. 7, p. 297-300.
- Nishigami, K., Iio, Y., Gurbuz, C., Pinar, A., Aybey, N., Ucer, S. B., Honkura, Y., and Isikara, A. M., 1990, Microseismic activity and spatial distribution of coda-Q in the westernmost part of the North Anatolian Fault Zone, Turkey: *Bulletin Disas. Prev. Inst., Kyoto Univ.*, v. 40, p. 41-56.
- North, R. G., 1974, Seismic slip rates in the Mediterranean and Middle East: *Nature*, v. 252, p. 560-563.
- Nowroozi, A. A., 1986, Discrimination between underground explosions and earthquakes using discriminant functions: Examples for Eurasia and North America: *Annales Geophysicae*, v. 4, p. 577-588.
- Nowroozi, A. A., 1976, Seismotectonic Provinces of Iran: *Bulletin of the Seismological Society of America*, v. 66, p. 1249-1276.
- Nowroozi, A. A., 1987, Tectonics and earthquake risk of Iran: *Developments in Geotechnical Engineering*, v. 44, p. 59-75.
- Nowroozi, A. A., 1972, Focal mechanism of earthquakes in Persia, Turkey, West Pakistan, and Afghanistan and plate tectonics of the Middle East: *Bulletin of the Seismological Society of America*, v. 62, p. 823-850.

- Nuttli, O. W., 1980, The excitation and attenuation of seismic crustal phases in Iran: *Bulletin of the Seismological Society of America*, v. 70, p. 469-485.
- Orbay, N., Gundogdu, O., Kolcak, D., Duzgit, Z., and others, 1994, Seismo-Magnetic Studies Between Dokurcun and Abant Area Along the North Anatolian Fault Zone, Turkey: *Journal of Geomagnetism and Geoelectricity*, v. 46, No. 12, p. 1095-1107.
- Oshiman, N., Tuncer, M. K., Honkura, Y., Baris, S., and others, 1991, a Strategy of Tectonomagnetic Observation for Monitoring Possible Precursors To Earthquakes in the Western Part of the North Anatolian Fault Zone, Turkey: *Tectonophysics*, v. 193, No. 4, p. 359-368.
- Panagiotopoulos, D. G., and Papazachos, B. C., 1985, Travel times of Pn-waves in the Aegean and surrounding area: *Geophysical Journal International*, v. 80, p. 165-176.
- Pinar, A., Honkura, Y., and Kikuchi, M., 1994, Rupture Process of the 1992 Erzincan Earthquake and Its Implication for Seismotectonics in Eastern Turkey: *Geophysical Research Letters*, v. 21, No. 18, p. 1971-1974.
- Plassard, J., and Kogoj, B., 1962, Catalogue des seisms ressentis au Liban: *Ann. Me'm. OBs. Ksara*, p. 12 pp.
- Priestley, K., Baker, C., and Jackson, J., 1994, Implications of earthquake focal mechanism data for the active tectonics of the south Caspian Basin and surrounding regions: *Geophysical Journal International*, v. 118, p. 111-141.
- Prodehl, C., 1985, Interpretation of a seismic-refraction survey across the Arabian Shield in western Saudi Arabia: *Tectonophysics*, v. 111, no. 3-4, p. 247-282.
- Riad, S., and Meyers, H., 1985, Eathquake Catalog for the Middle East countries 1900-1983, World Data Center-A for Solid Earth Geophysics, 127p. p.
- Richter, H., Makris, J., and Rihm, R., 1991, Geophysical Observations Offshore Saudi-Arabia - Seismic and Magnetic Measurements: *Tectonophysics*, v. 198, No. 2-4, p. 297-310.
- Rihm, R., Makris, J., and Moller, L., 1991, Seismic survey in the northern Red Sea: asymmetric crustal structure: *Tectonophysics*, v. 198, p. 279-295.
- Rogers, A. J., Ni, J. F., and Hearn, T. M., 1995, Pn, Sn, and Lg propagation in the Middle East: .
- Ron, H., 1984, Plaeomagnetic investigation of the fault structure of Galilee - northern Israel [Ph.D. thesis]: Hebrew University of Jerusalem.
- Roobol, M. J., and Camp, V. E., 1990, Structural Control of Young Basaltic Fissure Eruptions in the Plateau Basalt Area of the Arabian Plate, Northeast Jordan - Comment: *Journal of Volcanology and Geothermal Research*, v. 43, No. 1-4, p. 365-366.
- Rotstein, Y., 1987, Gaussian probability estimate for large earthquake occurrence in the Jordan Valley, Dead Sea rift: *Tectonophysics*, v. 6, p. 653-666.
- Rotstein, Y., and Arieih, E., 1986, Tectonic implications of a recent microearthquake data from Israel and adjacent areas: *Earth Planet. Sci. Lett.*, v. 78, p. 237-244.
- Rotstein, Y., and Bartov, Y., 1989, Seismic reflection across a continental transform: an example from a convergent segment of the Dead Sea Rift: *Journal of Geophysical Research*, v. 94, p. 2902-2912.
- Rotstein, Y., and Kafka, A., 1982, Seismotectonics of the southern boundary of Anatolia, eastern Mediterranean region: subduction, collision, and arc jumping: *Journal of Geophysical Research*, v. 87, p. 7694-7706.

- Rotstein, Y., Yuval, Z., and Trachtman, P., 1987, Deep seismic reflection studies in Israel -- an update: *Journal of Geophysical Research*, v. 89, p. 389-394.
- Saikia, C. K., 1994, Modeling of Strong Ground Motions from the 16 September 1978 Tabas, Iran, Earthquake: *Bulletin of the Seismological Society of America*, v. 84, No. 1, p. 31-46.
- Salamon, A., 1993, Seismotectonic analysis of earthquakes in Israel and adjacent areas [Ph.D. thesis]: Hebrew University of Jerusalem.
- Searle, M. P., 1994, Structure of the Intraplate Eastern Palmyride Fold Belt, Syria: *Geological Society of America Bulletin*, v. 106, No. 10, p. 1332-1350.
- Seber, D., Barazangi, M., Chaimov, T., Al-Saad, D., Sawaf, T., and Khaddour, M., 1992, Geometry and velocity structure of the Palmyride fold-thrust belt and surrounding Arabian platform in Syria: *Bulletin of Earth Sciences, Cukurova University, Adana, Turkey*, v. 20, p. 103-110.
- Seber, D., Barazangi, M., Chaimov, T., Al-Saad, D., Sawaf, T., and Khaddour, M., 1993, Upper crustal velocity structure and basement morphology beneath the intracontinental Palmyride fold-thrust belt and north Arabian platform in Syria: *Geophysical Journal International*, v. 113, no. 3, p. 752-766.
- Seber, D., and Mitchell, B. J., 1992, Attenuation of surface waves across the Arabian peninsula: *Tectonophysics*, v. 204, p. 137-150.
- Shalem, N., 1952, La seismicite au Levant: *Bulletin Res. Counc. Israel*, v. 2, p. 1-16.
- Shapira, A., 1990, Increasing Seismicity As an Earthquake Precursor in Israel: *Geophysical Journal International*, v. 101, No. 1, p. 203-211.
- Shapira, A., 1979, Redetermined magnitudes of earthquakes in the Afro-Euroasian junction: *Israel Journal of Earth Science*, v. 28, p. 107-109.
- Shapira, A., Avni, R., and Nur, A., 1993, Note: a new estimate for the epicenter of the Jericho earthquake of 11 July 1927: *Israel Journal of Earth Science*, v. 42, p. 93-96.
- Shapira, A., and Feldman, L., 1987, Microseismicity of three locations along the Jordan rift: *Tectonophysics*, v. 141, p. 89-94.
- Shapira, A., and Hofstetter, A., 1993, Source Parameters and Scaling Relationships of Earthquakes in Israel: *Tectonophysics*, v. 217, No. 3-4, p. 217-226.
- Shoja-Taheri, J., and Niazi, M., 1981, Seismicity of the Iranian plateau and bordering regions: *Bulletin of the Seismological Society of America*, v. 71, no. 2, p. 477-489.
- Snyder, D. B., and Barazangi, M., 1985, Deep crustal structure and flexure of the Arabian Plate beneath the Zagros collisional mountain belt as inferred from gravity observations [Abstract]: *Eos, Transactions, American Geophysical Union*, v. 66, no. 46, p. 1074.
- Snyder, D. B., and Barazangi, M., 1986, Deep crustal structure and flexure of the Arabian Plate beneath the Zagros collisional mountain belt as inferred from gravity observations: *Tectonics*, v. 5, no. 3, p. 361-373.
- Soller, D. R., Ray, R. D., and Brown, R. D., 1982, a new global crustal thickness map: *Tectonics*, v. 1, no. 2, p. 125-149.
- Spakman, W., 1991, Delay-time tomography of the upper mantle below Europe, The Mediterranean, and Asia Minor: *Geophysical Journal International*, v. 107, p. 309-332.

- Straub, C., and Kahle, H.-G., 1994, Global Positioning System (GPS) estimates of crustal deformation in the Marmara Sea Region, Northwestern Anatolia: *Earth and Planetary Science Letters*, v. 121, p. 495-502.
- Striem, H. L., 1991, The association of seismicity with fault systems in Israel's southern and central offshore, as exemplified by the Palmahim structure: Seismological Division, The Institute for Petroleum Research and Geophysics, Holon, Israel.
- Taymaz, T., Eyidogan, H., and Jackson, J. A., 1991, Source parameters of large earthquakes in the East Anatolian Fault zone (Turkey): *Geophysical Journal International*, v. 106, p. 537-550.
- Tchalenko, J. S., and Berberian, M., 1975, Dasht-e-Bayaz fault, Iran: earthquake and earlier related structures in bedrock: *Geological Society of America Bulletin*, v. 86, p. 703-709.
- Tchalenko, J. S., and Braud, J., 1974, Seismicity and structure of the Zagros (Iran): the Main Recent Fault between 33° and 35°N: *Philosophical Transactions Royal Society London*, v. 272, no. 1262, p. 1-25.
- ten Brink, U. S., and Ben-Avraham, Z., 1989, The anatomy of a pull-apart basin: seismic reflection observations of the Dead Sea basin: *Tectonics*, v. 8, no. 2, p. 333-350.
- ten Brink, U. S., Ben-Avraham, Z., Bell, R. E., Hassounah, M., Coleman, D. F., Andreasen, G., Tibor, G., and Coakley, B., 1993, Structure of the Dead Sea Pull-Apart Basin from Gravity Analyses: *Journal of Geophysical Research*, v. 98, no. B12, p. 21,877-21,894.
- Tibor, G., and Benavraham, Z., 1992, Late Tertiary Seismic Facies and Structures of the Levant Passive Margin Off Central Israel, Eastern Mediterranean: *Marine Geology*, v. 105, No. 1-4, p. 253-273.
- Turcotte, T., and Ariei, E., 1986, Catalog of earthquakes in and around Israel: Nuclear power plant - Shivta site, The Israel Electric Corporation LTD.
- van Eck, T., 1988, Attenuation of Coda in the Dead Sea Region: *Bulletin of the Seismological Society of America*, v. 78, p. 770-779.
- van Eck, T., and Hofstetter, A., 1990, Fault geometry and spatial clustering of microearthquakes along the Dead Sea-Jordan rift fault zone: *Tectonophysics*, v. 180, p. 15-27.
- van Eck, T., and Hofstetter, A., 1990, Fault geometry and spatial clustering of microearthquakes along the Dead Sea - Jordan rift fault zone: *Tectonophysics*, v. 180, p. 15-27.
- van Eck, T., and Hofstetter, A., 1989, Microearthquake activity in the Dead Sea region: *Geophysical Journal International*, v. 99, p. 605-620.
- Vered, M., 1978, The probable maximum earthquake magnitude associated with the Jordan rift: *Israel Journal of Earth Science*, v. 27, p. 82-84.
- Vered, M., and Striem, H. L., 1976, a macroseismic study of the July 1, 1927 earthquake: Israel Atomic Energy Commission Licensing Division, IA-LD-1-107.
- Wdowinski, S., 1990, Continuum models of continental deformation [Doctoral Thesis]: Harvard University, 150 p.
- Westaway, R., 1992, Kinematics of the Middle East and eastern Mediterranean: *Earth and Planetary Science Letters* (submitted).
- Willis, B., 1928, Earthquakes in the Holy Land: *Bulletin of the Seismological Society of America*, v. 18, p. 72-103.

- Woodside, J. M., 1977, Tectonic elements and crust of the eastern Mediterranean: *Marine Geophysics*, v. 3, p. 317-354.
- Wu, F. T., Karcz, I., Ariei, E., Kafri, U., and Peled, U., 1973, Microearthquakes along the Dead Sea rift: *Geology*, v. 1, p. 159-161.
- Yuval, Z., 1985, Preliminary results of a deep seismic reflection profile from Zohar to Ashqelon: Israel Geological Society Annual Meeting, 1985, p. 107.
- Yuval, Z., and Rotstein, Y., 1987, Deep crustal reflection survey in central Israel: *Journal of Geodynamics*, v. 8, no. 1, p. 17-31.
- Zanchi, A., and Angelier, J., 1993, Seismotectonics of western Anatolia: regional stress orientation from geophysical and geological data: *Tectonophysics*, v. 222, p. 259-274.

NORTH AFRICA: GEOLOGY

- Abdel-Monem, A. A., and Heikel, M. A., 1981, Major element composition, magma type and tectonic environment of the Mesozoic to Recent basalts, Egypt: a review: *Bulletin of the Faculty Earth Sciences, Assiut University*, v. 4, p. 121-148.
- Ait Brahim, L., 1990, Role of the Atlasic trends in the neotectonic and present evolution of the Rif and its foreland (Morocco), *Structure and Evolution of the Atlas Mountain System in Morocco*: Berlin, p. 42.
- Ait Brahim, L., and Chotin, P., 1990, Oriental Moroccan Neogene volcanism and strike-slip faulting: *Journal of African Earth Sciences*, v. 11, p. 273-280.
- Ait Brahim, L., Chotin, P., Tadili, B., and Ramdani, M., 1990, The Targuist seismogene zone and its relation with the thrust front of the external domain on the foreland (Rif, Morocco), *Structure and evolution of the Atlas Mountain System in Morocco*: Berlin, p. 43.
- Albritton, C. C., Brooks, J. E., Issawi, B., and Swedan, A., 1990, Origin of the Qattara Depression, Egypt: *Geological Society of America Bulletin*, v. 102, No. 7, p. 952-960.
- Allam, A., and Khalil, H., 1989, Geology and Stratigraphy of Gebel-Qabeliat Area, Southwestern Sinai, Egypt: *Journal of African Earth Sciences and the Middle East*, v. 9, No. 1, p. 59-67.
- Asebriy, L., Bourgois, J., Cherkaoui, T. E., and Azdimousa, A., 1993, [Recent Tectonic Evolution Along the Nekor Fault - Paleogeographic and Structural Importance in the External Rif (Morocco)]: *Journal of African Earth Sciences and the Middle East*, v. 17, No. 1, p. 65-74.
- Azdimousa, A., and Bourgois, J., 1993, [The Atlantic-Mediterranean Gateway Via the South Riffian Strait Since the Tortonian Sequential Stratigraphy of Neogenic Basins of Des Trois Fourches (Eastern Rif, Morocco)]: *Journal of African Earth Sciences and the Middle East*, v. 17, No. 2, p. 233-240.
- Bayoumi, A. I., and Lotfy, H. I., 1989, Modes of Structural Evolution of Abu-Gharadig Basin, Western Desert of Egypt As Deduced from Seismic Data: *Journal of African Earth Sciences and the Middle East*, v. 9, No. 2, p. 273-287.
- Bedir, M., Zargouni, F., Tlig, S., and Bobier, C., 1992, Subsurface Geodynamics and Petroleum Geology of Transform Margin Basins in the Sahel of Mahdia and El Jem (Eastern Tunisia): *American Association of Petroleum Bulletin*, v. 76, No. 9, p. 1417-1442.

- Belazi, H. S., 1989, The Geology of the Nafoura Oilfield, Sirte Basin, Libya: *Journal of Petroleum Geology*, v. 12, No. 3, p. 353-366.
- Bensaid, M., Kutina, J., Mahmood, A., and Saadi, M., 1985, Structural evolution of Morocco and new ideas on basement controls of mineralization: *Global Tectonics and Metallogeny*, v. 3, p. 59-69.
- Bergerat, F., 1987, Stress fields in the European platform at the time of Africa-Eurasia collision: *Tectonics*, v. 6, no. 2, p. 99-132.
- Berrahma, M., Delaloye, M., Faure-Muret, A., and Rachdi, H. E. N., 1994, Premières données géochronologiques sur le volcanisme alcalin du Jbel Saghro, Anti-Atlas, Maroc: *Journal of African Earth Sciences*, v. 17, no. 3, p. 333-341.
- Black, R., and Fabre, J., 1983, a brief outline of the geology of West Africa, in Fabre, J., ed., *West Africa: Geological Introduction and Stratigraphic terms.*: Oxford, Pergamon Press, p. 17-26.
- Bobier, C., Viguier, C., Chaari, A., and Chine, A., 1991, The Post-Triassic Sedimentary Cover of Tunisia - Seismic Sequences and Structure: *Tectonophysics*, v. 195, No. 2-4, p. 371+.
- Boccaletti, M., Cello, G., and Tortorici, L., 1988, Structure and tectonic significance of the north-south axis of Tunisia: *Annales Tectonicae*, v. 2, p. 12-20.
- Bosworth, W., 1989, Basin and Range style tectonics in East Africa: *Journal of African Earth Sciences*, v. 8, no. 2-4, p. 191-201.
- Brede, R., Hauptmann, M., and Herbig, H. G., 1992, Plate Tectonics and Intracratonic Mountain Ranges in Morocco - the Mesozoic-Cenozoic Development of the Central High Atlas and the Middle Atlas: *Geologische Rundschau*, v. 81, No. 1, p. 127-141.
- Broughton, P., and Trepanier, A., 1993, Hydrocarbon Generation in the Essaouira Basin of Western Morocco: *American Association of Petroleum Geologists Bulletin*, v. 77, No. 6, p. 999-1015.
- Bufo, E., Udias, A., and Colombas, M. A., 1988, Seismicity, source mechanisms and tectonics of the Azores-Gibraltar plate boundary: *Tectonophysics*, v. 152, p. 89-118.
- Burrollet, P. F., 1991, Structures and Tectonics of Tunisia: *Tectonophysics*, v. 195, No. 2-4, p. 359+.
- Cahen, L., and Snelling, N. J., 1984, The geochronology and evolution of Africa: Oxford, Clarendon Press, 512 p.
- Caire, A., 1974, Eastern Atlas, in *Mesozoic-Cenozoic Orogenic Belts*: Edinburgh, Scottish Academic Press, 47-59 p.
- Carmignani, L., Giammarino, S., Giglia, G., and Pertusati, P. C., 1990, The Qasr-As-Sahabi Succession and the Neogene Evolution of the Sirte Basin (Libya): *Journal of African Earth Sciences and the Middle East*, v. 10, No. 4, p. 753-769.
- Chekhovich, V. D., and Zonenshayn, L. P., 1976, Main features of structure and tectonic development of the North African folded region in the Mesozoic and Cenozoic: *Geotectonics*, v. 10, p. 178-188.
- Chorowicz, J., Alem, E. M., Bahmad, A., Chari, H., El Kochri, A., Medina, F., and Tamain, G., 1982, Les anticlinaux éjectifs du Haut Atlas: résultat de tectoniques atlasiques superposées: *C. R. Acad. Sc. Paris*, v. 294, no. 2, p. 271.
- Choubert, G., and Faure-Muret, A., 1983, Anti-Atlas, in *West Africa: Geological Introduction and Stratigraphic Terms*, in Fabre, J., ed.: Oxford, Pergamon Press, p. 80-95.

- Choubert, G., and Faure-Muret, A., 1974, Moroccan Rif, in Spencer, A., ed., *Mesozoic-Cenozoic Orogenic Belts*: Edinburgh, Scottish Academic Press, p. 37-46.
- Church, W. R., 1991, Precambrian Accretionary Tectonics in the Bou-Azzer-El-Graara Region, Anti-Atlas, Morocco - Comment: *Geology*, v. 19, No. 3, p. 285-286.
- Cohen, C. R., 1980, Plate tectonic model for the Oligo-Miocene evolution of the western Mediterranean: *Tectonophysics*, v. 68, p. 283-311.
- Conant, L. C., and H. Gondarzi, G., 1967, Stratigraphic and tectonic framework of Libya: *American Association of Petroleum Geologists Bulletin*, v. 51, p. 719-730.
- Dautria, J. M., and Lesquer, A., 1989, an Example of the Relationship Between Rift and Dome - Recent Geodynamic Evolution of the Hoggar Swell and of Its Nearby Regions (Central Sahara, Southern Algeria and Eastern Niger): *Tectonophysics*, v. 163, No. 1-2, p. 45-61.
- Davidson, J. P., and Ian R. Wilson, 1989, Evolution of an alkali basalt-trachyte suite from Jebel Marra volcano, Sudan, through assimilation and fractional crystallization: *Earth and Planetary Science Letters*, v. 95, p. 141-160.
- Deffontaines, B., Chotin, P., Brahim, L. A., and Rozanov, M., 1992, Investigation of Active Faults in Morocco Using Morphometric Methods and Drainage Pattern Analysis: *Geologische Rundschau*, v. 81, No. 1, p. 199-210.
- Dennison, B., and Mansfield, v. N., 1976, Proterozoic oceanic crust at Bou Azzer: *Nature*, v. 261, p. 34-35.
- Dercourt, J., Zonenshain, L. P., Ricou, L.-E., Kazmin, V. G., LePichon, X., Knipper, A. L., Grandjacquet, C., Sbertshikov, I. M., Geyssant, J., Lepvrier, C., Pechersky, D. H., Boulin, J., Sibuet, J.-C., Savostin, L. A., Sorokhtin, O., Westphal, M., Bazhenov, M. L., Lauer, J. P., and Biju-Duval, B., 1986, Geological evolution of the Tethys belt from the Atlantic to the Pamirs since the Lias: *Tectonophysics*, v. 123, p. 241-315.
- Dewey, J., Helman, M., Turco, E., Hutton, D., and Knott, S., 1989, Kinematics of the western Mediterranean, in Coward, M., Dietrich, D., and Park, R., eds., *Alpine Tectonics*: Oxford, Royal Geological Society, p. 265-283.
- Dewey, J. F., Pitman, W. C., Ryan, W. B. F., and Bonnin, J., 1973, Plate tectonics and the evolution of the Alpine system: *Bull. Geological Society of America*, v. 84, p. 3137-3180.
- Diot, H., and Bouchez, J.-L., 1991, Structure des massifs granitiques de la Meseta marocaine, marqueurs géodynamiques: Aouli-Bou-Mia (Haute-Moulouya), Zaër (Massif Central) et Sebt de Brikiine (Rehamna): *Géologie Méditerranéenne*, v. 18, no. 1-2, p. 81-97.
- Doblas, M., and R. Oyarzun, 1989, Neogene extensional collapse in the western Mediterranean (Betic-Rif Alpine orogenic belt): implications for the genesis of the Gibraltar arc and magmatic activity: *Geology*, v. 17, p. 430-433.
- Dresnay, R., 1988, Recent data on the geology of the Middle-Atlas (Morocco), in Jacobshagen, V., ed., *The Atlas System of Morocco*: Berlin, Springer-Verlag, p. 293-320.
- Durand-Delga, M., and Olivier, P., 1988, Evolution of the Alboran block margin from Early Mesozoic to Early Miocene time: the Atlas System of Morocco, v. 15, p. 465-480.

- Duringer, P., Ais, M., and Chahi, A., 1995, Geodynamic context and depositional sedimentary environment of the Miocene stevensite (rhassoul) of Morocco: lacustrine or evaporitic environment?: *Bull. Soc. geol. Fr.*, v. 2.
- Ellela, R. A., 1990, Maturation History of Neogene-Quaternary Sediments, Nile Delta Basin, Egypt: *American Association of Petroleum Bulletin*, v. 74, No. 1, p. 77-84.
- Fauremuret, A., Morel, J. L., Dahmani, M., and Demnati, M., 1990, Morocco, African Promontory Between the Mediterranean and the Atlantic - Rabat, Morocco, 27 April 11 May 1990: *Episodes*, v. 13, No. 4, p. 277-278.
- Fraissinet, C., Zouine, E. M., Morel, J. L., Poisson, A., Andrieux, J., and Fauremuret, A., 1988, Structural evolution of the southern and northern Central High Atlas in Paleogene and Mio-Pliocene times, in Jacobshagen, V., ed., *The Atlas System of Morocco*: Berlin, Springer-Verlag, p. 273-291.
- Frei, L. S., and Freund, R., 1990, Spatial and temporal relationships between two sets of strike-slip faults in southeastern Sinai: *Tectonophysics*, v. 180, p. 111-122.
- Froitzheim, N., Stets, J., and Wurster, P., 1988, Aspects of Western High Atlas tectonics, in the Atlas System of Morocco, in Jacobshagen, V., ed.: Berlin, Springer-Verlag, p. 219-244.
- Giese, P., 1990, Structure and evolution of the Atlas mountain system in Morocco and structure and evolution of the Central Andes in Northern Chile, Southern Bolivia and Northwestern Argentina, *Abstract Volume*, Berlin, 104 p.
- Giese, P., Haak, V., Jacobshagen, V., and Reutter, K. J., 1987, Mobilization of a continental margin; a subduction-induced process: *Forschung (Boppard)*, v. 16, p. 115-134.
- Gindy, A. R., 1991, Origin of the Qattara Depression, Egypt - Discussion: *Geological Society of America Bulletin*, v. 103, No. 10, p. 1374-1375.
- Guiraud, R., Bellion, Y., Benkhelil, J., and Moreau, C., 1987, Post-Hercynian tectonics in Northern and Western Africa: *Geological Journal*, v. 22, p. 433-466.
- Gumati, Y. D., and Nairn, A. E. M., 1991, Tectonic Subsidence of the Sirte Basin, Libya: *Journal of Petroleum Geology*, v. 14, No. 1, p. 93-102.
- Harmand, C., and Cantagrel, J. M., 1984, Le volcanisme alcalin Tertiaire et Quaternaire du Moyen Atlas (Maroc): chronologie K/Ar et cadre géodynamique: *Journal of African Earth Sciences*, v. 2, p. 51-55.
- Harrell, J. A., and Brown, V. M., 1992, The Worlds Oldest Surviving Geological Map - the 1150 Bc Turin Papyrus from Egypt: *Journal of Geology*, v. 100, No. 1, p. 3-18.
- Hinz, K., Dostmann, H., and Fritsch, J., 1982, The continental margin of Morocco: seismic sequences, structural elements, and geological development, in U. von Rad, e. a., ed., *Geology of the Northwest African Continental Margin*: Berlin, Springer-Verlag, p. 34-60.
- Hurley, P. M., Bouda, A., Kanes, W. H., and Nairn, A. E. M., 1974, a plate tectonics origin for late Precambrian-Paleozoic orogenic belt in Morocco: *Geology*, v. 2, p. 343-344.
- Jabour, H., and Nakayama, K., 1988, Basin modeling of Tadla basin, Morocco, for hydrocarbon potential: *American Association of Petroleum Geologists Bulletin*, v. 72, p. 1059-1073.

- Jacobshagen, V., 1988, Geodynamic Evolution of the Atlas System, Morocco: an Introduction, in Jacobshagen, V., Ed., *The Atlas System of Morocco*: Berlin, Springer-Verlag, p. 3-9.
- Jacobshagen, V., 1992, Major Fracture Zones of Morocco - The South Atlas and the Transalboran Fault Systems: *Geologische Rundschau*, v. 81, no. 1, p. 185-197.
- Jacobshagen, V., Brede, R., Hauptmann, M., Heinitz, W., and Zylka, R., 1988, Structure and post-Paleozoic evolution of the central High Atlas, in the Atlas System of Morocco, in Jacobshagen, V., ed., *The Atlas System of Morocco*: Berlin, Springer-Verlag, p. 245-271.
- Jacobshagen, V., and Giese, P., 1990, The Atlas system of Morocco: geodynamic evolution in post-Paleozoic times, in *Structure and Evolution of the Atlas Mountain System in Morocco*, Abstract Volume: Berlin, Springer Verlag, 21 p.
- Jacobshagen, V., Görler, K., and Giese, P., 1988, Geodynamic evolution of the Atlas System (Morocco) in post-Paleozoic times, in Jacobshagen, V., ed., *The Atlas System of Morocco*: Berlin, Springer-Verlag, p. 481-499.
- Jaffrezo, M., Medina, F., and Chorowicz, J., 1985, Données microbiostratigraphiques sur le Jurassique supérieur du Bassin de l'Ouest marocain. Comparaison avec les résultats du LEG 79 D.S.D.P. et de la Campagne Cyamaz (1982): *Bull. Soc. géol. France*, v. 1, no. 6, p. 875-884.
- Kamel, A. F., 1994, Regional Fracture Analysis South Latitude 29-Degrees-N of Egypt and Their Influence on Earthquakes: *Natural Hazards*, v. 9, No. 1-2, p. 235-245.
- Kanes, W., Saadi, M., Ehrlich, E., and Alem, A., 1973, Moroccan crustal response to continental drift: *Science*, v. 180, p. 950-952.
- Keeley, M. L., 1994, Phanerozoic Evolution of the Basins of Northern Egypt and Adjacent Areas: *Geologische Rundschau*, v. 83, No. 4, p. 728-742.
- Kroner, A., Kruger, J., and Rashwan, A. A. A., 1994, Age and Tectonic Setting of Granitoid Gneisses in the Eastern Desert of Egypt and South-West Sinai: *Geologische Rundschau*, v. 83, No. 3, p. 502-513.
- Lagarde, J. L., and Michard, A., 1986, Stretching normal to the regional thrust displacement in a thrust-wrench shear zone, Rehamna Massif, Morocco: *Journal of Structural Geology*, v. 8, p. 483-492.
- Laville, E., Piqué, Alain, 1991, La distension crustale atlantique et atlasique au Maroc au début du Mésozoïque: le jeu des structures hercyniennes: *Bull. Soc. géol. France*, v. 162, no. 6, p. 1161-1171.
- Laville, E., and Petit, J.-P., 1984, Role of synsedimentary strike-slip faults in the formation of Moroccan Triassic basins: *Geology*, v. 12, p. 424-427.
- Laville, E., and Piqué, A., 1990, Structural and orogenic inversions in the Central High Atlas (Morocco): a tectonic model, *Structure and Evolution of the Atlas Mountain System in Morocco*: Berlin, p. 13.
- Le Pichon, X., Bergerat, Françoise, Roulet, Marie-José, 1988, Plate kinematics and tectonics leading to the Alpine belt formation; a new analysis: *Geological Society of America, Special Paper 218*, p. 111-131.
- Leblanc, D., and Olivier, P., 1984, Role of strike-slip faults in the Betic-Rifian Orogeny: *Tectonophysics*, v. 101, p. 345-355.
- Leblanc, M., 1976, Proterozoic oceanic crust at Bou Azzer: *Nature*, v. 261, p. 34-35.

- Leblanc, M., 1981, The late Proterozoic ophiolites of Bou Azzer (Morocco): evidence for Pan-African plate tectonics, in Kröner, A., ed., *Precambrian Plate Tectonics*: Amsterdam, New York, Elsevier Scientific Publishing Co., p. 435-451.
- Lonergan, L., and Platt, J. P., 1994, The Internal-External Zone Boundary in the eastern Betic Cordillera, SE Spain: *Journal of Structural Geology*, v. 16, p. 175-188.
- Loomis, T., 1975, Tertiary mantle diapirism, orogeny, and plate tectonics east of the Strait of Gibraltar: *Amer. J. Sci.*, v. 275, p. 1-30.
- Madeira, J., and Ribeiro, A., 1990, Geodynamics models for the Azores triple junction: a contribution from tectonics: *Tectonophysics*, v. 184, p. 405-415.
- Manspeizer, W., Puffer, J., and Cousminer, H., 1978, Separation of Morocco and eastern North America: a Triassic-Liassic stratigraphic record: *Geological Society of America Bulletin*, v. 89, p. 901-920.
- Mattauer, M., Proust, F., and Tapponnier, P., 1972, Major strike-slip fault of late Hercynian age in Morocco: *Nature*, v. 237, p. 160-162.
- Mattauer, M., Tapponnier, P., and Proust, F., 1977, Sur les mécanismes de formation des chaînes intracontinentales. L'exemple des chaînes atlasiques du Maroc: *Bull. Soc. Géol. France*, v. 7, p. 521-526.
- McKenzie, D., 1972, Active tectonics of the Mediterranean region: *Geophysical Journal of the Royal Astronomical Society*, v. 30, p. 109-185.
- Medina, F., 1989, Extensional tectonics in the El Jadida-Agadir (Morocco) Triassic-Liassic basin during the early rifting of the Central Atlantic: *Garcia de Orta, Sér. Geol., Lisboa*, v. 12, no. 1-2, p. 21-36.
- Medina, F., 1989, Le Jurassique des régions d'Imi n'Tanout et Chichaoua: lithostratigraphie et corrélations: *Bull. Inst. Sci., Rabat*, v. 13, p. 5-16.
- Medina, F., 1988, Tilted-blocks pattern, paleostress orientation, and amount of extension related to Triassic early rifting of the Central Atlantic in the Amzri area (Argana basin, Morocco): *Tectonophysics*, v. 148, p. 229-233.
- Medina, F., 1992, [Focal Mechanisms of the Earthquakes of Morocco and Adjacent Areas (1959-1986) - Tectonic Implications]: *Eclogae Geologicae Helveticae*, v. 85, No. 2, p. 433-457.
- Medina, F., 1991, Superimposed extensional tectonics in the Argana Triassic formations (Morocco), related to the early rifting of the Central Atlantic: *Geol. Mag.*, v. 128, p. 525-536.
- Medina, F., 1989, Landsat imagery interpretation of Essaouira basin (Morocco): comparison with geophysical data and structural implications: *Journal of African Earth Sciences*, v. 9, p. 69-75.
- Michard, A., 1976, *Eléments de géologie Marocaine*, Notes Mém. Serv. Géol.: Rabat, 408 p.
- Michard, A., Goffé, B., Chalouan, A., and Saddiqi, O., 1991, Les corrélations entre les Chaînes bético-rifaines et les Alpes et leurs conséquences: *Bull. Soc. géol. France*, v. 162, no. 6, p. 1151-1160.
- Miranda, J. M., Luis, J. F., Abreu, I., Mendes Victor, L. A., Galdeano, A., and Rossignol, J. C., 1991, Tectonic framework of the Azores triple junction: *Geophysical Research Letters*, v. 18, p. 1421-1424.
- Morel, J.-L., Zouine, E. M., and Poisson, A., 1993, Relations entre la subsidence des bassins moulouyens et la création des reliefs atlasiques (Maroc): un

- exemple d'inversion tectonique depuis le Néogène: Bull. Soc. géol. France, v. 164, no. 1, p. 79-91.
- Morley, C. K., 1987, Origin of a major cross-element zone: Moroccan Rif: *Geology*, v. 15, p. 761-764.
- Morley, C. K., Nelson, R. A., Patton, T. L., and Munn, S. G., 1990, Transfer zones in the East African rift system and their relevance to hydrocarbon exploration in rifts: *American Association of Petroleum Geologists Bulletin*, v. 74, p. 1234-1253.
- Moukadiri, A., 1983, Ultramafic xenoliths related to alkalic basalts in the Azrou-Timahdite volcanic district, Middle Atlas, Morocco [Doctoral thesis]: Univ. Clermont-Ferrand 2.
- Moustafa, A., and Khalil, M., 1994, Rejuvenation of the eastern Mediterranean passive continental margin in northern and central Sinai; new data from the Themed Fault: *Geology Magazine*, v. 131, no. , p. 435-448.
- Moustafa, A., and Khalil, S., 1995, Rejuvenation of the Tethyan passive continental margin of northern Sinai; deformation style and age (Gebel Yelleq area): *Tectonophysics*, v. 241, p. 225-238.
- Moustafa, A. R., 1992, The Feiran tilted blocks: an example of a synthetic transfer zone, eastern side of Suez rift: *Annales Tectonicae*, v. 6, no. 2, p. 193-201.
- Moustafa, A. R., and Khalil, M. H., 1989, North Sinai structures and tectonic evolution,: Middle East Research Center, Ain Shams University, v. 3, p. 215-231.
- Moustafa, A. R., and Mosbah, K., 1988, Late Cretaceous-Early Tertiary Dextral Transpression in North Sinai: Reactivation of the Tethyan Continental Margin: *American Association of Petroleum Geologists Bulletin*, v. 72, p. 1015.
- Omara, S., 1964, Diapiric structures in Egypt and Syria: *American Association of Petroleum Geologists Bulletin*, v. 48, p. 1116-1125.
- Oukemeni, D., Bourne, J. H., 1993, Etude géochimique des granitoides du pluton d'Aouli, Haute Moulouya, Maroc: *Journal of African Sciences*, v. 17, no. 4, p. 429-443.
- Pique, A., Dahmani, M., Jeannette, D., and Bahi, L., 1987, Permanence of structural lines in Morocco from Precambrian to present: *Journal of African Earth Sciences*, v. 6, p. 247-256.
- Piqué, A., Jeannette, D., and Michard, A., 1980, The Western Meseta shear zone, a major and permanent feature of the Hercynian belt in Morocco: *Journal of Structural Geology*, v. 2, p. 55-61.
- Pique, A., and Michard, A., 1989, Moroccan hercynides: a synopsis. The Paleozoic sedimentary and tectonic evolution at the northern margin of West Africa: *American Journal of Science*, v. 289, p. 286-330.
- Rabchevsky, G. A., 1979, Tectonic evolution of the Moroccan landscape: *Earth Science*, p. 153-155.
- Ragab, A. I., 1993, a geodynamic model for the distribution of the oceanic plate slivers within a Pan-African orogenic belt, Eastern Desert, Egypt: *J. Geodynamics*, v. 17, no. 1-2, p. 21-26.
- Rebai, S., 1993, Recent Tectonics in Northern Tunisia: coexistence of compressive and extensional structures: *Annales Tectonicae*, v. 7, no. 2, p. 129-141.
- Reuber, I., Michard, A., Chalouan, A., Juteau, T., and Jermoumi, B., 1982, Structure and emplacement of the alpine-type peridotites from Beni Bousera,

- Rif, Morocco: a polyphase tectonic interpretation: *Tectonophysics*, v. 82, p. 231-251.
- Rod, E., 1962, Fault pattern, northwest corner of Sahara Shield: *American Association of Petroleum Geologists Bulletin*, v. 46, p. 529-552.
- Rondeel, H. E., and Simon, O. J., 1974, Betic Cordilleras, in *Mesozoic-Cenozoic Orogenic Belts*, in Spencer, A., ed.: Edinburgh, Scottish Academic Press, p. 23-35.
- Saadi, M., 1988, Les grandes fractures du Maroc et leurs relations avec la structure geologique, la sismicite, le volcanisme et les gites mineraux, *Notes et Memoires du Service Geologique: Rabat, Editions du Service Geologique du Maroc*, p. 123.
- Sanz de Galdeano, C., 1990, Geologic evolution of the Betic Cordilleras in the Western Mediterranean, Miocene to the present: *Tectonophysics*, v. 172, p. 107-119.
- Savostin, L. A., Sibuet, J.-C., Zonenshain, L. P., Pichon, X. L., and Roulet, M.-J., 1986, Kinematic evolution of the Tethys belt from the Atlantic ocean to the Pamirs since the Triassic: *Tectonophysics*, v. 123, p. 1-35.
- Schaer, J. P., 1987, Evolution and structure of the High Atlas of Morocco, in Schaer, J. P., and Rodgers, J., eds., *The Anatomy of Mountain Ranges*: New Jersey, Princeton University Press, p. 107-127.
- Sichler, B., Olivet, J.-L., Auzende, J.-M., Jonquet, H., Bonnin, J., and Bonifay, A., 1980, Mobility of Morocco: *Can. J. Earth Sci.*, v. 17, p. 1546-1558.
- Snoke, A., Schamel, S., and Karasek, R., 1988, Structural evolution of Djebel Debadib Anticline: a clue to the regional tectonic style of the Tunisian Atlas: *Tectonics*, v. 7, p. 497-516.
- Stanley, D. J., 1990, Recent Subsidence and Northeast Tilting of the Nile-Delta, Egypt: *Marine Geology*, v. 94, No. 1-2, p. 147-154.
- Stets, J., and Wurster, P., 1982, Atlas and Atlantic - structural relations, in von Rad, U., et al., ed., *Geology of the Northwest African Continental Margin*: Berlin, Springer-Verlag, p. 69-85.
- Sultan, M., Arvidson, R. E., Sturchio, N. C., and Guinness, E. A., 1987, Lithologic mapping in arid regions with Landsat thematic mapper data: Meatiq dome, Egypt: *Geological Society of America Bulletin*, v. 99, no. 12, p. 748-762.
- Thorpe, R. S., and Smith, K., 1974, Distribution of Cenozoic volcanism in Africa: *Earth and Planetary Science Letters*, v. 22, p. 91-95.
- Tricart, P., Torelli, L., Argnani, A., Rekhiss, F., and others, 1994, Extensional Collapse Related To Compressional Uplift in the Alpine Chain Off Northern Tunisia (Central Mediterranean): *Tectonophysics*, v. 238, No. 1-4, p. 317-329.
- Van Houten, F. B., 1977, Triassic-Liassic deposits of Morocco and eastern North America: comparison: *American Association of Petroleum Geologists Bulletin*, v. 61, p. 79-99.
- Vandermeer, F., and Cloetingh, S., 1993, Intraplate Stresses and the Subsidence History of the Sirte Basin (Libya): *Tectonophysics*, v. 226, No. 1-4, p. 37-58.
- Wallbrecher, E., 1988, The Anti-Atlas system: an overview, in Jacobshagen, V., ed., *The Atlas System of Morocco*: Berlin, Springer-Verlag, p. 13-17.
- Warne, J., 1988, Jurassic carbonate facies of the central and eastern High Atlas rift, Morocco, in Jacobshagen, V., ed., *The Atlas System of Morocco*: Berlin, Springer-Verlag, p. 169-199.

Weisrock, A., 1981, Neotectonic and coastal morphology in the Atlantic Atlas (Morocco): *Z. Geomorph. N.F.*, v. 40, p. 175-182.

NORTH AFRICA: GEOPHYSICS

- Abdel-Rahman, E. M., and Rizkalla, R. I., 1984, Crustal structure of the northern Western Desert of Egypt as derived from gravity data: *Bulletin of the Faculty of Science, Assiut University*, v. 52, no. 2, p. 601-615.
- Adams, R. D., and Barazangi, M., 1984, Seismotectonics and seismology in the Arab region; a brief summary and future plans: *Bulletin of the Seismological Society of America*, v. 74, no. 3, p. 1011-1030.
- Akinci, A., Delpezzo, E., and Ibanez, J. M., 1995, Separation of Scattering and Intrinsic Attenuation in Southern Spain and Western Anatolia (Turkey): *Geophysical Journal International*, v. 121, No. 2, p. 337-353.
- Allerton, S., Lonergan, L., Platt, J. P., Platzman, E. S., and McClelland, E., 1993, Palaeomagnetic rotations in the eastern Betic Cordillera, southern Spain: *Earth and Planetary Science Letters*, v. 119, p. 225-241.
- Ambraseys, N. N., and Adams, R. D., 1986, Seismicity of West Africa: *Annales Geophysicae*, v. 4, p. 679-702.
- Ammar, A. A., and Rabie, S. I., 1992, Schematic Relief of the Near-Surface and Deep-Seated Magnetic Basement, Using Local-Power Spectra, Gabal El-Erediya Area, Eastern Desert, Egypt: *Journal of African Earth Sciences and the Middle East*, v. 14, No. 1, p. 147-152.
- Aoudia, A., and Meghraoui, M., 1995, Seismotectonics in the Tell Atlas of Algeria: the Cavaignac (Abou El Hassan) earthquake of 25.08.1922 ($M(s) = 5.9$): *Tectonophysics*, v. 248, p. 263-276.
- Asfaw, L. M., 1981, on the seismicity of the western Afar Margin, in Wassef, A. M., ed., *Proceedings of the First international symposium on Crustal movements in Africa*, p. 61-83.
- Badawi, H. S., and Mourad, S. A., 1994, Observations from the 12 October 1992 Dahshour Earthquake in Egypt: *Natural Hazards*, v. 10, No. 3, p. 261-274.
- Bahmad, A., Chariat, H., Djerrari, A., Kochri, A. E., Hilali, E. A., Ratz, D., Saqalli, T., and Tamain, A. L. G., 1982, Remote sensing applied to basement tectonics of the Calcareous High Atlas (Morocco): *Photogrammetria*, v. 37, p. 131-150.
- Barazangi, M., 1983, a summary of the seismotectonics of the Arab region, in Cidlinsky, K., and Rouhban, B., eds., *Assessment and mitigation of earthquake risk in the Arab region*: Paris, France, UNESCO, p. 43-58.
- Bellot, A., 1985, *Gravimetrie du Rif Paleozoique Maroc* [These Docteur Ingenieur thesis]: Universite' de Montpellier II, 140 p.
- Ben Sari, D., 1987, *Connaissance Geophysique du Maroc*: Centre National de coordination et de Planification de la Recherche Scientifique et Technique.
- Ben Sari, D., 1978, *Connaissance Geophysique du Maroc*: L'universite Grenoble I Scientifique et Medicale, 262 p.
- Ben Sari, D., 1991, Latest Developments of Seismology in Morocco, in Boschi, E., Giardini, D., and Morelli, A., eds., *MedNet: the Broad-band Seismic network for the Mediterranean*, Istituto Nazionale di Geofisica, p. 502-510.

- Bendhia, H., 1991, Thermal Regime and Hydrodynamics in Tunisia and Algeria: *Geophysics*, v. 56, no. 7, p. 1093-1102.
- Bezzeghoud, M., Ayadi, A., Sebai, A., and Benhallou, H., 1993, Seismogenic zone survey by Algerian Telemetred Seismological Network case-study of Rouina earthquake January 19, 1992 $M=5.2$: *Physics of the Earth and Planetary Interiors*.
- Bockel, M., 1972, Structure de la croute in Algerie d'apres les ondes seismiques: *Annalae Geofisica*, v. 25, p. 339-358.
- Boschi, E., Giardini, D., and Morelli, A., 1991, MedNet: the Broad-Band Seismic Network for the mediterranean: *Istituto Nazionale di geofisica*.
- Bounif, A., Haessler, H., and Meghraoui, M., 1987, The Constantine (northeast Algeria) earthquake of October 27, 1985: surface ruptures and aftershock study: *Earth and Planetary Science Letters*, v. 85, p. 451-460.
- Bufo, E., Sanz de Galdeano, C., and Udias, A., 1995, Seismotectonics of the Ibero-Maghrebian region: *Tectonophysics*, v. 248, p. 247-261.
- Buhl, P., Torne, M., Watts, A., Mauffret, A., and Pascal, G., 1990, Wide aperture seismic profiling in the Gulf of Valencia; young Moho and constraints on modes of extension: *Eos, Transactions, American Geophysical Union*, v. 71, no. 43, p. 1634.
- Buness, H., Giese, P., Bobier, C., Eva, C., Merlanti, F., Pedone, R., Jenatton, L., Nguyen, D. T., Thouvenot, F., Egloff, F., Makris, J., Lozej, A., Maistrello, M., Scarascia, S., Tabacco, I., Burolet, P. F., Morelli, C., Nicholich, R., Zaghouni, T., Egger, A., Freeman, R., and Mueller, S., 1992, The EGT'85 seismic experiment in Tunisia; a reconnaissance of the deep structures: *Tectonophysics*, v. 207, no. 1-2, p. 245-267.
- Campbell, A. E., and Stafleu, J., 1992, Seismic Modeling of an Early Jurassic, Drowned Carbonate Platform - Djebel Bou Dahar, High Atlas, Morocco: *American Association of Petroleum Geologists Bulletin*, v. 76, No. 11, p. 1760-1777.
- Casas, A., and Carbo, A., 1990, Deep structure of the Betic Cordillera derived from the interpretation of a complete Bouguer anomaly map: *Journal of Geodynamics*, v. 12, p. 137-147.
- Cherkaoui, T.-E., 1991, Contribution a l'etude de l'alea sismique au Maroc, etude detaillee du seisme d'Agadir (29/2/1960), etude de la microsismicite de la region d'Al-Hoceima [Thèse Docteur Es-Sciences thesis]: *Universite Joseph Fourier*, 247 p.
- Cherkaoui, T.-E., Hatzfeld, D., Jebli, H., Medina, F., and Caillot, V., 1990, Etude microsismique de la région d'Al Hoceima: *Bull. Inst. Sci., Rabat*, v. 14, p. 25-34.
- Cherkaoui, T.-E., Medina, F., and Hatzfeld, D., 1991, The Agadir earthquake of February 29, 1960. Examination of some of the parameters, in *Seismicity, Seismotectonics and Seismic Risk of the Ibero-Maghrebian Region*, in Mezcu, J., and Udias, A., eds.: Madrid, Spain, Instituto Geografico Nacional, p. 133-148.
- Chihi, L., 1992, Seismotectonic study in central and southern Tunisia: *Tectonophysics*, v. 209, p. 175-178.
- Console, R., and Rovelli, 1981, Attenuation parameters for the Fruuli region from strong-motion accelerogram spectra: *Bulletin of the Seismological Society of America*, v. 71, p. 1981-1991.

- Danobeitia, J. J., Arguedas, M., Gallart, J., Banda, E., and Makris, J., 1992, Deep crustal configuration of the Valencia Trough and its Iberian and Balearic borders from extensive refraction and wide-angle reflection seismic profiling: *Tectonophysics*, v. 203, no. 1-4, p. 37-55.
- Demnati, A., 1972, Krustenstruktur in Rif-Bereich von Nord-Marokko aus gravimetrischen und aeromagnetischen regionalmessungen: *Bollettino di Geofisica Teorica ed Applicata*, v. 14, p. 203-236.
- Dlala, M., 1992, Seismotectonic study in northern Tunisia: *Tectonophysics*, v. 209, p. 171-174.
- Elmrabet, T., Levret, A., Ramdani, M., and Tadili, B., 1991, Historical seismicity in Morocco: Methodological aspects and cases of multidisciplinary evaluation, in Mezcu, J., and Udias, A., eds., *Seismicity, Seismotectonics and Seismic Risk of the Ibero-Maghrebian Region*: Madrid, Spain, Instituto Geografico Nacional, p. 115-129.
- Elsayed, A., Wahlstrom, R., and Kulhanek, O., 1994, Seismic Hazard of Egypt: *Natural Hazards*, v. 10, No. 3, p. 247-259.
- Elsirafe, A. M., and Abie, S. I., 1990, Contribution of Aeromagnetism To Structural Mapping of Gabal Gattar Area, North Eastern Desert, Egypt: *Journal of African Earth Sciences and the Middle East*, v. 11, No. 1-2, p. 119-128.
- Ferrucci, F., Gaudiosi, G., Pino, N. A., Luongo, G., Hirn, A., and Mirabile, L., 1989, Seismic detection of a major Moho upheaval beneath the Campania volcanic area (Naples, southern Italy): *Geophysical Research Letters*, v. 16, no. 11, p. 1317-1320.
- Gaffet, S., Massinon, B., Plantet, J.-L., and Cansi, Y., 1994, Modelling local seismograms of French nuclear test in Taourirt tan Afella massif, Hoggar, Algeria: *Geophysical Journal International*, v. 119, no. 3, p. 964-974.
- Geiss, E., 1987, a new compilation of crustal thickness data for the Mediterranean area: *Annales Geophysicae, Series B: Terrestrial and Planetary Physics*, v. 5, no. 6, p. 623-630.
- Giardini, D., Boschi, E., Mazza, S., Morelli, A., Sari, D. B., Najid, D., Benhallou, H., Bezzeghoud, M., Trabelsi, H., Hfaïdh, M., Kebeasy, R. M., and E.M. Ibrahim, 1992, Very-broad-band seismology in Northern Africa under the MedNet project: *Tectonophysics*, v. 209, p. 17-30.
- Giardini, D., Boschi, E., and Palombo, B., 1993, Moment tensor inversion from MEDNET data (2) regional earthquakes of the Mediterranean: *Geophysical Research Letter*, v. 20, no. 4, p. 273-276.
- Grimson, N. L., and Chen, W., 1986, The Azores-Gibraltar plate boundary: focal mechanism, depths of earthquakes and their tectonic implications: *Journal of Geophysical Research*, v. 92, p. 2029-2047.
- Grimson, N. L., and Chen, W., 1988, Source mechanism of four recent earthquakes along the Azores-Gibraltar plate boundary: *Geophys. J. R. Astr. Soc.*, v. 92, p. 391-401.
- Gumpert, F., and Pomeroy, P. W., 1970, Seismic wave velocities and Earth structure on the African continent: *Bulletin of the Seismological Society of America*, v. 60, p. 651-688.
- H'Faïdh, M., Dorel, J., and Dubois, J., 1985, Crustal anomalies under the Tunisian seismograph array using teleseismic P waves: *Tectonophysics*, v. 118, no. 1-2, p. 131-141.

- Harjes, H.-P., and Krummel, H., 1989, Combined processing of seismic reflection and borehole measurements in the Moroccan basin offshore NW-Africa at DSDP-Site 416: *Geologische Rundschau*, v. 78, no. 3, p. 691-703.
- Hatzfeld, D., Caillot, V., Cherkaoui, T.-E., Jebli, H., and Medina, F., 1993, Microearthquake seismicity and fault plane solutions around the Nekor strike-slip fault, Morocco: *Earth and Planetary Science Letters*, v. 120, p. 31-41.
- Hatzfeld, D., and Frogneux, M., 1981, Intermediate depth seismicity in the western Mediterranean unrelated to subduction of oceanic lithosphere: *Nature*, v. 292, p. 443-445.
- Hatzfeld, D., and Sari, D. B., 1977, Grands profils sismiques dans la région de l'arc de Gibraltar: *Bull. Soc. Géol. Fr.*, v. 19, p. 749-756.
- Hatzidimitriou, p. M., Papadimitriou, E. E., Mountrakis, D. M., and Papazachos, B. C., 1985, The seismic parameter b of the frequency-magnitude relation and its association with the geological zones in the area of Greece: *Tectonophysics*, v. 120, p. 141-151.
- Hildenbrand, T., Kucks, R., Hamouda, M., and Bellot, A., 1988, Bouguer gravity map and related filtered anomaly maps of Morocco: U.S. Geological Survey, 88-517.
- King, G. C. P., and Vita-Finzi, C., 1981, Active folding in the Algerian earthquake of 10 October 1980: *Nature*, v. 292, p. 22-26.
- Knopoff, L., and Schlue, J. W., 1972, Rayleigh wave phase velocities for the path Addis-Abeba-Nairobi: *Tectonophysics*, v. 15, p. 157-163.
- Kovachev, S. A., Kuzin, I. P., Shoda, O. Y., and Soloviev, S. L., 1991, Attenuation of S-waves in the lithosphere of the Sea of Crete according to OBS observations: *Physics of the Earth and Planetary Interiors*, v. 69, p. 101-111.
- Laville, E., Charroud, A., Fedan, B., Charrouds, M., and Pique, A., 1995, Negative inversion in Atlasic domain (Morocco) : the Kerrouchen Triassic basic, a structural element of the Atlasic rift: *Bull. Soc. géol. Fr.*, v. 4, p. .
- Lesquer, A., Takherist, D., Dautria, J. M., and Hadiouche, O., 1990, Geophysical and Petrological Evidence for the Presence of an Anomalous Upper Mantle Beneath the Sahara Basins (Algeria): *Earth and Planetary Science Letters*, v. 96, No. 3-4, p. 407-418.
- Levret, A., 1991, The effects of the November 1, 1755 "Lisbon" earthquake in Morocco: *Tectonophysics*, v. 193, p. 83-94.
- Lopez Casado, C., Sanz de Galdeano, C., Delgado, J., and Peinado, M. A., 1995, The b parameter in the Betic Cordillera, Rif and nearby sectors. Relations with the tectonics of the region: *Tectonophysics*, v. 248, p. 277-292.
- Makris, J., Rihm, R., Allam, A., 1988, Some Geophysical Aspects of the Evolution and Structure of the Crust in Egypt, in Greiling, S. E.-G. a. R. O., ed., *The Pan-African Belt of Northeast Africa and Adjacent Areas, Tectonic Evolution and Economic Aspects of a Late Proterozoic Orogen*: Braunschweig, Friedr. Vieweg & Sohn, p. 345-369.
- Makris, J., Demnati, A., and Klubmann, J., 1985, Deep seismic soundings in Morocco and a crust and upper mantle model deduced from seismic and gravity data: *Annales Geophysicae*, v. 3, p. 369-380.
- Makris, J., Menzel, H., Zimmermann, J., and Gouin, P., 1975, Gravity field and crustal structure of North Ethiopia, in Pilger, A., and Roesler, A., eds., *Afar Depression of Ethiopia*: Stuttgart, DEU, E. Schweizer. Verlagsbuchhandl. (Naeglele u. Obermiller), p. 135-144.

- Makris, J., and Niemann, V., 1981, Deep seismic sounding in southern Morocco: *Jahrestagung der Deutschen Geophysikalischen Gesellschaft e.V.*, v. 41, p. 85.
- Mantovani, E., Albarello, D., and Mucciarelli, M., 1989, Evidence of interconnection between seismic activity in the Iberian Peninsula and North African belts: *Physics of the Earth and Planetary Interiors*, v. 54, p. 116-119.
- Mariller, F., and Mueller, S., 1982, Structure of the upper mantle in the Northeastern Atlantic close to the Azores-Gibraltar ridge from surface-wave and body-wave observations: *Tectonophysics*, v. 90, p. 195-213.
- McLaughlin, K. L., and Jih, R.-S., 1988, Scattering from near-source topography: teleseismic observations and numerical simulations: *BSSA*, v. 78, p. 1399-1414.
- McLaughlin, K. L., Lees, A. C., Der, Z. A., and Marshall, M. E., 1988, Teleseismic spectral and temporal M_0 and χ infinity estimates for four French explosions in southern Sahara: *BSSA*, v. 78, p. 1580-1596.
- Medina, F., 1995, Present-day state of stress in northern Morocco from focal mechanism analysis: *Journals of Structural Geology*, v. 17, no. 7, p. 1035-1046.
- Meghraoui, M., 1991, Blind Reverse Faulting System Associated with the Mont Chenoua-Tipaza Earthquake of 29 October 1989 (North-Central Algeria): *Terra Nova*, v. 3, No. 1, p. 84-93.
- Meghraoui, M., 1988, Paleoseismic study on the El Asnam (Algeria) thrust fault, in Bonnin, J., et al., ed., *Seismic Hazard in Mediterranean Regions: Dordrecht/Boston/London*, Kluwer Academic Publishers, p. 333-346.
- Meghraoui, M., Cisternas, A., and Philip, H., 1986, Seismotectonics of the lower Cheliff basin: Structural background of the El Asnam (Algeria) earthquake: *Tectonics*, v. 5, p. 809-836.
- Mezcua, J., and Udias, A., 1991, Seismicity, Seismotectonics and Seismic Risk of the Ibero-Maghrebian Region: Instituto Geografico Nacional, Monografia No. 8.
- Milano, G., and Guerra, I., 1989, DSS profiling across the Eolian Islands volcanic region (Tyrrhenian Sea, Italy): *Bulletin - New Mexico Bureau of Mines & Mineral Resources*, v. 131, p. 190.
- Morelli, C., Barberi, F., Locardi, E., Morelli, C., Praturlon, A., Scandone, P., Vezzani, L., and Wezel, F.-C., 1982, Geophysical knowledge of Italy and surrounding seas: *Memorie della Societa Geologica Italiana*, v. 24, no. 3, p. 521-530.
- Morelli, C., and Nicolich, R., 1990, a Cross Section of the Lithosphere Along the European Geotraverse Southern Segment (From the Alps To Tunisia): *Tectonophysics*, v. 176, No. 1-2, p. 229-243.
- Nairn, E. A. M., Noltimier, H. C., and Nairn, B., 1980, Surface magnetic survey of the Souss Basin, southwestern Morocco: evaluation of the tectonic role postulated for the Agadir and Tarfaya fault zones and the South Atlas flexure: *Tectonophysics*, v. 64, p. 235-248.
- Najid, D., Westphal, M., and Hernandez, J., 1981, Paleomagnetism of Quaternary and Miocene lavas from north-east and central Morocco: *J. Geophys.*, v. 49, p. 149-152.
- Ocal, N., 1964, Fault plane solutions for Agadir, Morocco, earthquake of February 29, 1960 and Skoplje, Yugoslavia, earthquake of July 26, 1963: *Bull. Inter. Inst. Seismol. Earthquake Eng.*, v. 1, p. 1-7.
- Oukemeni, D., Bourne, J., and Krogh, T. E., 1995, U-Pb geochronology on zircon from the Aouli pluton, Haute Moulouya area, Morocco: *Bull. Soc. geol. Fr.*, v. 1.

- Ouyed, M., Meghraoui, M., Cisternas, A., Deschamps, A., Dorel, J., Frechet, J., Gaulon, R., Hatzfeld, D., and Philip, H., 1981, Seismotectonics of the El Asnam earthquake: *Nature*, v. 292, p. 26-.
- Pinet, B., Montadert, L., Mascle, A., Cazes, M., and Bois, C., 1987, New insights of the structure and formation of sedimentary basins from deep seismic profiling in Western Europe, in Brooks, J., and Glennie, K. W., eds., *Petroleum geology of north west Europe*: London, Graham & Trotman, p. 11-31.
- Platzman, E. S., 1992, Paleomagnetic Rotations and the kinematics of the Gibraltar arc: *Geology*, v. 20, p. 311-314.
- Poupinet, G., Souriau, A., and Jenatton, L., 1993, a Test on the Earths Core Mantle Boundary Structure with Antipodal Data - Example of Fiji-Tonga Earthquakes Recorded in Tamanrasset, Algeria: *Geophysical Journal International*, v. 113, No. 3, p. 684-692.
- Press, F., Ewing, M., and Oliver, J., 1956, Crustal structure and surface-wave dispersion in Africa: *BSSA*, v. 46, p. 97-103.
- Rabie, S. I., and Ammar, A. A., 1990, Pattern of the Main Tectonic Trends from Remote Geophysics, Geological Structures and Satellite Imagery, Central Eastern Desert, Egypt: *International Journal of Remote Sensing*, v. 11, No. 4, p. 669-683.
- Ramdani, M., 1991, Etude sismotectonique du Nord du Maroc [Thèse Docteur Es-Sciences thesis]: Université Mohammed I, 248 pp. p.
- Ramdani, M., Herquel, G., and Tadili, B., 1985, Etude du risque sismique au Maroc, *Sci. de la Terre*: Nancy, France, p. 103-113.
- Ramdani, M., Tadili, B., Mouraouah, A. E., and Brahim, L. A., 1987, Etude de la crise sismique de la région de Moulay Driss Zerhoun, Centre National de Coordination et de Planification de la Recherche Scientifique et Technique.
- Ramdani, M., Tadili, B., and Mrabet, T. E., 1989, The present state of knowledge on historical seismicity of Morocco, in Payo, G., Radu, C., and Postpischl, D., eds., *Proceedings of the symposium on Calibration of Historical Earthquakes in Europe and Recent Developments in Intensity I interpretation*: Madrid, European Seismological Commission, p. 257-279.
- Ramdani, M., and Tadili, B. A., 1988, Deep crustal structure in Morocco: *Gerlands Beitrage zur Geophysik*, v. 97, no. 2, p. 137-143.
- Research Group for Lithospheric Structure in Tunisia, 1992, The EGT'85 seismic experiment in Tunisia: a reconnaissance of the deep structures: *Tectonophysics*, v. 207, p. 245-267.
- Rimi, A., 1990, Geothermal gradients and heat flow trends in Morocco: *Geothermics*, v. 19, p. 443-454.
- Sanz de Galdeano, C., Lopez Casado, C., Delgado, J., and Peinado, M. A., 1995, Shallow seismicity and active faults in the Betic Cordillera. A preliminary approach to seismic sources associated with specific faults: *Tectonophysics*, v. 248, p. 293-302.
- Schwarz, G., Mehl, H.-G., Ramdani, F., and Rath, V., 1991, Electrical resistivity structure of the eastern Moroccan Atlas system and its tectonic implications: *Geol. Rundsch.* (in press).
- Schwarz, G., and Wigger, P. J., 1988, Geophysical studies of the earth's crust and upper mantle in the Atlas system of Morocco, in Jacobshagen, V., ed., *The Atlas System of Morocco*: Berlin, Springer-Verlag, p. 339-357.

- Schwarz, G., Wigger, P. J., Asch, G., Alami, S. O. E., Mehl, H. G., Ramdani, F., and Rath, V., 1990, a geophysical traverse across the Atlas mountain system of Morocco: data and interpretation, *Structure and Evolution of the Atlas Mountain System in Morocco*: Berlin, p. 18.
- Seber, D., Barazangi, M., Tadili, B. A., Ramdani, M., Ibenbrahim, A., Sari, D. B., and Alami, S. O. E., 1993, Sn to Sg conversion and focusing along the Atlantic margin, Morocco: implications for earthquake hazard evaluation: *Geophys. Res. Letters*, v. 20, p. 1503-1506.
- Seno, T., and Saito, A., 1994, Recent East African earthquakes in the lower crust: *Earth and Planetary Science Letters*, v. 121, p. 125-136.
- Suleiman, A. S., and Doser, D. I., 1995, The seismicity, seismotectonics and earthquake hazards of Libya, with detailed analysis of the 1935 April 19, M = 7.1 earthquake sequence: *Geophysical Journal International*, v. 120, no. 2, p. 312-322.
- Tadili, B., 1991, Etude du risque sismique au Nord du Maroc [Docteur Es-Sciences thesis]: Université Mohammed I, 229 p.
- Tadili, B., and Ramdani, M., 1983, Computer file of Moroccan earthquakes: *Bulletin of the Seismological Society of America*, v. 73, p. 653-654.
- Tadili, B., Ramdani, M., and Brahim, L. A., 1985, Etude de l'activité sismique de la région de Missour, Rapport Sismo CNR/N°2/85, Centre National de Coordination et de Planification de la Recherche Scientifique et Technique.
- Tadili, B., Ramdani, M., Sari, D. B., Chapochnikov, K., and Bellot, A., 1986, Structure de la croûte dans le nord du Maroc: *Annales Geophysicae*, v. 4, p. 99-104.
- Tadili, B., Ramdani, M., Sari, D. B., Chapochnikov, K., and Bellot, A., 1986, Structure of the crust in northern Morocco: *Annales Geophysicae, Series B: Terrestrial and Planetary Physics*, v. 4, no. 1, p. 99-104.
- Tadili, B. A., Ramdani, M., Ben-Sari, D., Chapochnikov, K., and Bellot, A., 1986, Crustal structure in northern Morocco: *Gerlands Beitrage zur Geophysik*, v. 95, no. 6, p. 477-485.
- Torne, M., Pascal, G., Buhl, P., Watts, A. B., and Mauffret, A., 1992, Crustal and velocity structure of the Valencia Trough (western Mediterranean); Part I, a combined refraction/wide-angle reflection and near-vertical reflection study: *Tectonophysics*, v. 203, no. 1-4, p. 1-20.
- Udías, A., Arroyo, A. L., and Mezcua, J., 1976, Seismotectonic of the Azores-Alboran region: *Tectonophysics*, v. 31, p. 259-289.
- Van Den Bosch, J. W. H., 1981, Mémoire explicatif de la carte gravimétrique du Maroc (provinces du Nord) au 1/500 000, Notes et Memoires du Service Geologique: Rabat, Editions du Service Geologique du Maroc, p. 219.
- Verzhbitsky, E. V., and Zolotarev, v. G., 1989, Heat flow and the Eurasian-African plate boundary in the eastern part of the Azores-Gibraltar fracture zone: *Journal of Geodynamics*, v. 11, p. 267-273.
- Vita-Finzi, C., 1989, Temporal Clustering of Paleoseismic Events on the Oued Fodda Fault, Algeria - Comment: *Geology*, v. 17, No. 9, p. 865-865.
- Vogt, J., 1993, Further Research on the Historical Seismicity of Tunisia: *Terra Nova*, v. 5, No. 5, p. 475-476.
- Watts, A. B., and Torne, M., 1992, Subsidence history, crustal structure, and thermal evolution of the Valencia Trough; a young extensional basin in the

- western Mediterranean: *Journal of Geophysical Research*, B, Solid Earth and Planets, v. 97, no. 13, p. 20,021-20,041.
- Weigel, W., Wissmann, G., and Goldflam, P., 1982, Deep seismic structure (Mauritania and Central Morocco), in von Rad, U., et al., ed., *Geology of the Northwest African Continental Margin*: Berlin, Springer-Verlag, p. 132-159.
- Weijermars, R., 1985, in search for a relationship between harmonic resolutions of the geoid, convective stress patterns and tectonics in the lithosphere: a possible explanation for the Betic-Rif orocline: *Physics of the Earth and Planetary Interiors*, v. 37, p. 135-148.
- Westaway, R., 1990, The Tripoli, Libya, Earthquake of September 4, 1974 - Implications for the Active Tectonics of the Central Mediterranean: *Tectonics*, v. 9, No. 2, p. 231-248.
- Westaway, R., 1990, Present-day kinematics of the plate boundary zone between Africa and Europe, from the Azores to the Aegean: *Earth Planetary Science Letters*, v. 96, p. 393-406.
- Wigger, P., Ash, G., Giese, P., Heinshon, W.-D., El Alami, S. O., and Ramdani, F., 1992, Crustal structure along a traverse across the Middle and High Atlas mountains derived from seismic refraction studies: *Geologische Rundschau*, v. 81, no. 1, p. 237-248.
- Wissmann, G., and von Rad, U., 1979, Seismic structure, continental basement, and Mesozoic sediments from the Mazagan Plateau off Morocco: *Meteor Forsch.-Ergebnisse*, v. 31, p. 1-20.
- Working Group for Deep Seismic Sounding in Spain, 1974-1975, 1977, Deep seismic soundings in southern Spain: *Pageoph.*, v. 115, p. 721-735.
- Yielding, G., Jackson, J. A., King, G. C. P., Sinvhal, H., Vita-Finzi, C., and Wood, R. M., 1981, Relations between surface deformation, seismicity, rupture characteristics and fault geometry during the El Asnam (Algeria) earthquake of 10 October 1980: *Earth Planetary Science Letters*, v. 56, p. 287-304.
- Young, M. E., Izzeldin, H. G., and Burr, A. F., 1989, Bouguer and isostatic gravity anomalies in NW Sudan and their implication for petroleum exploration: .
- Zhang, T. R., Schwartz, S. Y., and Lay, T., 1994, Multivariate analysis of waveguide effects on short-period regional wave propagation in Eurasia and its application in seismic discrimination: *Journal of Geophysical Research*, Solid Earth, p. 21929-21946.

Prof. Thomas Ahrens
Seismological Lab, 252-21
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Keiiti Aki
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Prof. Shelton Alexander
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Dr. Thomas C. Bache, Jr.
Science Applications Int'l Corp.
10260 Campus Point Drive
San Diego, CA 92121 (2 copies)

Prof. Muawia Barazangi
Cornell University
Institute for the Study of the Continent
3126 SNEE Hall
Ithaca, NY 14853

Dr. Douglas R. Baumgardt
ENSCO, Inc
5400 Port Royal Road
Springfield, VA 22151-2388

Dr. T.J. Bennett
S-CUBED
A Division of Maxwell Laboratories
11800 Sunrise Valley Drive, Suite 1212
Reston, VA 22091

Dr. Robert Blandford
AFTAC/TT, Center for Seismic Studies
1300 North 17th Street
Suite 1450
Arlington, VA 22209-2308

Dr. Stephen Bratt
ARPA/NMRO
3701 North Fairfax Drive
Arlington, VA 22203-1714

Mr. Dale Breeding
Sandia National Laboratories
Organization 9236, MS 0655
Albuquerque, NM 87185

Dr. Jerry Carter
Center for Seismic Studies
1300 North 17th Street
Suite 1450
Arlington, VA 22209-2308

Mr Robert Cockerham
Arms Control & Disarmament Agency
320 21st Street North West
Room 5741
Washington, DC 20451,

Dr. Zoltan Der
ENSCO, Inc.
5400 Port Royal Road
Springfield, VA 22151-2388

Dr. Stanley K. Dickinson
AFOSR/NM
110 Duncan Avenue
Suite B115
Bolling AFB, DC 20332-6448

Dr. Petr Firbas
Institute of Physics of the Earth
Masaryk University Brno
Jecna 29a
612 46 Brno, Czech Republic

Dr. Mark D. Fisk
Mission Research Corporation
735 State Street
P.O. Drawer 719
Santa Barbara, CA 93102

Dr. Cliff Frolich
Institute of Geophysics
8701 North Mopac
Austin, TX 78759

Dr. Holly Given
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Dr. Jeffrey W. Given
SAIC
10260 Campus Point Drive
San Diego, CA 92121

Dan N. Hagedon
Pacific Northwest Laboratories
Battelle Boulevard
Richland, WA 99352

Dr. James Hannon
Lawrence Livermore National Laboratory
P.O. Box 808, L-205
Livermore, CA 94550

Dr. Roger Hansen
University of Colorado, JSPC
Campus Box 583
Boulder, CO 80309

Prof. David G. Harkrider
Phillips Laboratory
Earth Sciences Division, PL/GPE
29 Randolph Road
Hanscom AFB, MA 01731-3010

Prof. Danny Harvey
University of Colorado, JSPC
Campus Box 583
Boulder, CO 80309

Prof. Donald V. Helmberger
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Eugene Herrin
Geophysical Laboratory
Southern Methodist University
Dallas, TX 75275

Prof. Robert B. Herrmann
Department of Earth & Atmospheric Sciences
St. Louis University
St. Louis, MO 63156

Prof. Lane R. Johnson
Seismographic Station
University of California
Berkeley, CA 94720

Prof. Thomas H. Jordan
Department of Earth, Atmospheric &
Planetary Sciences
Massachusetts Institute of Technology
Cambridge, MA 02139

Mr. Robert C. Kemerait
ENSCO, Inc.
445 Pineda Court
Melbourne, FL 32940

U.S. Dept of Energy
Max Koontz, NN-20, GA-033
Office of Research and Develop.
1000 Independence Avenue
Washington, DC 20585

Dr. Richard LaCoss
MIT Lincoln Laboratory, M-200B
P.O. Box 73
Lexington, MA 02173-0073

Prof. Charles A. Langston
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Jim Lawson, Chief Geophysicist
Oklahoma Geological Survey
Oklahoma Geophysical Observatory
P.O. Box 8
Leonard, OK 74043-0008

Prof. Thorne Lay
Institute of Tectonics
Earth Science Board
University of California, Santa Cruz
Santa Cruz, CA 95064

Dr. William Leith
U.S. Geological Survey
Mail Stop 928
Reston, VA 22092

Mr. James F. Lewkowicz
Phillips Laboratory/GPE
29 Randolph Road
Hanscom AFB, MA 01731-3010(2 copies)

Dr. Gary McCartor
Department of Physics
Southern Methodist University
Dallas, TX 75275

Prof. Thomas V. McEvilly
Seismographic Station
University of California
Berkeley, CA 94720

Dr. Keith L. McLaughlin
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Prof. Bernard Minster
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Prof. Brian J. Mitchell
Department of Earth & Atmospheric Sciences
St. Louis University
St. Louis, MO 63156

Mr. Jack Murphy
S-CUBED
A Division of Maxwell Laboratory
11800 Sunrise Valley Drive, Suite 1212
Reston, VA 22091 (2 Copies)

Dr. Keith K. Nakanishi
Lawrence Livermore National Laboratory
L-025
P.O. Box 808
Livermore, CA 94550

Prof. John A. Orcutt
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Dr. Howard Patton
Lawrence Livermore National Laboratory
L-025
P.O. Box 808
Livermore, CA 94550

Dr. Frank Pilotte
HQ AFTAC/TT
1030 South Highway A1A
Patrick AFB, FL 32925-3002

Dr. Jay J. Pulli
Radix Systems, Inc.
6 Taft Court
Rockville, MD 20850

Prof. Paul G. Richards
Lamont-Doherty Earth Observatory
of Columbia University
Palisades, NY 10964

Mr. Wilmer Rivers
Teledyne Geotech
1300 17th St N #1450
Arlington, VA 22209-3803

Dr. Alan S. Ryall, Jr.
Lawrence Livermore National Laboratory
P.O. Box 808, L-205
Livermore, CA 94550

Dr. Chandan K. Saikia
Woodward Clyde- Consultants
566 El Dorado Street
Pasadena, CA 91101

Mr. Dogan Seber
Cornell University
Inst. for the Study of the Continent
3130 SNEE Hall
Ithaca, NY 14853-1504

Secretary of the Air Force
(SAFRD)
Washington, DC 20330

Office of the Secretary of Defense
DDR&E
Washington, DC 20330

Thomas J. Sereno, Jr.
Science Application Int'l Corp.
10260 Campus Point Drive
San Diego, CA 92121

Dr. Michael Shore
Defense Nuclear Agency/SPSS
6801 Telegraph Road
Alexandria, VA 22310

Prof. David G. Simpson
IRIS, Inc.
1616 North Fort Myer Drive
Suite 1050
Arlington, VA 22209

Dr. Jeffrey Stevens
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Prof. Brian Stump
Los Alamos National Laboratory
EES-3
Mail Stop C-335
Los Alamos, NM 87545

Prof. Tuncay Taymaz
Istanbul Technical University
Dept. of Geophysical Engineering
Mining Faculty
Maslak-80626, Istanbul Turkey

Prof. M. Nafi Toksoz
Earth Resources Lab
Massachusetts Institute of Technology
42 Carleton Street
Cambridge, MA 02142

Dr. Larry Turnbull
CIA-OSWR/NED
Washington, DC 20505

Dr. Karl Veith
EG&G
2341 Jefferson Davis Highway
Suite 801
Arlington, VA 22202-3809

Prof. Terry C. Wallace
Department of Geosciences
Building #77
University of Arizona
Tucson, AZ 85721

Dr. William Wortman
Mission Research Corporation
8560 Cinderbed Road
Suite 700
Newington, VA 22122

ARPA, OASB/Library
3701 North Fairfax Drive
Arlington, VA 22203-1714

HQ DNA
ATTN: Technical Library
Washington, DC 20305

Defense Technical Information Center
8725 John J. Kingman Road
Ft Belvoir, VA 22060-6218
(2 copies)

TACTEC
Battelle Memorial Institute
505 King Avenue
Columbus, OH 43201 (Final Report)

Phillips Laboratory
ATTN: GPE
29 Randolph Road
Hanscom AFB, MA 01731-3010

Phillips Laboratory
ATTN: TSML
5 Wright Street
Hanscom AFB, MA 01731-3004

Phillips Laboratory
ATTN: PL/SUL
3550 Aberdeen Ave SE
Kirtland, NM 87117-5776 (2 copies)

Dr. Michel Campillo
Observatoire de Grenoble
I.R.I.G.M.-B.P. 53
38041 Grenoble, FRANCE

Dr. Kin Yip Chun
Geophysics Division
Physics Department
University of Toronto
Ontario, CANADA

Prof. Hans-Peter Harjes
Institute for Geophysics
Ruhr University/Bochum
P.O. Box 102148
4630 Bochum 1, GERMANY

Prof. Eystein Husebye
IFJF
Jordskjelvstasjonen
Allegaten, 5007 BERGEN NORWAY

David Jepsen
Acting Head, Nuclear Monitoring Section
Bureau of Mineral Resources
Geology and Geophysics
G.P.O. Box 378, Canberra, AUSTRALIA

Ms. Eva Johannisson
Senior Research Officer
FOA
S-172 90 Sundbyberg, SWEDEN

Dr. Peter Marshall
Procurement Executive
Ministry of Defense
Blacknest, Brimpton
Reading FG7-FRS, UNITED KINGDOM

Dr. Bernard Massinon, Dr. Pierre Mechler
Societe Radiomana
27 rue Claude Bernard
75005 Paris, FRANCE (2 Copies)

- Dr. Svein Mykkeltveit
NTNT/NORSAR
P.O. Box 51
• N-2007 Kjeller, NORWAY (3 Copies)

Dr. Jorg Schlittenhardt
Federal Institute for Geosciences & Nat'l Res.
Postfach 510153
D-30631 Hannover , GERMANY

Dr. Johannes Schweitzer
Institute of Geophysics
Ruhr University/Bochum
P.O. Box 1102148
4360 Bochum 1, GERMANY

Trust & Verify
VERTIC
Carrara House
20 Embankment Place
London WC2N 6NN, ENGLAND